

BB SPF20- octinoxate, octisalate, oxybenzone cream
e.l.f. Cosmetics, Inc

BB Cream SPF20

Drug Facts

Active ingredients

Octinoxate 6%

Octisalate 4%

Oxybenzone 3.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **For sunscreen use:**
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- Spending time in the sun increases your risk of sun cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures:**
- limit time in the sun, especially from 10 a.m.-2 p.m
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask doctor.

Inactive ingredients

Water (Aqua), Propylene Glycol, Glycerin, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Sorbitan Olivatate, Polymethyl Methacrylate, Sodium Chloride, Talc, Simmondsia Chinensis (Jojoba) Seed Oil, Cucumis Sativus (Cucumber) Fruit Extract, Aloe Barbadensis Leaf Extract, Bisabolol, Tocopheryl Acetate (Ve), VP/Hexadecene Copolymer, Quaternium-18 Bentonite, Butylene Glycol, Zinc Stearate, Zinc Palmitate, Silica, Mica, Triethoxycaprylylsilane, Phenoxyethanol, Ethylhexylglycerin, Caprylyl Glycol, Fragrance (Parfum) May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Questions or comments?

1-855-353-7320

Package Labeling:

BB CREAM SPF 20

BB CREAM SPF 20

- DEEP -

NET 0.96 FL. OZ. (28.5mL)



B82840-1

ALL COPY © E.L.F. COSMETICS, INC. DIST. BY E.L.F. COSMETICS, INC. OAKLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A. PWC SOLUTIONS LTD, STANLAW ABBEY CH65 9BF UK



82840

Drug Facts

Active ingredients	Purpose
Octinoxate 6%.....	Sunscreen
Octisalate 4%.....	Sunscreen
Oxybenzone 3.5%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove.

- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours

- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of sun cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m
 - wear long-sleeved shirt, pants, hats and sunglasses
 - children under 6 months of age: Ask doctor.

Inactive ingredients

Water (Aqua), Propylene Glycol, Glycerin, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Cyclopentasiloxane, Cyclohexasiloxane, Sorbitan Olivale, Polymethyl Methacrylate, Sodium Chloride, Talc, Simmondsia Chinensis (Jojoba) Seed Oil, Cucumis Sativus (Cucumber) Fruit Extract, Aloe Barbadensis Leaf Extract, Bisabolol, Tocopheryl Acetate (Vitamin E), VP/Hexadecene Copolymer, Quaternium-18 Bentonite, Butylene Glycol, Zinc Stearate, Zinc Palmitate, Silica, Mica, Triethoxycaprylylsilane, Phenoxyethanol, Ethylhexylglycerin, Caprylyl Glycol, Fragrance (Parfum) May Contain: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Questions or comments? 1-855-353-7320



FRONT FOR REFERENCE

BACK FOR REFERENCE

BB SPF20

octinoxate, octisalate, oxybenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76354-450
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	40 mg in 1 mL
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	35 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

GLYCERIN (UNII: PDC6A3C0OX)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
SORBITAN OLIVATE (UNII: MDL271E3GR)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
TALC (UNII: 7SEV7J4R1U)
JOJOBA OIL (UNII: 724GKU717M)
CUCUMBER (UNII: YY7C30VXJT)
ALOE VERA LEAF (UNII: ZY81Z83H0X)
LEVOMENOL (UNII: 24WE03BX2T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)
BENTOQUATAM (UNII: 7F465U79Q1)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
ZINC STEARATE (UNII: H92E6QA4FV)
ZINC PALMITATE (UNII: Q7407964JA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
MICA (UNII: V8A1AW0880)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76354-450-28	1 in 1 BOX	10/20/2019	
1		28.5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2019	

Labeler - e.l.f. Cosmetics, Inc (093902816)