

SOLIMO RENEWING CLEANSER FOR ACNE PRONE SKIN- benzoyl peroxide liquid
Amazon.com Services LLC

Solimo Renewing Cleanser For Acne Prone Skin

Drug Facts

Active Ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne treatment gel

Uses

- for the management of acne

Warnings

For external use only.

When using this product:

- do not use this product more than three times per day.
- skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time.
- If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use

if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. *Sensitivity Test for a New User:*
- apply a small amount to dampened skin.
- cover the entire affected area with a thin layer and rinse thoroughly one to three times daily.
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive Ingredients

water, cetyl esters, sorbitol, propylene glycol, polyethylene, dimethyl isosorbide, magnesium aluminum silicate, tridecyl trimellitate, glyceryl stearate, xanthan gum, peg-100 stearate, disodium peg-12 dimethicone sulfosuccinate, tridecyl stearate, neopentylglycol dicaprylate/dicaprate, sodium pca, imidazolidinyl urea, fragrance, methylparaben, propylparaben, carthamus tinctorius (safflower) seed oil, sodium hyaluronate, chamomilla recutita (matricaria) flower extract.

Package Labeling: 2oz

Top/Front

Drug Facts Active Ingredient Benzoyl Peroxide 2.5%Acne treatment gel Purpose Uses ■ for the management of acne Warnings For external use only. ▶	SOLMO Renewing Cleanser FOR ACNE PRONE SKIN ALCOHOL FREE <i>Helps keep skin clear of new acne pimples</i> NET WT. 2 FL. OZ (59ML)	When using this product: ■ do not use this product more than three times per day. ■ skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. ■ if irritation occurs, only use one topical acne medication at a time. ■ avoid unnecessary sun exposure and use a sunscreen. ■ avoid contact with the eyes, lips, and mouth. ■ avoid contact with hair and dyed fabrics, which may be bleached by this product. ■ skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. Do not use if you ■ have very sensitive skin ■ are sensitive to benzoyl peroxide Stop use and ask a doctor if ■ irritation becomes severe. ▶
--	--	--

Bottom/Back Adhesive Side

NO PRINT AREA	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ <i>Sensitivity Test for a New User:</i> Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below. ■ apply a small amount to dampened skin. ■ cover the entire affected area with a thin layer and rinse thoroughly one to three times daily. ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. ■ if bothersome dryness or peeling occurs, reduce application to once a day or every other day. ■ if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor. Inactive Ingredients water, cetyl esters, sorbitol, propylene glycol, polyethylene, dimethyl isosorbide, magnesium aluminum silicate, tridecyl trimellitate, glyceryl stearate, xanthan gum, peg-100 stearate, disodium peg-12 dimethicone sulfosuccinate, tridecyl stearate, neopentylglycol dicaprylate/dicaprate, sodium pca, imidazolidinyl urea, fragrance, methylparaben, propylparaben, carthamus tinctorius (safflower) seed oil, sodium hyaluronate, chamomilla recutita (matricaria) flower extract.
----------------------	--

Package Labeling: 4oz

Top/Front

Drug Facts

Active Ingredient	Purpose
Benzoyl Peroxide 2.5%	Acne treatment gel

Uses

- for the management of acne

Warnings

For external use only.

When using this product:

- do not use this product more than three times per day.
- skin irritation and dryness are more likely to occur if you use another

SOLIMO

Renewing Cleanser

FOR ACNE PRONE SKIN
ALCOHOL FREE

*Helps keep skin clear of
new acne pimples*

NET WT. 4 FL. OZ (118ML)

topical acne medication at the same time.

- if irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen.
- avoid contact with the eyes, lips, and mouth.
- avoid contact with hair and dyed fabrics, which may be bleached by this product.
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor if

- irritation becomes severe.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



DISTRIBUTED BY:
Amazon.com Services LLC, Seattle, WA 98109
1-877-485-0385
© 2018 Amazon.com Services LLC
or it's affiliates. All rights reserved.
Made in the USA

Back/Bottom Adhesive Side

NO PRINT AREA

Directions

- *Sensitivity Test for a New User:* Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated below.
- apply a small amount to dampened skin.
- cover the entire affected area with a thin layer and rinse thoroughly one to three times daily. ■ because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day. ■ if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Inactive Ingredients Water, cetyl esters, sorbitol, propylene glycol, polyethylene, dimethyl isosorbide, magnesium aluminum silicate, tridecyl trimellitate, glyceryl stearate, xanthan gum, peg-100 stearate, disodium peg-12 dimethicone sulfosuccinate, tridecyl stearate, neopentylglycol dicaprylate/dicaprate, sodium pca, imidazolidinyl urea, fragrance, methylparaben, propylparaben, carthamus tinctorius (safflower) seed oil, sodium hyaluronate, chamomilla recutita (matricaria) flower extract

SOLIMO RENEWING CLEANSER FOR ACNE PRONE SKIN

benzoyl peroxide liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72288-526

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	25 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
SORBITOL (UNII: 506T60A25R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PEG-100 STEARATE (UNII: YD01N1999R)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
IMIDUREA (UNII: M629807ATL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CHAMOMILE (UNII: FGL3685T2X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-526-02	59 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2020	
2	NDC:72288-526-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	07/30/2020	

Labeler - Amazon.com Services LLC (128990418)

Establishment

Name	Address	ID/FEI	Business Operations
Filltech USA, LLC		926433855	manufacture(72288-526)

Revised: 11/2023

Amazon.com Services LLC