

**ALMACONE DOUBLE STRENGTH- aluminum hydroxide, magnesium hydroxide,
dimethicone suspension
RUGBY LABORATORIES**

RUG ALMACONE DS

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)
Magnesium hydroxide 400 mg
Simethicone 40mg

Purposes

Antacid
Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.
Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 12 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-645-2158

package Label

Rugby® NDC 0536-0015-83

Almacone®

DOUBLE STRENGTH

Alumina, Magnesia, and Simethicone
Oral Suspension USP

ANTACID ANTIGAS

LOW
SODIUM

12 fl oz
(355 mL)

219-06122-4 R0618

U

COMPARE TO ACTIVE
INGREDIENTS IN MYLANTA®
EXTRA STRENGTH*

Alcohol: 0.5%

Drug Facts **TAMPER EVIDENT:** Do not use if breakaway band on cap is broken or missing.

Active ingredients (in each 5 mL teaspoonful)	Purposes
Aluminum hydroxide 400mg.....	Antacid (equivalent to dried gel, USP)
Magnesium hydroxide 400 mg.....	Antacid
Simethicone 40 mg.....	Antigas

Uses relieves • heartburn • sour stomach
• acid indigestion • symptoms referred to as gas

Warnings
Ask a doctor before use if you have • kidney disease
• a magnesium-restricted diet
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.
Stop use and ask a doctor if symptoms last more than 2 weeks
Keep out of reach of children.

Directions • shake well before use
• adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
• do not take more than 12 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
• children under 12 years: ask a doctor

Other information • each 5 mL teaspoonful contains:
magnesium 165 mg, sodium 5 mg • store at room temperature
• protect from freezing • keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-645-2158

• Rugby Laboratories is not affiliated with the owner of the registered trademark MYLANTA®.
Distributed by:
Rugby Laboratories
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152
www.rugbylaboratories.com
Re-order No. 370005
919-06122-6 Rev. 08/18 R-99

ALMACONE DOUBLE STRENGTH

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-0015
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	40 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPIU3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON (lemon)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-0015-83	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/05/2011	

Labeler - RUGBY LABORATORIES (079246066)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0536-0015)

