

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA- octinoxate,  
octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME- octinoxate,  
octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI-  
octinoxate, octocrylene, and titanium dioxide emulsion  
SHISEIDO AMERICAS CORPORATION

-----

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT

### *Drug Facts*

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Octinoxate 4.7%	Sunscreen
Octocrylene 3.0%	Sunscreen
Titanium Dioxide 2.0%	Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

#### **For external use only**

**Do not use on** damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use** and ask a doctor if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Flammable**

Do not use near heat, flame, or while smoking.

## Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

## Inactive Ingredients

WATER•DIMETHICONE•GLYCERIN•TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE•CAPRYLYL METHICONE•BUTYLENE GLYCOL•DIMETHICONE/PEG-10/15 CROSSPOLYMER•SODIUM CHLORIDE•SYNTHETIC FLUORHLOGOPITE•SQUALANE•HYDROGENATED POLYISOBUTENE•THYMUS SERPYLLUM EXTRACT•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•POLYQUATERNIUM-51•SODIUM HYALURONATE•HYDROLYZED CONCHIOLIN PROTEIN•SORBITAN SESQUIISOSTEARATE•DISTEARDIMONIUM HECTORITE•PEG-10 DIMETHICONE•ALUMINUM HYDROXIDE•STEARIC ACID•TRISODIUM EDTA•HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER•LITHIUM MAGNESIUM SODIUM SILICATE•POLYSILICONE-2•SODIUM CITRATE•DIPROPYLENE GLYCOL•POLYSORBATE 60•ISODODECANE•PEG/PPG-19/19 DIMETHICONE•BHT•TOCOPHEROL•SORBITAN ISOSTEARATE•TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN•POLYMETHYLSILSESQUIOXANE•PHENOXYETHANOL•IRON OXIDES•TITANIUM DIOXIDE•MICA•

## Other information

Protect this product in this container from excessive heat and direct sun.

## Questions or comments?

Call toll free 1-800-906-7503

## PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 115 Fair Shirakaba

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



115 Fair Shirakaba

SHISEIDO  
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion, 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED,  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
G.L.O. 17126  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILAURYLPROPANEGLYCOL - TRIETHYLHEXANECARBOXYLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYLGLYCERIN - POLYBUTYLENE GLYCOL - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SULFANILAMIDE - HYDROGENATED POLYISOBUTENE

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLUM EXTRACT - DIMETHOXYMETHYL DIMETHACRYLATE CROSSPOLYMER - POLYBUTYLENE GLYCOL - SODIUM HYALURONATE - HYDROLYZED CONDENSATION PRODUCT - SORBENAM SESQUISOBTATE - CISTEARYL DIMETHYLAMINE HEDICATE - PEG-10 DIMETHICONE - ALLUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE SODIUM ACRYL DIMETHYL TAURATE COPOLYMER - TRIMETHYLAMINE SODIUM SULFATE - POLYBUTYLENE GLYCOL - SODIUM CITRATE - PROPYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/18 DIMETHICONE - BHT - TOCOPHERYL - SORBENAM SESQUISOBTATE - TRIMETHYL SODIUM CARBANOLYL PALLADIUM - POLYBUTYLENE SESQUISOBTATE - PHENOL ETHANOL - IRON OXIDES - TITANIUM DIOXIDE - MICA

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/11mm  
11mmX26mm  
7 30852 17126 8

12724761  
AAA

115  
Fair Shirakaba

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



125 Fair Asterid

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17127  
www.shiseido.com



<http://s1872.com/17127AA>  
See our website for more information.

### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRILUCOXYPROPIONATE • TRIETHYLGLYCOL • CAPRYLYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • SQUALANE • HYDROGENATED POLYISOBUTENE

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLIN EXTRACT • DIMETHICONE • DIMETHICONE CROSSPOLYMER • POLYDIPENTAERYTHROL • SODIUM HYALURONATE • HYDROLYZED COLLAGEN PROTEIN • SORBITAN SESQUISULFATE • DISTEAROYL DIMETHYL PEG-10 DIMETHYL METHACRYLATE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM CITRATE • HYDROXYETHYL ACRYLATE • SODIUM ACRYL DIMETHYL TAURATE • COPOLYMER • LITHIUM MAGNESIUM SODIUM SILICATE • POLYGLYCONE-6 • SODIUM CHLORIDE • DIPROPYLENE GLYCOL • POLYISOBUTENE • ISODODECANE • PEG-18 DIMETHYL METHACRYLATE • BIS(4-TOXYPHENYL) • SORBITAN SESQUISULFATE • TRIMETHYL CARBONYL CARBAMOL • PULLULAN • POLYMERHYDROLYZED KAPURAN • PEG-DIMETHANOL • BAKING SODA • TITANIUM DIOXIDE • MICA

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.55倍 6mm×11mm  
11mm×28mm

7 30852 17127 5

12724762  
AAA

125  
Fair Asterid

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 215 Light Buna

SHISEIDO

GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



215 Light Buna

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

**Active ingredients Purpose**  
OCTINOXATE 6.7% Sunscreen  
OCTOCRYLENE 3.0% Sunscreen  
TITANIUM DIOXIDE 2.0% Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17128  
www.shiseido.com



### Drug Facts (continued)

#### Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILUSOPROPOLYDIMETHYL DIMETHYLSILOXYLATE - CARBONYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHOXYPEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SOLUBLE - HYDROGENATED POLYSILOXANE -

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPILLUM EXTRACT - DIMETHICONE - DIMETHICONE CROSSPOLYMER - POLYBUTADIENE - SODIUM HYALURONATE - HYDROLYZED COUCH BULB PROTEIN - SCHEFFERAN SESQUISULFONATE - DISTEAROYL DIMONIUM HECTATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VARNISH/SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - PROPYLENE GLYCOL - POLYSORBATE 80 - ISODODECANE - PEG-PPG-18/18 DIMETHICONE - BHT - TOCOPHEROL - SCHEFFERAN SESQUISULFONATE - TRIMETHYL SILYL DIMETHYL CARBAMOL PULLULAN - POLYMERIZED SILSESQUOXANE - PHENOXYETHANOL - IRON OXIDES - TITANIUM DIOXIDE - WAX -

### Other Information

protect this product in this container from excessive heat and direct sun.

### Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm×26mm

7 30852 17128 2

12724763  
AAA

215  
Light Buna

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.



SELF-REFRESHING Tint



225 Light Magnolia

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17129  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIFLUOROPROPYL METHYL DIMETHYL SILYLSULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYLGLYCERIN - CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYETHER - SQUALANE - HYDROGENATED POLYISOBUTENE -

### SYNCHRO SKIN SELF-REFRESHING

Tint  
BROAD SPECTRUM  
SPF 20  
Sunscreen  
For Face

30mL NET WT. 95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THAMUS SERPULLIN EXTRACT - DIMETHICONE - DIMETHICONE CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COENZYME Q10 - SORBETAN SESQUISOBTARATE - DISTEAROYL DIMETHYL HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE SODIUM ACRYLATE SODIUM LAURATE COPOLYMER - LITHIUM VALENATE SODIUM SILICATE - POLYSILOXANE - SODIUM OCTOATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/18 DIMETHICONE - BHT - TOCOPHEROL - SORBETAN BISTEARATE - TRIMETHYLSILOXYETHYL CARBAMOL PULLULAN - POLYETHYLENESULFONATE - PHENOXETHANOL - BION CHOCIES - TITANIUM DIOXIDE - IMCA -

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー  
11mmX26mm  
7 30852 17129 9

12724764  
AAA

225  
Light Magnolia

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



235 Light Hiba

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17130  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIFLUOROPROPYL DIMETHYL METHACRYLATE - DIMETHYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SQUALANE - HYDROGENATED POLYSILOXANE -

### SYNCHRO SKIN SELF-REFRESHING

Tint  
BROAD SPECTRUM  
SPF 20  
Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLINI EXTRACT - DIMETHICONE/UVIC - DIMETHICONE CROSSPOLYMER - POLYDIAMETHACRYLATE - SODIUM HYALURONATE - HYDROLYZED COCOLONIN PROTEIN - SORBITAN SESQUISOCTEATE - CASTEROL/COH. AL HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM COTTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLATE DIMETHYL TAURATE COPOLYMER - LITHIUM MAGNESIUM SODIUM SILICATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHENYLENE GLYCOL - POLYISOBUTYLENE - POLYISOBUTYLENE - PEG PEG-8/10 DIMETHICONE - BHT - TOCOPHEROL - SORBITAN ISOSORBATE - TRIMETHYLSILOXYMETHYL CARBAMOL PULLULAN - POLYMERIZED SILSESQUOXANE - PHENOL/ETHANOL - IRON OXIDES - TITANIUM DIOXIDE - IMCA -

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/パ  
11mmX26mm  
7 30852 17130 5

12724765  
AAA

235  
Light Hiba

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



315 Medium Matsu

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17131  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILUCOPROPOLYDIMETHYL DIMETHYLSILOXANESULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SOLULANE - HYDROGENATED POLYISOBUTENE -

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLIN EXTRACT - DIMETHICONE/UVOLIN - DIMETHICONE CROSSPOLYMER - POLYDIMEREDIMETHACRYLATE - SODIUM HYALURONATE - HYDROLYZED COCONUT PROTEIN - SCHEERAN SESQUISOCTEARATE - CISTAPHRONOLIN AM HEPTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRAHYDROXYPHOSPHATE - ACRYLATE/SODIUM ACRYLAMIDE/ETHYL TAURATE COPOLYMER - LITHIUM ARGONNEUM SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PRECIPITATED DIMETHICONE - BHT - TOCOPHEROL - SCHEERAN BISISOGATE - TRIMETHYLSILOXYMETHYL CARBAMOL PULLULAN - POLYMERHYDROLYZED DIMETHICONE - PHENOLMETHANOL - IRON OXIDES - TITANIUM DIOXIDE - IMCA -

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー  
11mmX26mm

7 30852 17131 2

12724766  
AAA

315  
Medium Matsu

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



325 Medium Keyaki

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17132  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILUCROPROPIONATE/ TRIMETHYL GLYCOLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL SILYLSILOXANE - CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SQUALANE - HYDROGENATED POLYISOBUTENE

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPILLIUM EXTRACT - DIMETHYL DIMETHYL SILYLSILOXANE - CROSSPOLYMER - POLYBUTYLENE ADIPATE - SODIUM HYALURONATE - HYDROLYZED CONCHUSIN PROTEIN - SODIUM SESQUIOSULFONATE - DISTEAROYL DIMONIUM HECTOINATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - SODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER - LITHIUM HYALURONATE/SODIUM SILICATE - POLYSILOXANE-5 - SODIUM CITRATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - POLYISOBUTENE - PEG-PPG-18/15 DIMETHICONE - BUTYL PEROXYESTER - SODIUM BISULFONATE - TRIMETHYL SILYL METHYLPROPANOL PULLULAN - POLYETHYL METHACRYLATE - PHENOXETHANOL - BION DIOXIDES - TITANIUM DIOXIDE - INCI

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

http://s1872.com/17132AA  
See our website for more information.

縮小サイズ0.65倍 6mmバー  
11mmX26mm

7 30852 17132 9

12724767  
AAA

325  
Medium Keyaki

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.



SELF-REFRESHING Tint



335 Medium Katsura

SHISEIDO  
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17133  
www.shiseido.com



**Drug Facts (continued)**

**Directions**

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Inactive ingredients**

WATER - DIMETHICONE - GLYCERIN - TRILAURYLPROPIONYL DIMETHYL DIMETHYLSILOXANESULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYLPROPYLENE CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SOLULANE - HYDROGENATED POLYISOBUTENE -

**SYNCHRO SKIN SELF-REFRESHING**

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

THYMUS SERPYLLUM EXTRACT - DIMETHICONE - DIMETHICONE DIMETHYLACRYLATE - DIMETHYLACRYLAMIDE - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COCHINEAL PROTEIN - SORBETAN SECOISOSTEARATE - DISTEAROYL DIMETHYL SECOISOSTEARATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER - LITHIUM VAGNERIN SODIUM SULFATE - POLYBUTENE - SODIUM CITRATE - DIPROPYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BHT - TOCOPHEROL - SORBETAN SECOISOSTEARATE - TRIETHYLISODODECANE CARBONATE - PULLULAN - POLYETHYLENESULFONATE - PHENOL/ETHANOL - IRON OXIDES - TITANIUM DIOXIDE - WAX -

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー  
11mmX26mm  
7 30852 17133 6

12724768  
AAA

335  
Medium Katsura

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



415 Tan Kwanzan

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17134  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRIMETHYLPROPYL METHYL METHACRYLATE CROSSPOLYMER • CARBENYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL PEG-9/GME CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • SOLAJANE • HYDROGENATED POLYISOBUTENE •

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHICONE • DIMETHACRYLATE • DIMETHACRYLATE CROSSPOLYMER • POLYBUTYLENE ADIPATE • SODIUM HYALURONATE • HYDROLYZED COCHINILIN PROTEIN • SORBETAN SESQUISOBTATE • DISTEARDIMONIUM HECTOATE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRICOLONYL ETHA • HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER • LITHIUM VAGNESIUM SODIUM SILICATE • POLYSILOXANE • SODIUM CITRATE • DIPROPYLENE GLYCOL • POLYISOBUTENE • ISODODECANE • PEG-PPG-18/15 DIMETHICONE • BHT • TOCOPHEROL • SORBETAN SESQUISOBTATE • TRIETHYLISODONAN CARBONATE • PULLULAN • POLYETHYLSILOXANOLANE • PHENOXETHANOL • BIONOXIDES • TITANIUM DIOXIDE • MICA •

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm  
11mm×26mm  
7 30852 17134 3

12724769  
AAA

415  
Tan Kwanzan

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



425 Tan Ume

SHISEIDO  
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.  
GLO, 17135  
www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHOZONE - GLYCERIN - TRIFLUOROACETYL METHYL DIMETHYL SILANESULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHOZONE-PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SQUALANE - HYDROGENATED POLYISOBUTENE

### Drug Facts (continued)

#### Inactive ingredients

THAMUS SERPYLLUM EXTRACT - DIMETHOZONE/OLIGO - DIMETHOZONE CROSSPOLYMER - POLYURETHANEMETHACRYLATE - SODIUM HYALURONATE - HYDROLYZED CONJUGATED PROTEIN - SORBETAN SESQUISOBTANATE - GUSTAFURONOLIN HEPTANOATE - PEG-10 DIMETHACRYLATE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM NAGNESIUM SODIUM SILICATE - POLYSILOXANE - SODIUM SORBATE - DIPROPYLENE GLYCOL - POLYISOBUTATE DI - BISODOSANE - PEG PEG-18 DIMETHACRYLATE - BIHT - TOCOPHEROL - SORBETAN ISOSTEARATE - TRIMETHYLSILOXYMETHYL DIMETHYL SILANOL - PULLULAN - POLYMETHYLSILOXANOLANATE - PHENOXETHANOL - IRON OXIDES - MICA

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

### SYNCHRO SKIN SELF-REFRESHING

Tint  
BROAD SPECTRUM  
SPF 20  
Sunscreen  
For Face

30mL NET WT. .95 OZ.

<http://s1872.com/17135AA>  
See our website for more information.

縮小サイズ0.65倍 6mm/11mm  
11mmX26mm  
7 30852 17135 0

12724770  
AAA

425  
Tan Ume

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



515 Deep Tsubaki

SHISEIDO  
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

GLO, 17136

[www.shiseido.com](http://www.shiseido.com)



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILAURYLPROPYLDIMETHYL TRIMETHYL SILSESQUOXIDE - CARBONYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL PEG-1015 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SQUALANE - HYDROGENATED POLYISOBUTENE -

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLIN EXTRACT - DIMETHICONE DIMETHACRYLATE - DIMETHICONE CROSSPOLYMER - POLYBUTYLENE TEREPHTHALATE - SODIUM HYALURONATE - HYDROLYZED CONJUGATED LIGNIN PROTEIN - SCHELTAN SESQUIOSULFONATE - CISTEINYL L-GLUTAMYL L-GLUTAMATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLAMIDE/METHYL TAURATE COPOLYMER - LITHIUM HYDROGEN SODIUM SULFATE - POLYSILOXANE - SODIUM DIBIPHENYLIMIDE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PDMS/ETHANOL/ETHANOL/ETHANOL - BHT - TOCOPHEROL - SCHELTAN SESQUIOSULFONATE - TRIETHYL SILICONYL CARBAMOL - PULLULAN - POLYETHYLENEGLYCOL/AQUA - PEG/ETHANOL - BHT - TITANIUM DIOXIDE - IMCA -

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmパ  
11mm×26mm

7 30852 17136 7

12724771  
AAA

515  
Deep Tsubaki

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 525 Deep Kuromoji

SHISEIDO  
GINZA TOKYO

SYNCHRO SKIN  
SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.



SELF-REFRESHING Tint



525 Deep Kuromoji

SHISEIDO  
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.  
NON-COMEDOGENIC.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10017  
MADE IN U.S.A.

GLO, 17137

www.shiseido.com



### Drug Facts (continued)

#### Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

#### Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIETHYLHEXYL SULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHLOGOPITE - SOLANINE - HYDROGENATED POLYISOBUTENE -

### SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM  
SPF 20

Sunscreen  
For Face

30mL NET WT. .95 OZ.

### Drug Facts (continued)

#### Inactive ingredients

THYMUS SERPYLLUM EXTRACT - DIMETHICONE - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COCHINEAL PROTEIN - SORBETAN SECOISOSTEARATE - DISTEAROYL DIMONIUM HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VAGNERIN SODIUM SULFATE - POLYSILOXANE - SODIUM CITRATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BUTYL TOCOPHEROL - SORBETAN SECOISOSTEARATE - TRIETHYLHEXYL SULFONATE - PULLULAN - POLYETHYLENE SESQUILAUANE - PHENOLYETHANOL - IRON OXIDES - TITANIUM DIOXIDE - INCI -

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free  
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/1-11mmX26mm  
7 30852 17137 4

12724772  
AAA

525  
Deep Kuromoji

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA

octinoxate, octocrylene, and titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-673
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-673-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-674
Route of Administration	TOPICAL		

  

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

  

Inactive Ingredients		
Ingredient Name		Strength
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)		
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)		
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)		
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)		
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)		
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)		
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)		
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)		
<b>LAPONITE</b> (UNII: D703131383)		
<b>SQUALANE</b> (UNII: GW89575KF9)		

<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-674-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-675
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	

GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-675-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-676	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
	<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
	<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	<b>WATER</b> (UNII: 059QF0K00R)			
	<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)			
	<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
	<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)			
	<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)			
	<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)			
	<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)			
	<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)			
	<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)			
	<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)			
	<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)			
	<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)			
	<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)			
	<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)			
	<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)			
	<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)			
	<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)			
	<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)			
	<b>LAPONITE</b> (UNII: D703131383)			
	<b>SQUALANE</b> (UNII: GW89575KF9)			
	<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)			
	<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)			
	<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)			
	<b>ISODODECANE</b> (UNII: A8289P68Y2)			
	<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)			
	<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)			
	<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)			
	<b>MICA</b> (UNII: V8A1AW0880)			
	<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)			
	<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)			
	<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)			
	<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)			
	<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)			
	<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)			
	<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)			
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58411-676-20	1 in 1 CONTAINER	12/16/2019	

1	30 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-677
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
<b>WATER</b> (UNII: 059QF0K00R)			
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)			
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)			
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)			
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)			
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)			
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)			
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)			
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)			
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)			
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)			
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)			
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)			
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)			
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)			
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)			
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)			
<b>LAPONITE</b> (UNII: D703131383)			
<b>SQUALANE</b> (UNII: GW89575KF9)			
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)			
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)			
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)			
<b>ISODODECANE</b> (UNII: A8289P68Y2)			
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)			
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)			

<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-677-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-678
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	



<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>LAPONITE</b> (UNII: D703131383)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-678-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-679
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-679-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-680
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
<b>WATER</b> (UNII: 059QF0K00R)			
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)			
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)			
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)			
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)			
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)			
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)			
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)			
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)			
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)			
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)			
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)			
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)			
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)			
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)			
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)			
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)			
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)			
<b>LAPONITE</b> (UNII: D703131383)			
<b>SQUALANE</b> (UNII: GW89575KF9)			
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)			
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)			
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)			
<b>ISODODECANE</b> (UNII: A8289P68Y2)			
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)			
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)			
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)			
<b>MICA</b> (UNII: V8A1AW0880)			
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)			
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)			

<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-680-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-681
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	

<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>LAPONITE</b> (UNII: D703131383)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-681-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

## SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME

octinoxate, octocrylene, and titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-682
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-682-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

# SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI

octinoxate, octocrylene, and titanium dioxide emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-683
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUISTEARATE</b> (UNII: VU97D01BF9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>LAPONITE</b> (UNII: D703131383)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-683-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

**SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI**

octinoxate, octocrylene, and titanium dioxide emulsion

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-684
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	



<b>LAPONITE</b> (UNII: D703131383)
<b>SQUALANE</b> (UNII: GW89575KF9)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)
<b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>MICA</b> (UNII: V8A1AW0880)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>THYMUS SERPYLLUM WHOLE</b> (UNII: 86H4S6K51N)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-684-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	12/16/2019	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

### Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-673, 58411-674, 58411-675, 58411-676, 58411-677, 58411-678, 58411-679, 58411-680, 58411-681, 58411-682, 58411-683, 58411-684) , MANUFACTURE(58411-673, 58411-674, 58411-675, 58411-676, 58411-677, 58411-678, 58411-679, 58411-680, 58411-681, 58411-682, 58411-683, 58411-684)

Revised: 4/2022

SHISEIDO AMERICAS CORPORATION