

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME- octinoxate,
 octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI-
 octinoxate, octocrylene, and titanium dioxide emulsion
 SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT

Drug Facts

Active ingredients	Purpose
Octinoxate 4.7%	Sunscreen
Octocrylene 3.0%	Sunscreen
Titanium Dioxide 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable

Do not use near heat, flame, or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive Ingredients

WATER•DIMETHICONE•GLYCERIN•TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE•CAPRYLYL METHICONE•BUTYLENE GLYCOL•DIMETHICONE/PEG-10/15 CROSSPOLYMER•SODIUM CHLORIDE•SYNTHETIC FLUORHLOGOPITE•SQUALANE•HYDROGENATED POLYISOBUTENE•THYMUS SERPYLLUM EXTRACT•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•POLYQUATERNIUM-51•SODIUM HYALURONATE•HYDROLYZED CONCHIOLIN PROTEIN•SORBITAN SESQUIISOSTEARATE•DISTEARDIMONIUM HECTORITE•PEG-10 DIMETHICONE•ALUMINUM HYDROXIDE•STEARIC ACID•TRISODIUM EDTA•HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER•LITHIUM MAGNESIUM SODIUM SILICATE•POLYSILICONE-2•SODIUM CITRATE•DIPROPYLENE GLYCOL•POLYSORBATE 60•ISODODECANE•PEG/PPG-19/19 DIMETHICONE•BHT•TOCOPHEROL•SORBITAN ISOSTEARATE•TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN•POLYMETHYLSILSESQUIOXANE•PHENOXYETHANOL•IRON OXIDES•TITANIUM DIOXIDE•MICA•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 115 Fair Shirakaba

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



115 Fair Shirakaba

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED,
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
G.L.O. 17126
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRILAURYLPROPYL DIMETHYL TRIMETHYLSILOXANESULFONATE • CARBONYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYLPROPANOATE • CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPOLYMER • SOLUBLE • HYDROGENATED POLYISOBUTENE

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THAMUS SERPYLLINUM EXTRACT • DIMETHICONE DIMETHYLACRYLATE • DIMETHYLACRYLATE • POLYOLATERNUM • SODIUM HYALURONATE • HYDROLYZED COLLAGEN PROTEIN • SORBENYL SESQUISULFONATE • OCTOFLUOROPENTAN-3-OL • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYETHYL ACRYLATE • SODIUM ACRYLATE • DIMETHYL TAURATE • COPOLYMER • DIMETHYL MAGNESIUM SODIUM SILICATE • POLYGLYCOL-2 • SODIUM CITRATE • POLYPROPYLENE GLYCOL • POLYISOBUTENE • ISODODECANE • PEG-18-METHYL DIMETHICONE • BHT • TOCOPHEROL • SORBENYL SESQUISULFONATE • TRIMETHYLSILOXANE CARBAMIDE • PALLADIUM • POLYETHYLENE SESQUIOXANE • PENTACETANOL • IRON OXIDES • TITANIUM DIOXIDE • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー
11mmX26mm
7 30852 17126 8

12724761
AAA

115
Fair Shirakaba

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 125 Fair Asterid

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



125 Fair Asterid

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients Purpose
OCTINOXATE 6.7% ----- Sunscreen
OCTOCRYLENE 3.0% ----- Sunscreen
TITANIUM DIOXIDE 2.0% -- Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.,
NEW YORK, NY 10017
MADE IN U.S.A.

GLO, 17127

www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRIFLUOROPOLYDIMETHYL TERMBUTYLSILICONESULFONATE • CARRHYLL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYLSILOXANE/PROPYLENE GLYCOL CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • SQUALANE • HYDROGENATED POLYISOBUTENE

<http://s1872.com/17127AA>
See our website for more information.

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

東京銀座

SHISEIDO
GINZA TOKYO

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHICONE/UVIC • DIMETHICONE CROSSPOLYMER • POLYDIAMETHACRYLATE • SODIUM HYALURONATE • HYDROLYZED COLLAGEN PROTEIN • SORBITAN SESQUISOESTEATE • CISTEINYLVALINE • HEXYL ESTER • PEG-10 DIMETHYL METHACRYLATE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM COTTA- HYDROXYETHYLACRYLATE/SODIUM ACRYLONITRILE TAURATE COPOLYMER • LITHIUM MAGNESIUM SODIUM SILICATE • POLYGLYCONE-8 • SODIUM ORNITHINE • PROPYLENE GLYCOL • POLYISOBUTATE EO • ISODODECANE • PEG-PPG-18/18 DIMETHICONE • BHT • TOCOPHEROL • SORBITAN SESQUISULFATE • TRIMETHYL CARBONYLCARBONYL PULLULAN • POLYMERHYDROLYZED DEXTRANE • PEG-DIMETHANOL • BONA DIDES • TITANIUM DIOXIDE • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.85倍 6mm×11mm
11mm×28mm
7 30852 17127 5

12724762
AAA

125
Fair Asterid

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 215 Light Buna
SHISEIDO

GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



215 Light Buna

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients Purpose
OCTINOXATE 6.7% ----- Sunscreen
OCTOCRYLENE 3.0% ----- Sunscreen
TITANIUM DIOXIDE 2.0% -- Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17128
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILUSOPROPOLYDIMETHYL DIMETHYLSILOXYSEBACATE - CARBONYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYLDIMETHYLPROPANOATE - CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SOLUBLE - HYDROGENATED POLYSILOXANE -

<http://s1872.com/17128AA>
See our website for more information.

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM
SPF 20
Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPILLUM EXTRACT - DIMETHICONE - DIMETHICONE CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COUCHBURN PROTEIN - SCHEFFERAN SESQUISULFONATE - DISTEAROYL DIMONIUM HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VARNISH/SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - PROPYLENE GLYCOL - POLYSORBATE 80 - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BHT - TOCOPHEROL - SCHEFFERAN SESQUISULFONATE - TRIMETHYL DIMETHYL CARBAMOL PULLULAN - POLYMETHYLSILOXANES - PHENOXYETHANOL - IRON OXIDES - TITANIUM DIOXIDE - WAX

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm
11mm×26mm

7 30852 17128 2

12724763
AAA

215
Light Buna

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



225 Light Magnolia

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17129
www.shiseido.com



Drug Facts (continued)

Directions

■ Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIFLUOROPROPYL METHYL DIMETHYL SILYLSULFONATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYLGLYCERIN - CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYETHER - SQUALANE - HYDROGENATED POLYISOBUTENE -

Drug Facts (continued)

Inactive ingredients

THAMUS SERPULLIN EXTRACT - DIMETHICONE - DIMETHICONE CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COENZYME Q10 - SORBETAN SESQUISOBTARATE - DISTEAROYL DIMONIUM HECTATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE SODIUM ACRYLATE SODIUM LAURATE COPOLYMER - LITHIUM VAGNERIN SODIUM SALICATE - POLYSILOXANE - SODIUM HYALURONATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/18 DIMETHICONE - BHT - TOCOPHEROL - SORBETAN BISTEARATE - TRIMETHYL SILYL METHYL CARBAMOL PULLULAN - POLYETHYLENEDIETHANEDIAMINE - PHENOXETHANOL - BHT - CHOLESTEROL - TITANIUM DIOXIDE - IMCA -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM
SPF 20
Sunscreen
For Face

30mL NET WT. 95 OZ.

http://s1872.com/17129AA
See our website for more information.

縮小サイズ0.65倍 6mmバー
11mmX26mm
7 30852 17129 9

12724764
AAA

225
Light Magnolia

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



235 Light Hiba

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO, 17130
www.shiseido.com



Drug Facts
(continued)

Directions

- Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

- WATER - DIMETHOZONE - GLYCERIN - TRILUCROPROPIONYL METHACRYLATE - DIMETHOZONE - CARBONYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHOZONE-PES-1015 CROSSLINKER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SULFANAME - HYDROGENATED POLYSORBATE -

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM SPF 20
Sunscreen For Face

30mL NET WT. .95 OZ.

Drug Facts
(continued)

Inactive ingredients

- THYMUS SERPYLLINI EXTRACT - DIMETHOZONE-PES-1015 CROSSLINKER - POLYOLATERMIDATE - SODIUM HYALURONATE - HYDROLYZED COCOLAMIN PROTEIN - SCORBIAN SESQUISOCTEATE - CASTERANOLIN, M HECTOIN - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRIISODIUM COTA - HYDROXYETHYL ACRYLATE SODIUM ACRYL DIMETHYL TAURATE COPOLYMER - LITHIUM MAGNESIUM SODIUM SILICATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHOMYLENE GLYCOL - POLYISOBUTENE-EO - ISODODECANE - PEG-PES-18 DIMETHOZONE-BHT - TOCOPHEROL - SCORBIAN ASCORBATE - TRIMETHYLSILOXANE CARBAMOL PULLULAN - POLYMERHYSILOSILOXANE - PHENOL METHANOL - BROWN DYES - TITANIUM DIOXIDE - IBCA -

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバ
11mmX26mm
7 30852 17130 5

12724765
AAA

235
Light Hiba

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



315 Medium Matsu

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17131
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIBUTYLPROPYL DIMETHYL SILYLBUTYL METHACRYLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SOLULANE - HYDROGENATED POLYISOBUTENE -

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLIN EXTRACT - DIMETHICONE/UVOL - DIMETHICONE CROSSPOLYMER - POLYBUTYLENE ADIPATE - SODIUM HYALURONATE - HYDROLYZED COCONUT PROTEIN - SCHEERAN SESQUIOSTEARATE - CISTEINYL L-GLUTAMINE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLATE/METHYL TAURATE COPOLYMER - LITHIUM ARGONATE/SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BHT - TOCOPHEROL - SCHEERAN BISISOSTEARATE - TRIMETHYLSILOXYMETHYL CARBAMOL PULLULAN - POLYMERHYDROLYZED L-GLUTAMINE - PHENOLMETHANOL - IRON OXIDES - TITANIUM DIOXIDE - IMCA -

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー
11mmX26mm

7 30852 17131 2

12724766
AAA

315
Medium Matsu

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



325 Medium Keyaki

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17132
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRILUCROPYRIPYLOL METHYL THIOETHYL GLYCOLATE • CAPRYLYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYL SILYL DIMETHYL PEG-10/15 CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPOLYMER • SQUALANE • HYDROGENATED POLYISOBUTENE

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER • POLYBUTYLENE DIMETHYLACRYLATE • SODIUM HYALURONATE • HYDROLYZED COUCH GRASS PROTEIN • SODIUM SESQUISOBTANATE • DISTEAROYL DIMONIUM HECTOINATE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • SODIUM EDTA • HYDROXYETHYL ACRYLATE • SODIUM ACRYLOYLDIMETHYLTAURATE • COPOLYMER • LITHIUM HYALURONATE • SODIUM SALICATE • POLYBUTYLENE DIMETHYLACRYLATE • SODIUM CITRATE • ISOPROPYLENE GLYCOL • POLYISOBUTENE • POLYBUTYLENE DIMETHICONE • BUTYL PEG-10/15 DIMETHICONE • SODIUM BISOSTEARATE • TRIMETHYLSILOXYMETHYLPROPANOL PULLULAN • POLYETHYLENE GLYCOL DIMETHYLACRYLATE • PHENOXETHANOL • BENZYL ALCOHOL • TITANIUM DIOXIDE • INCI-1

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM
SPF 20
Sunscreen
For Face

30mL NET WT. .95 OZ.

http://s1872.com/17132AA
See our website for more information.

縮小サイズ0.65倍 6mmバー
11mmX26mm

7 30852 17132 9

12724767
AAA

325
Medium Keyaki

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



335 Medium Katsura

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7% _____	Sunscreen
OCTOCRYLENE 3.0% _____	Sunscreen
TITANIUM DIOXIDE 2.0% ____	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17133
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

- WATER - DIMETHICONE - GLYCERIN - TRILUCROPYRIPYLOLIMETHYL/ TRIMETHYLSILOXANESULFONATE - CARBONYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYLGLYCERIN-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SQUALANE - HYDRATED POLYSILOXANE -

http://s1872.com/17133AA
See our website for more information.

SYNCHRO SKIN
SELF-REFRESHING
Tint
BROAD SPECTRUM
SPF 20
Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

- THYMUS SERPYLLUM EXTRACT - DIMETHICONE/OLIGO DIMETHICONE CROSSPOLYMER - POLYBUTADIENE/ACRYLATE - SODIUM HYALURONATE - HYDROLYZED COCHINEAL PROTEIN - SORBETAN SECOISODOSTEARATE - CISTEARYL DIMETHYL METHACRYLATE - PEG-9 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER - LITHIUM ARGONATE/SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHENYLENE GLYCOL - POLYISOBUTYLENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BHT - TOCOPHEROL - SORBETAN ISOSTEARATE - TRIMETHYLSILOXANECARBONATE - PULLULAN - POLYMETHACRYLATE/SILOXANE-PHENOLMETHANOL - IRON OXIDES - TITANIUM DIOXIDE - VIOX

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm
11mm×26mm
7 30852 17133 6

12724768
AAA

335
Medium Katsura

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



415 Tan Kwanzan

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17134
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRIMETHYLPROPYL METHYL METHACRYLATE CROSSPOLYMER • CARBONYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYL PEG-10 GLOSS POLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • SOLAJANE • HYDROGENATED POLYISOBUTENE

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHICONE • DIMETHACRYLATE • DIMETHACRYLATE CROSSPOLYMER • POLYBUTYLENE ADIPATE • SODIUM HYALURONATE • HYDROLYZED COCHINILIN PROTEIN • SORBETAN SESQUISOBTATE • DISTEARDIMONIUM HECTOATE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER • LITHIUM VAGNESIUM SODIUM SILICATE • POLYSILOXANE • SODIUM CITRATE • DIPROPYLENE GLYCOL • POLYISOBUTENE • ISODODECANE • PEG-PPG-18/15 DIMETHICONE • BHT • TOCOPHEROL • SORBETAN SESQUISOBTATE • TRIETHYLISODONATE/CARBONYL PULLULAN • POLYETHYLSILOXANE • PHENOXETHANOL • BIONDIDES • TITANIUM DIOXIDE • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm
11mm×26mm
7 30852 17134 3

12724769
AAA

415
Tan Kwanzan

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



425 Tan Ume

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients Purpose
OCTINOXATE 6.7% Sunscreen
OCTOCRYLENE 3.0% Sunscreen
TITANIUM DIOXIDE 2.0% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO, 17135

www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHOZONE - GLYCERIN - TRIFLUOROACETYL METHYL DIMETHYL SILYLSULFATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHATE - SQUALANE - HYDROGENATED POLYISOBUTENE

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

TRIMUS SERPULLUM EXTRACT - DIMETHOZONE/UMI - DIMETHOZONE CROSSPOLYMER - POLYURETHANEDIACRYLATE - SODIUM HYALURONATE - HYDROLYZED CONJUGATED PROTEIN - SORBETAN SESQUISOBTANATE - GUSTAFURONOLIN HEPTANOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM INACONEXOL SODIUM SULFATE - POLYSILOXANE - SODIUM SORBATE - DIPROPYLENE GLYCOL - POLYISOBUTATE DI - ISODODECANE - PEG PEG-18 DIMETHICONE - BHT - TOCOPHEROL - SORBETAN ISOSTEARATE - TRIMETHYLSILOXYMETHYLSILANOL PULLULAN - POLYMETHYLSILOXANOLAN - PHENYLMETHANOL - IRON OXIDES - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/11mm X 26mm

7 30852 17135 0

12724770
AAA

425
Tan Ume

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



515 Deep Tsubaki

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED. NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
- Flammable: Do not use near heat, flame or while smoking.

Directions

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A. GLO, 17136 www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

- WATER - DIMETHICONE - GLYCERIN - TRILUOROPROPYLMETHYL DIMETHYL DIMETHYLACRYLATE - CARBONYLMETHACRYLATE - BUTYLENE GLYCOL - DIMETHYLDIMETHYL SILSESSQUOXANE - DIMETHOXYDIMETHOXYCROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHLOGOPITE - SQUALANE - HYDROGENATED POLYSILOXANE

SHISEIDO GINZA TOKYO

東京銀座

Drug Facts (continued)

Inactive ingredients

- THYMUS SERPILLINI EXTRACT - DIMETHICONE/UMC - DIMETHICONE CROSSPOLYMER - POLYDUTERIMIDE - SODIUM HYALURONATE - HYDROLYZED CONDENSIN PROTEIN - SCHEITAN GLUCOSYLSTEARATE - DIBESTERINOLINAMIDE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM COTTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLATE/METHYL TAURATE COPOLYMER - LITHIUM HYDROGEN SODIUM SILICATE - POLYSILOXANE - SODIUM CHLORIDE - DIPROPYLENE GLYCOL - POLYISOBUTYLENE - ISODODECANE - PEG-PG-HDI/DMETHICONE - BUT - TOCOPHEROL - SCHEITAN GLUCOSYLATE - TRIMETHYL SILYL METHYL CARBAMOL - PULLULAN - POLYETHYL DIMETHOXY DIMETHYL DIMETHOXYCROSSPOLYMER - PHENOLMETHANOL - BROWN DYES - TITANIUM DIOXIDE - INCI

Other Information

- Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

SYNCHRO SKIN SELF-REFRESHING

Tint BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

縮小サイズ0.65倍 6mm×11mm / 11mm×26mm
7 30852 17136 7

12724771
AAA

515
Deep Tsubaki

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



525 Deep Kuromoji

SHISEIDO
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST. NEW YORK, NY 10017 MADE IN U.S.A. GLO, 17137 www.shiseido.com



Drug Facts (continued)

Directions

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIMETHYLPROPYL METHYL METHACRYLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHLOGOPITE - SOLANINE - HYDROGENATED POLYISOBUTENE -

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM SPF 20
Sunscreen For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THIMALUS SERPYLLUM EXTRACT - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COCHINEAL PROTEIN - SORBETAN SECOISOSTEARATE - DISTEAROYL DIMONIUM HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VAGNERIN SODIUM SULFATE - POLYSILOXANE - SODIUM CITRATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BUTYL TOCOPHEROL - SORBETAN SECOISOSTEARATE - TRIETHYLISODONAN CARBONATE - PULLULAN - POLYETHYLENE SESQUILAUANE - PHENOXETHANOL - IRON OXIDES - TITANIUM DIOXIDE - INCI -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/1-11mmX26mm
7 30852 17137 4

12724772
AAA

525
Deep Kuromoji

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-673
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-673-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-674
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0K00R)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
GLYCERIN (UNII: PDC6A3C0OX)		
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
LAPONITE (UNII: D703131383)		
SQUALANE (UNII: GW89575KF9)		

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-674-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-675
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-675-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-676	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	2010 mg in 30 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	900 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0K00R)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
GLYCERIN (UNII: PDC6A3C0OX)				
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)				
BUTYLENE GLYCOL (UNII: 3XUS85KORA)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERROSFERRIC OXIDE (UNII: XM0M87F357)				
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)				
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
EDETATE TRISODIUM (UNII: 420IP921MB)				
LAPONITE (UNII: D703131383)				
SQUALANE (UNII: GW89575KF9)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
ISODODECANE (UNII: A8289P68Y2)				
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)				
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
MICA (UNII: V8A1AW0880)				
TOCOPHEROL (UNII: R0ZB2556P8)				
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)				
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)				
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)				
HYALURONATE SODIUM (UNII: YSE9PPT4TH)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-676-20	1 in 1 CONTAINER	12/16/2019	

1	30 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-677
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0K00R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
GLYCERIN (UNII: PDC6A3C0OX)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSFERRIC OXIDE (UNII: XM0M87F357)			
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)			
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
LAPONITE (UNII: D703131383)			
SQUALANE (UNII: GW89575KF9)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
ISODODECANE (UNII: A8289P68Y2)			
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)			
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)			

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-677-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-678
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-678-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-679
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-679-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-680
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0K00R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
GLYCERIN (UNII: PDC6A3C0OX)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
BUTYLENE GLYCOL (UNII: 3XUS85KORA)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSFERRIC OXIDE (UNII: XM0M87F357)			
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)			
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
LAPONITE (UNII: D703131383)			
SQUALANE (UNII: GW89575KF9)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
ISODODECANE (UNII: A8289P68Y2)			
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)			
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)			
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
MICA (UNII: V8A1AW0880)			
TOCOPHEROL (UNII: R0ZB2556P8)			
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)			

THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-680-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-681
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-681-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-682
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-682-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-683
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-683-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI
 octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-684
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	

LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-684-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/16/2019	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 4/2022

SHISEIDO AMERICAS CORPORATION