HYDROGEN PEROXIDE- hydrogen peroxide solution Medline Industries, LP

980 Hydrogen Peroxide Solution

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose

First aid antiseptic

Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

clean the affected area

- apply a small amount of product on the affected area 1 to 3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent: adults, children over 2 years of age:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute, then spit out
- use up to 4 times daily after meals and at bedtime
- children under 12 years of age should be supervised in the use
- children under 2 years of age: consult a dentist, doctor

Other information

Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Manufacturing Information

Manufactured for:
Medline Industries, LP
Three Lakes Drive, Northfield, IL 60093 USA
Made in USA with domestic and foreign materials
www.medline.com
1-800-MEDLINE (633-5463)
REF: MDS098014

REF: MDS09801 V1 RE22VJO

Package Label



Drug Facts

Active ingredient

Purpose

Hydrogen peroxide (stabilized) 3% ..

First aid antiseptic, oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if the the condition persists or gets worse sore mouth symptoms do not improve in 7 days irritation, pain, or redness persists or worsens swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions First aid antiseptic: ■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Oral debriding agent: adults, children over 2 years of age: mmix with an equal amount of water swish around in the mouth over the affected area for at least 1 minute, then spit out use up to 4 times daily after meals and at bedtime children under 12 years of age should be supervised children under 2 years of age: consult a dentist,

doctor

Other information Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle.

REF MDS098014

www.medline.com Made in US with US and foreign components for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. 1-800-MEDLINE V1 RE22VJO



HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53329-980

Route of Administration TOPICAL, ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:53329-980- 04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/11/2015				
2	NDC:53329-980- 08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/11/2015				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M003	08/11/2015				

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 5/2024 Medline Industries, LP