

**FIBER LAXATIVE - calcium polycarbophil tablet**  
**Geri-Care Pharmaceutical Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active ingredient (in each caplet)**

Calcium Polycarbophil 625 mg  
(equivalent to 500 mg polycarbophil)

**Purpose**

Bulk-forming laxative

**Uses**

- relieves occasional constipation
- promotes regularity
- this product generally produces a bowel movement in 12 to 72 hours

**Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking.

- Do not take this product if you have difficulty in swallowing.
- If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Do not use** • for more than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks.

**Ask a doctor or pharmacist before use if you are**

- taking any other drug
- all laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

- you have rectal bleeding
- you have no bowel movement within 3 days
- these could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not exceed recommended dose
- take each dose with at least 8 ounces (a full glass) of fluid; taking this product without enough liquid may cause choking; see choking warning
- do not take this product within 2 hours before or after taking any other drug

adults and children 12 years of age and older	Starting dose: 2 caplets once a day Maximum dose: 2 caplets four times a day
Starting dose: 2 caplets once a day Maximum dose: 2 caplets four times a day	consult a doctor

**Other information**

- **each caplet contains:** calcium 125 mg
- store at controlled room temperature, 68°F-77°F (20°C-25°C)
- protect contents from moisture
- for institutional use only

**Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

**Inactive ingredients**

caramel color, croscarmellose sodium, hypromellose, microcrystalline cellulose, PEG, silica, talc

**Package Label**

GERICARE

NDC 57896-449-09

**Fiber Laxative**

Calcium Polycarbophil

- Relieves Constipation
- Promotes Regularity

90 Caplets

625 mg Each

Compare to active ingredient

in FiberCon®\*

**Drug Facts****Active ingredient (in each caplet)**

Calcium Polycarbophil 625 mg  
(equivalent to 500 mg polycarbophil).....Bulk-forming laxative

**Purpose**

**Uses** • relieves occasional constipation • promotes regularity

• this product generally produces a bowel movement in 12 to 72 hours

**Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. • Do not take this product if you have difficulty in swallowing. • If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Do not use** • for more than 1 week unless directed by a doctor

**Ask a doctor before use if you have** • abdominal pain, nausea, or vomiting • a sudden change in bowel habits that persists over a period of 2 weeks.

**Ask a doctor or pharmacist before use if you are** • taking any other drug • all laxatives may affect how other drugs work.

**Stop use and ask a doctor if** • you have rectal bleeding • you have no bowel movement within 3 days • these could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**GERI CARE**

NDC 57896-449-09

**Fiber Laxative**

Calcium Polycarbophil

- Relieves Constipation
- Promotes Regularity

Compare to active ingredient  
in FiberCon®\*

90 Caplets • 625 mg Each

**Directions** • do not exceed recommended dose • take each dose with at least 8 ounces (a full glass) of fluid; taking this product without enough liquid may cause choking; see choking warning • do not take this product within 2 hours before or after taking any other drug

adults and children 12 years of age and older	Starting dose: 2 caplets once a day Maximum dose: 2 caplets four times a day
children under 12 years of age	consult a doctor

**Other Information** • each caplet contains: calcium 125 mg • store at controlled room temperature, 68°F-77°F (20°C-25°C) • protect contents from moisture • for institutional use only

**Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.  
**Inactive Ingredients:** caramel color, croscarmellose sodium, hypromellose, microcrystalline cellulose, PEG, silica, talc

\*This product is not manufactured or distributed by the owner of the registered trademark FIBERCON®. REV 0212Z

Dist. by: Geri-Care Pharmaceuticals Corp.  
1650 63 Street, Brooklyn, NY 11204

**FIBER LAXATIVE**

calcium polycarbophil tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-449
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII:W25LM17A4W)	CALCIUM POLYCARBOPHIL	625 mg

**Inactive Ingredients**

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
CARAMEL (UNII: T9D99G2B1R)	

**Product Characteristics**

<b>Color</b>	brown (Off white with dark brown specks)	<b>Score</b>	no score
<b>Shape</b>	OVAL (Caplet)	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ221
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-449-09	90 in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/01/2004	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 12/2013

Geri-Care Pharmaceutical Corp