

**ACETAMINOPHEN 80 MG FRUIT CHEW- acetaminophen tablet**  
**Reliable 1 Laboratories LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACETAMINOPHEN USP 80 MG FRUIT CHEW TABLET**

***Drug Facts***

***Active ingredient (in each tablet)***

Acetaminophen USP, 80 mg

***Purposes***

Pain Reliever/Fever Reducer

***Uses***

temporarily reduces fever and relieves minor aches and pains caused by

- headache
- the common cold
- flu
- toothache
- sore throat

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if the child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include :

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days or is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure wheater a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if the child has** liver disease

**Ask a doctor or pharmacist before use if the child is** taking the blood thinning drug warfarin

***Drug Facts*** continued on back of label

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not take more than directed (see Overdose warning)**
- find correct dose on chart below
- if possible, use weight to dose, otherwise use age
- chew tablets before swallowing
- give dose every 4 hours while symptoms last
- do not give more than 5 doses in 24 hours

<b>Weight (pounds)</b>	<b>Age (years)</b>	<b>Dose (tablets)</b>
72-95	11-12	4-6
60-71	9-10	4-5
48-59	6-8	4
36-47	4-5	3
24-35	2-3	2
under 24	under 2	ask a doctor

**Other information**

- **Phenylketonurics: each tablet contains: phenylalanine 5 mg**

**Other information**

- store at room temperature 15°-30°C (59°-86°F)

**Inactive ingredients**

aspartame, compressible sugar, D&C red #27 (Al-lake), dextrose, FD&C yellow #6 (Al-lake), flavors, magnesium stearate, microcrystalline cellulose, stearic acid

**Questions or comments?**

call 516-341-0666 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Tylenol®.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

**www.reliable1labs.com**

NDC 69618-012-03



**FRUIT FLAVORED**  
**Acetaminophen USP**  
**80 mg**  
**PAIN RELIEVER**  
**FEVER REDUCER**

**30 CHEWABLE TABLETS**

\*Compare to Active Ingredient in Children's **TYLENOL**

**Drug Facts**

**Active ingredient (in each tablet)** **Purposes**  
 Acetaminophen USP, 80 mg ... Pain Reliever/Fever Reducer

**Uses** Temporarily reduces fever and relieves minor aches and pains caused by

- headache
- flu
- the common cold
- toothache
- sore throat

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if the child takes more than 5 doses in 24 hours, which is the maximum daily amount

- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days or is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if the child has liver disease**

**Ask a doctor or pharmacist before use if the child is taking the blood thinning drug warfarin**

**Drug Facts** continued on back of label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark **TYLENOL**.

Distributed by Reliable 1 Laboratories LLC, Valley Stream, NY 11580  
 www.reliable1lab.com



Rev. 0815  
 Lot No.:  
 Exp. Date:



**Drug Facts (continued)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

These could be signs of a serious condition

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**this product does not contain directions or complete warnings for adult use**

- do not take more than directed (see **Overdose warning**)
- find correct dose on chart below
- if possible, use weight to dose, otherwise use age
- chew tablets before swallowing
- give dose every 4 hours while symptoms last
- do not give more than 5 doses in 24 hours

Weight (pounds)	Age (years)	Dose (tablets)
72 - 95	11 - 12	4 - 5
60 - 71	9 - 10	4 - 5
48 - 59	6 - 8	4
36 - 47	4 - 5	3
24 - 35	2 - 3	2
under 24	under 2	ask a doctor

**Other Information**

**Phenylalanine:** each tablet contains:

- phenylalanine 5 mg
- store at room temperature 15°-30°C (59°-86°F)

**Inactive ingredients**

aspartame, compressible sugar, D&C red #27 (Al-lake), dextrose, FD&C yellow #6 (Al-lake), flavor, magnesium stearate, microcrystalline cellulose, stearic acid

**Questions or comments?** call 816-341-0556, 8:30 am - 4:30 pm ET, Monday - Friday

**NDC 69618-012-03**  
**FRUIT FLAVORED**  
**Acetaminophen USP 80 mg**  
**PAIN RELIEVER**  
**FEVER REDUCER**  
**30 CHEWABLE TABLETS**

\*Compare to Active Ingredient in Children's **TYLENOL**

**ACETAMINOPHEN 80 MG FRUIT CHEW**

acetaminophen tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69618-012
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	80 mg

**Inactive Ingredients**

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DEXTROSE (UNII: IY9XDZ35W2)	
SUCROSE (UNII: C151H8M554)	

**Product Characteristics**

Color	pink (Light Pink)	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	AP;051
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618-012-03	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



# ACETAMINOPHEN 80mg Tablet

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	11/01/2015	

**Labeler** - Reliable 1 Laboratories LLC (079718111)

Revised: 11/2015

Reliable 1 Laboratories LLC