

**NASAL DECONGESTANT MAXIMUM STRENGTH- pseudoephedrine hcl tablet,  
film coated**

**Chain Drug Consortium**

-----

**Premier Value 44-112**

***Active ingredient (in each tablet)***

Pseudoephedrine HCl 30 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

### Other information

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

### Questions or comments?

**1-800-426-9391**

### Principal Display Panel

**Premier  
Value®**

**\*COMPARE TO THE ACTIVE INGREDIENT IN  
SUDAFED® SINUS CONGESTION**

*Maximum Strength*  
**Nasal Decongestant**

Pseudoephedrine HCl 30 mg  
Nasal Decongestant

Non-Drowsy

- Nasal & Sinus Congestion
- Sinus Pressure

## **96 Tablets**

**actual  
size**

***PV***

INDEPENDENTLY TESTED  
SATISFACTION GUARANTEED

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed® Sinus Congestion.  
50844 REV0619A11246

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



# Maximum Strength Nasal Decongestant

Pseudoephedrine HCl 30 mg  
Nasal Decongestant



\*COMPARE TO THE ACTIVE INGREDIENT IN  
SUDAFED® SINUS CONGESTION

# Maximum Strength Nasal Decongestant

Pseudoephedrine HCl 30 mg  
Nasal Decongestant

Non-Drowsy

- Nasal & Sinus Congestion
- Sinus Pressure

96 Tablets



Maximum Strength  
Nasal Decongestant  
Pseudoephedrine HCl 30 mg



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY SIGNS OF TAMPERING



B-1590-112-46  
REV0619A11246



If for any reason you are not satisfied with  
this product, please return it to the store  
where purchased for a full refund.



Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed® Sinus Congestion.  
50844 REV0619A11246

Questions or comments? 1-800-426-9391

**Inactive ingredients:** croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, tracetin

**Other information**  
■ each tablet contains: calcium 15 mg  
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ see end flap for expiration date and lot number

Directions	adults and children	children ages 6 to 11 years	children under 6 years
take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours	do not use	do not use

**Drug Facts**  
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredient (in each tablet)**  
Pseudoephedrine HCl 30 mg

**Purpose**  
Nasal decongestant

**Uses**  
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies  
■ temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have:  
■ heart disease ■ diabetes ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland

**When using this product do not exceed recommended dosage.**  
■ difficulty in urination due to enlargement of the prostate gland  
■ nervousness, dizziness, or sleeplessness occur  
■ symptoms do not improve within 7 days or occur with fever

**Stop use and ask a doctor if**  
■ pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

44-112

NASAL DECONGESTANT MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-473
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRACETIN</b> (UNII: XHX3C3X673)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;112
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68016-473-24	1 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:68016-473-96	4 in 1 CARTON	08/25/1981	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/25/1981	

**Labeler** - Chain Drug Consortium (101668460)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(68016-473)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(68016-473) , pack(68016-473)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(68016-473)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(68016-473)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(68016-473)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(68016-473)

Revised: 3/2024

Chain Drug Consortium