

OXYGEN- oxygen gas
Sky Oxygen

Oxygen Labels

Delivery Ticket
Sky Oxygen
2790 Idlewood Avenue
Pittsburgh, PA 15106
412-278-3001
412-278-3003 FAX
Invoice # P18407

Ship To
HCS PITTSBURGH
Hazardous Material Checklist
Yes No

Cylinders Properly Labeled
Shipping Paper Provided
Placards Required
Vehicle Properly Placarded
Customer Initials Employee Initials
Service Date Invoice Date
12/12/2017 12/12/2017

Cylinder Type: S=Steel A=Aluminum Ownership: R=Rental O=Owned
Shipped Returned Product Description Cyl Type/Ownership Price Amount
LG CERTIFICATE OF ANALYSIS 0.00 0.00

1 LS300 (D) Liquid Oxygen U.S.P. Lot # % 0.00 0.00
Vehicle #

Start: Finish:
1 LS300 (P) Liquid Oxygen U.S.P. Lot # % 0.00 0.00

Start: Finish:
1 INVOICE TO BE PRICED LATER 0.00

Witnessed By:
FOR CHEMICAL EMERGENCY: SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT: CALL
CHEM-TREC 800-424-9300 DAY OR NIGHT
ALL GASES PRODUCED BY AIR LIQUEFACTION TESTED VIA SERVOMEX OA244 5200
570A

Released By Date
THE UNDERSIGNED CERTIFIES THAT HE/SHE HAS READ THE FRONT OF THIS FORM AND
HAS BEEN GIVEN A COPY OF THIS DOCUMENT
Customer Signature Date

Sky Oxygen
2700 Avenue Avenue
Pittsburgh, PA 15206
412-278-0800
412-278-0803 FAX

Delivery Ticket

Version 4
P18407

City: PITTSBURGH

Hazardous Material Checklist

Cylinders Properly Labeled	YES	NO
Shipping Paper Provided	<input type="checkbox"/>	<input type="checkbox"/>
Packages Secured	<input type="checkbox"/>	<input type="checkbox"/>
Vehicle Properly Placarded	<input type="checkbox"/>	<input type="checkbox"/>

Driver Name: _____ Driver Title: _____
 (License Type: Driver, AZ, Alchemist,) (Company: Skyline) (City: Pittsburgh) (State: PA)

Order #	Material	Description	U.S. Quantity	Weight
	LG	CERTIFICATE OF ANALYSIS		0.00
1	LS300 (D)	Liquid Oxygen U.S.P., Lot # _____ Vehicle # _____ Start: _____ Finish: _____	5	0.00
1	LS300 (P)	Liquid Oxygen U.S.P., Lot # _____ Start: _____ Finish: _____	5	0.00
		INVOICE TO BE PRICED LATER		0.00

Witnessed By: _____

FOR PHYSICAL HAZARDOUSITY, SPILL, LEAK, OR DAMAGE, OR ACCIDENT, CALL CHEMICAL SERVICES DEPARTMENT OR NOTIFY
 ALL STATES PROTECTED BY AIR LIQUEFACTION. FERTILIZER HAZARDOUS: NONE LOW HIGH

Accepted By: _____ Date: _____
THE UNDERSIGNED CERTIFIES THAT HE/SHE HAS READ THE FRONT AND BACK OF THIS FORM AND HAS BEEN GIVEN A COPY OF THIS DOCUMENT.

Customer Signature: _____ Title: _____

OXYGEN REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CYROGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do

so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Contents:

Sky Oxygen

2790 Idlewood Ave., Carnegie, PA 15106

1-800-486-9353

www.sky-oxygen.com

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN
REFRIGERATED LIQUID, USP
UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING
USP
For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **x only**.
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.
Produced by **liquefaction**. Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.
READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.
CAS: 7782-44-7

DANGER
MAY CAUSE OR INTENSIFY FIRE. OXIDIZER CONT. GAS. REFRIGERATED GAS. MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMP. CT.
Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated space. Wear cold resistant gloves, face shield and eye protection. In case of fire: Stop sale & follow up on: Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.

FIRST AID
IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Contents

Sky Oxygen
2790 Idlewood, Ave. • Carnegie, PA 15106
1-800-486-9353
www.sky-oxygen.com

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY BATEMAN INC., INC.
WWW.PHARM.COM

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Contents:

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

SkyOxygen since 1973

Industrial Gases – Welding Supplies

2790 Idlewood Ave.

Carnegie, PA 15106

1-800-486-9353

www.sky-oxygen.com

OXYGEN

REFRIGERATED LIQUID, USP
UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills.



IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.



Contents:

skyoxygen
Since 1973
Industrial Gases • Welding Supplies

2790 Idlewood Ave.
Carnegie, PA 15106
1-800-486-9353
www.sky-oxygen.com

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY RATERMANN MFG., INC.
www.rmlorder.com

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:57716-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57716-001-01	8888 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
2	NDC:57716-001-02	7981 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	

3	NDC:57716-001-03	6452 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
4	NDC:57716-001-04	3198 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
5	NDC:57716-001-05	1698 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
6	NDC:57716-001-06	680 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
7	NDC:57716-001-07	413 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
8	NDC:57716-001-08	170 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
9	NDC:57716-001-09	113 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
10	NDC:57716-001-10	34 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
11	NDC:57716-001-11	196 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
12	NDC:57716-001-12	160 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
13	NDC:57716-001-13	180 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
14	NDC:57716-001-14	200 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
15	NDC:57716-001-15	230 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
16	NDC:57716-001-16	36 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
17	NDC:57716-001-17	31 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
18	NDC:57716-001-18	41 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
19	NDC:57716-001-19	46 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
20	NDC:57716-001-20	119 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	
21	NDC:57716-001-21	303 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
22	NDC:57716-001-22	450 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
23	NDC:57716-001-23	240 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2004	
24	NDC:57716-001-24	150 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206023	04/01/2004	

Labeler - Sky Oxygen (072165061)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Sky Oxygen		072165061	manufacture(57716-001)
------------	--	-----------	------------------------

Establishment

Name	Address	ID/FEI	Business Operations
SKY OXYGEN, INC.		118923246	manufacture(57716-001)

Revised: 2/2024

Sky Oxygen