

BLOAT GUARD- poloxalene powder
Phibro Animal Health

Bloat Guard Top Dressing for Feed® (poloxalene)

Medicated Top Dressing for Feed

Indications for Use:

For prevention of legume (alfalfa, clover) and wheat pasture bloat in cattle

Active Ingredient

Poloxalene 53%
(Each 2/3 oz by weight of top dressing contains 10 g of poloxalene)

Inert Ingredient:

Verxite® #4. 47%

CAUTION:

Certain components of animal feeds, including medicated premixes, possess properties that may be a potential health hazard or a source of personal discomfort to certain individuals who are exposed to them. Human exposure should, therefore, be minimized by observing the general industry standards for occupational health and safety.

Precautions such as the following should be considered: dust masks or respirators and protective clothing should be worn; dust arresting equipment and adequate ventilation should be utilized; personal hygiene should be observed; wash before eating or leaving a work site; be alert for signs of allergic reactions—seek prompt medical treatment if such reactions are suspected.

Follow Directions on Back Panel

Bloat Guard® is a Phibro Animal Health Corporation registered trademark for Poloxalene.

Phibro Animal Health Corporation, Teaneck, NJ 07666.

Approved by FDA under NADA #032-704

6080000

101-9030-09

Directions for Use

The dose of Bloat Guard is proportional to body weight and also depends upon the severity of the bloat-producing conditions. The dose of 1 g of poloxalene per 100 lb of body weight is recommended for cattle under moderate bloat-producing conditions. For cattle under severe bloat producing conditions, the dose should be doubled (2 g of poloxalene per 100

lb of body weight).

Use the enclosed measure which is equal to 1/4 of a standard measuring cup and holds approximately 2/3 oz of Bloat Guard by weight. Each 2/3 oz by weight contains 10 g of poloxalene (the active drug ingredient).

Daily Dose

Animal Weight	Number of measures	Dose (grams)
500 ¹ / ₂ to 15 to 10	1 to 2	10 to 20
1000 to 210 to 20	1 ¹ / ₂ to 3	15 to 30
1500 to 30	2 to 4	20 to 40

Bloat Guard is to be consumed daily. Bloat Guard should be sprinkled on individual rations of ground feed, starting 2 or 3 days before animals are exposed to bloat-producing conditions.

Repeat the feeding of Bloat Guard when animals are exposed to bloat-producing conditions more than 12 hours from the last feeding of Bloat Guard, but do not exceed the higher dosage levels in any 24-hour period.

If your animals do not accept Bloat Guard readily, stir the recommended amount into their feed. After animals become accustomed to the change in diet, sprinkle Bloat Guard on top of the feed.

Caution: It is essential that each animal consumes the total recommended dosage of Bloat Guard daily for adequate protection.

Warning:

The normal life of this product is at least 24 months. However, when the product is subjected to extreme temperatures (38°C/100°F) for long periods of time (6 months), spontaneous combustion may occur. The product is not combustible unless it develops a strong, irritating odor; if this occurs, flush with water and discard immediately.

Verxite® is a registered trademark of W.R. Grace & Company.

Store At or Below 25°C (77°F), Excursions Permitted Up To 40°C (104°F)

NOT FOR HUMAN USE

Restricted Drug (California) – Use Only As Directed


Bloat Guard® is a Phibro Animal Health registered trademark for Poloxalene

Distributed by:

Phibro Animal Health Corporation, Teaneck, NJ 07666.

6080000

101-9030-09



BLOAT GUARD				
poloxalene powder				
Product Information				
Product Type	OTC TYPE A MEDICATED ARTICLE ANIMAL DRUG		Item Code (Source)	NDC:66104-6080
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	POLOXALENE (UNII: V8B3K56S W0) (POLOXALENE - UNII:V8B3K56S W0)	POLOXALENE	240.4 g in 0.45 kg	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-6080-0	9.08 kg in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA032704	03/10/1966	

Labeler - Phibro Animal Health (006989008)

Registrant - Phibro Animal Health (006989008)

Revised: 1/2022

Phibro Animal Health