**GERI-LANTA ANTACID ANTIGAS- aluminum hydroxide, magnesium hydroxide, dimethicone suspension**
**Preferred Pharmaceuticals Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

---

**Geri-lanta original 629**

## Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)
Magnesium hydroxide 200 mg
Simethicone 20mg

## Purposes

Antacid
Antigas

## Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

## Warnings

### Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.
Antacids may interact with certain prescription drugs.
**Stop use and ask a doctor if** symptoms last more than 2 weeks
**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

## Directions

- shake well before use

- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

## Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed

## Inactive ingredients

benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

## Questions or comments?

**1-800-540-3765**

**NDC 68788-8169-3**

## package Label




## GERI-LANTA ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:68788-8169(NDC:57896-629) |

| | |
|---|---|
| **Route of Administration** | ORAL |

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---|---|
| **ALUMINUM HYDROXIDE** (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0) | ALUMINUM HYDROXIDE | 200 mg in 5 mL |
| **MAGNESIUM HYDROXIDE** (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P) | MAGNESIUM HYDROXIDE | 200 mg in 5 mL |
| **DIMETHICONE** (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 20 mg in 5 mL |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **BENZYL ALCOHOL** (UNII: LKG8494WBH) | |
| **BUTYLPARABEN** (UNII: 3QPI1U3FV8) | |
| **HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%)** (UNII: ZYD53NBL45) | |
| **PROPYLPARABEN** (UNII: Z8IX2SC1OH) | |
| **WATER** (UNII: 059QF0KO0R) | |
| **SACCHARIN SODIUM** (UNII: SB8ZUX40TY) | |
| **SORBITOL SOLUTION** (UNII: 8KW3E207O2) | |

## Product Characteristics

| | | | |
|---|---|---|---|
| **Color** | | **Score** | |
| **Shape** | | **Size** | |
| **Flavor** | LEMON (citrus mint) | **Imprint Code** | |
| **Contains** | | | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:68788-8169-3 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 07/11/2022 | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC monograph final | part331 | 07/11/2022 | |

## Labeler - Preferred Pharmaceuticals Inc. (791119022)

## Registrant - Preferred Pharmaceuticals Inc. (791119022)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Preferred Pharmaceuticals Inc. | | 791119022 | RELABEL(68788-8169) |

Revised: 7/2023

Preferred Pharmaceuticals Inc.