

**MICONAZOLE NITRATE- jock itch spray aerosol, spray
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Rexall Antifungal Miconazole Jock Itch Powder Spray

Active ingredient

Miconazole nitrate 2%

Purpose

Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves symptoms of jock itch including itching, burning and chafing associated with jock itch

Warnings

For external use only.

Flammable:

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.

When using this product

- do not get into eyes or mouth
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

Stop use and ask a doctor if

- irritation occurs
- no improvement within 2 weeks for jock itch

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age. Do not use for diaper rash. Do not use on children under 2 years of age unless directed by a doctor.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- use daily for 2 weeks. If conditions persist, consult a doctor
- this product is not effective on scalp or nails
- in case of clogging, clear nozzle under running water

Other information

store between 20° and 30°C (68°F and 86°)

Inactive ingredient

isobutane (propellant), SD alcohol 40-B (14%w/w), stearalkonium hectorite, talc

Questions?

Call 1-866-964-0939

Principal Display Panel

Rexall

Antifungal

Jock Itch

Powder Spray

Miconazole Nitrate 2%

- Cures most jock itch
- Relieves itching, chafing and burning

NET WT 4.6 OZ (130g)

1/2 in.
overwrap



Drug Facts	
Active ingredient Miconazole nitrate 2%.....	PurposeAntifungal
Uses	
<ul style="list-style-type: none"> ■ cures most jock itch (tinea cruris) ■ relieves symptoms of jock itch including itching, burning and chafing associated with jock itch 	
Warnings	
For external use only.	
Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F.	
When using this product ■ do not get into eyes or mouth ■ use only as directed Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.	
Stop use and ask a doctor if ■ irritation occurs ■ no improvement within 2 weeks	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age unless directed by a doctor.	
Directions	
<ul style="list-style-type: none"> ■ wash affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor ■ supervise children in the use of this product ■ use daily for 2 weeks; if condition persists, consult a doctor ■ in case of clogging, clear nozzle under running water ■ this product is not effective on scalp or nails 	

Other information store between 20° and 30°C (68° and 86°F)
Inactive ingredients isobutane (propellant), SD Alcohol 40-B (14% w/w), stearylaluminum hectorite, talc
Questions? Call 1-866-964-0939




Visit us at: Rexall.com
or call 1-866-4-REXALL

PACKAGED FOR DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072 USA

LAPMUISREX-2

LABEL SIZE 6.875"W x 4.937"H



MICONAZOLE NITRATE

jock itch spray aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-412
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Base of

Ingredient Name		Basis of Strength	Strength	
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)		MICONAZOLE NITRATE	1.3 g in 131 g	
Inactive Ingredients				
Ingredient Name		Strength		
ISOBUTANE (UNII: BXR49TP611)				
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)				
ALCOHOL (UNII: 3K9958V90M)				
TALC (UNII: 7SEV7J4R1U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-412-46	131 g in 1 CAN; Type 0: Not a Combination Product	05/13/2013	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	05/13/2013		

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)