

**OXYGEN - oxygen gas**  
**COPD-LLC Respiratory Services**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

**Principal for Oxygen Product**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**

**UN 1073**



**CONTENTS:** \_\_\_\_\_ **LITERS**

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

- ⚠ WARNING:** DO NOT CHANGE OR FORCE FIT CONNECTIONS  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER  
PRESSURE  
VIGOROUSLY ACCELERATES COMBUSTION.  
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY  
EXPLODE ON IGNITION OR IMPACT.  
CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 52°C (125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.  
Use in accordance with the Material Safety Data Sheet (MSDS).
- ⚠ FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.
- ⚠ WARNING:** For emergency use only when administered by properly trained  
personnel for oxygen deficiency and resuscitation. For all other  
medical applications, **Rx Only.**  
Uninterrupted use of high concentrations of oxygen over a long

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

**DO NOT REMOVE THIS PRODUCT LABEL.**

Representative Labeling  
pursuant to 21 CFR 207.3 (10)  
Company name and contact information  
are printed in this area

CAS NO: 7782-44-7

OXYGEN,  
REFRIGERATED LIQUID

USP

UN 1073

CONTENTS:                      LITERS

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING:

DO NOT CHANGE OR FORCE FIT CONNECTIONS

EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE

VIGOROUSLY ACCELERATES COMBUSTION

NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE

ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Container temperatures should not exceed 52 degrees C ( 125 degrees F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID:**

IN CASE OF FROSTBITE, obtain medical treatment immediately.

**WARNING:**

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL.

<b>OXYGEN</b>				
oxygen gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:64745-001	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:64745-001-01	45 L in 1 DEWAR		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1936	

**Labeler** - COPD-LLC Respiratory Services (057615838)

Revised: 2/2011

COPD-LLC Respiratory Services