

**ALUMINUM HYDROXIDE- aluminum hydroxide liquid**  
**Rugby Laboratories**

-----  
**Rugby aluminum hydroxide**

**Active ingredient (in each 5 mL teaspoonful)**

Aluminum hydroxide 320 mg

**Purpose**

Antacid

**Uses**

relieves

- heartburn
- acid indigestion
- sour stomach

**Warnings**

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

Antacids may interact with certain prescription drugs.

**When using this product** you may get constipated

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**Keep out of reach of children.**

**Directions**

- shake well before using
- do not take more than 12 teaspoonfuls in 24 hours
- do not use the maximum dosage for more than 2 weeks
- **dosage:** 2 teaspoonfuls 5-6 times daily after meals and at bedtime followed by a sip of water if needed

**Other information**

- store at room temperature
- protect from freezing
- keep tightly closed
- **TAMPER-EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING.**

**Inactive ingredients**

benzyl alcohol, butylparaben, flavor, glycerin, hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol solution

**Questions or comments?**

**1-800-645-2158**

**package Label**

compare to the active ingredient in AMPHOJEL

**Rugby**

NDC 0536-0091-85

MINT FLAVOR

Aluminum Hydroxide Gel, USP

ANTACID

SUGAR FREE

This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Rugby Laboratories, INC. is not affiliated with the owner of the trademark Amphojel.

16 fl oz (473 mL)

COMPARE TO  
ACTIVE INGREDIENT IN  
AMPHOJEL®\*



NDC 0536-0091-85

MINT FLAVOR

# Aluminum Hydroxide Gel, USP ANTACID

SUGAR FREE

This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

\*Rugby Laboratories is not affiliated with the owner of the trademark Amphojel®.

16 fl oz (473 mL)



219-01201-2

Rev. 07/17

## Drug Facts

**Active ingredient**  
(in each 5 mL teaspoonful) **Purpose**  
Aluminum hydroxide 320 mg ..... Antacid

**Uses** relieves • heartburn • acid indigestion • sour stomach

**Warnings**  
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product** you may get constipated  
Stop use and ask a doctor if symptoms last more than 2 weeks  
Keep out of reach of children.

**Directions** • shake well before using  
• do not take more than 12 teaspoonfuls in 24 hours  
• do not use the maximum dosage for more than 2 weeks  
• **dosage:** 2 teaspoonfuls 5-6 times daily after meals and at bedtime followed by a sip of water if needed

**Other information** • store at room temperature  
• protect from freezing • keep tightly closed  
• **TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING.**

**Inactive ingredients** benzyl alcohol, butylparaben, flavor, glycerin, hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol solution

**Questions or comments?** 1-800-645-2158

Distributed by:  
Rugby Laboratories  
17177 N Laurel Park Drive,  
Suite 233  
Livonia, MI 48152  
www.rugbylaboratories.com



Rev. 07/17  
R-99  
Re-order No. 370009 919-01201-3

## ALUMINUM HYDROXIDE

aluminum hydroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0536-0091
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	320 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 5 mL
------------------	-----------	---------

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROXYETHYL CELLULOSE (4000 MPAS AT 1%)</b> (UNII: ZYD53NBL45)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (mint)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-0091-85	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/01/2005	

**Labeler** - Rugby Laboratories (079246066)

**Registrant** - GCP Laboratories (965480861)

### Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0536-0091)