

**PREPARATION H RAPID RELIEF- lidocaine, phenylephrine hydrochloride spray**  
**Haleon US Holdings LLC**

-----  
***Drug Facts***

***Active ingredients***

Lidocaine 5%

Phenylephrine HCl 0.25%

***Purposes***

Local anesthetic

Vasoconstrictor

***Uses***

- Helps relieve the local discomfort and itching associated with hemorrhoids
- For the temporary relief of pain, soreness or burning
- Temporarily reduces the swelling associated with irritation in hemorrhoids
- Temporarily shrinks hemorrhoidal tissue

***Warnings***

**For external use only**

**Flammable:**Do not use while smoking or near heat or flame

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are**presently taking a prescription drug for high blood pressure or depression.

**When using this product**

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator
- **Warning** -avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F. Keep out of reach of children.
- **Warning** -use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Stop use and ask a doctor if**

- bleeding occurs

- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing pad
- Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product
- Shake well before using
- Hold 3 to 6" away from rectal area, spray to moisten and then wipe off excess, if desired
- Apply externally to the affected area up to 4 times daily
- Children under 12 years of age: consult a doctor

***Other information***

- Store at 20-25°C (68-77°F)

***Inactive ingredients***

aloe barbadensis leaf juice, citric acid, disodium EDTA, glycerin, isobutane, malic acid, menthol, propyl gallate, propylene glycol, SD alcohol 40-B, sodium benzoate, water

***Questions or comments?***

Call weekdays 9 AM to 5 PM EST at **1-800-99PrepH** or **1-800-997-7374**

**Additional Information**

**No-Touch Spray**

Do not use if clear safety seal around cap is broken or missing

Distributed by:

GSK Consumer Healthcare

Warren, NJ 07059

Trademarks are owned by or licensed to the GSK group of companies.

©2021 GSK or licensor

For most recent product information, **visit [www.preparationh.com](http://www.preparationh.com)**

**PRINCIPAL DISPLAY PANEL**

**NEW!**

## PREPARATIONH

### RAPID RELIEF

WITH

### LIDOCAINE

### HEMORRHOIDAL SPRAY

### LIDOCAINE

### PHENYLEPHRINE HCl

- Rapid numbing relief of pain, itching and burning
- Reduces swelling of inflamed tissue
- Highest strength lidocaine available

**NET WT 3.8 OZ (107.7 g)**

000070918 Front Label

**PREPARATIONH**

**NEW!**

**RAPID RELIEF**  
WITH  
**LIDOCAINE**

HEMORRHOIDAL  
SPRAY

LIDOCAINE  
PHENYLEPHRINE HCl

- Rapid numbing relief of pain, itching and burning
- Reduces swelling of inflamed tissue
- Highest strength lidocaine available

**NET WT 3.8 OZ (107.7 g)**

# PREPARATION H RAPID RELIEF

lidocaine, phenylephrine hydrochloride spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0573-2890
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>MALIC ACID</b> (UNII: 817L1N4CKP)	
<b>MENTHOL, UNSPECIFIED FORM</b> (UNII: L7T10EIP3A)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0573-2890-01	107.7 g in 1 CANISTER; Type 0: Not a Combination Product	02/01/2022	
2	NDC:0573-2890-02	127.6 g in 1 CANISTER; Type 0: Not a Combination Product	02/01/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	02/01/2022	

