

**PROTECTIVE FOUNDATION SUNSCREEN SPF 15 414 FAIR BEIGE- sunscreen,
avobenzene, octinoxate emulsion
Sunrider Manufacturing L.P.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Protective Foundation Sunscreen SPF 15

USES:

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreased the risk of skin cancer and early skin aging caused by the sun.

RECOMMENDATION: PLACE A SMALL AMOUNT ON A SPONGE, BLEND EVENLY OVER FACE

DIRECTIONS:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

ACTIVE INGREDIENTS:

OCTINOXATE 6%
AVOBENZONE 2%

OTHER INGREDIENTS:

Water (Deionized)
Glycereth-26
Caprylic/Capric/Myristic/Stearic Triglyceride
Isopropyl Palmitate
Kaolin
Propylene Glycol
Polysorbate 20
Glyceryl Stearate
Stearic Acid (Veg. Origin)
Dimethicone
Prunus Amygdalus Dulcis (Sweet Almond) Oil
Simmondsia Chinensis (Jojoba) Seed Oil
Ahnfeltia Concinna Extract
Sodium Hyaluronate
Tocopherol

Sorbitan Stearate
Sorbitan Palmitate
Cetyl Alcohol
Bis-Diglyceryl Polyacyladipate-2
Phenoxyethanol
Triethanolamine
Magnesium Aluminum Silicate
Oleth-20
Squalane (Veg. Origin)
Corn Starch Modified
Cellulose Gum
Citric Acid
Trisodium EDTA
Butylene Glycol
Ethylhexylglycerin

WARNINGS:

FOR EXTERNAL USE ONLY

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

US K Pro Found SPF 15 1oz pump lbl

Kandesn[®]

**PROTECTIVE
FOUNDATION
SUNSCREEN
SPF 15**



NET WT.
1 fl. oz. / 30 mL

WARNINGS: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. IF SWALLOWED, SEEK MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. IF CONTACT WITH EYES OCCURS, RINSE THOROUGHLY WITH WATER. DISCONTINUE USE AND CONSULT A DOCTOR IF PERSISTENT SIGNS OF IRRITATION OR RASH APPEAR.


PRODUCT INQUIRY: 1-310-781-8096



MANUFACTURED BY
SUNRIDER MANUFACTURING, L.P.
TORRANCE, CALIFORNIA 90501
MADE IN USA
US S846510534

Production Note: Gold Foil is fixed and locked. Please do not move.

Sunrider1069 P Foundation 1oz
 16pt SBS C1S
 1.375 x 1.375 x 3.875



MANUFACTURED BY
 SUNRIDER MANUFACTURING, L.P.
 TORRANCE, CALIFORNIA 90501



Drug Facts (continued)

Directions (continued)

Sun Protection Measures.

- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

Water (Distilled), Glyceroth-26, Caprylic/Capric Myristic/Stearic Triglyceride, Isopropyl Palmitate, Kadlin, Propylene Glycol, Polysorbate 20, Glyceryl Stearate, Stearic Acid, Dimethicone, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Ahnfeltia Concinna Extract, Sodium Hyaluronate, Tocopherol, Sorbitan Stearate, Sorbitan Palmitate, Cetyl Alcohol, Bis-Diglyceryl Polyacryladipate-2, Phenoxyethanol, Triethanolamine, Magnesium Aluminum Silicate, Oleth-20, Squalane (Veg. Origin), Corn Starch Modified, Cellulose Gum, Citric Acid, Trisodium EDTA, Butylene Glycol, and Ethylhexylglycerin. **May Contain:** Titanium Dioxide and Iron Oxide.

Other information

- protect this product from excessive heat and direct sun

Questions or comments?
 Call 1-310-781-8096

Kandesn®

**PROTECTIVE
 FOUNDATION
 SUNSCREEN
 SPF 15**



NET WT.
 1 fl. oz. / 30 mL

RECOMMENDATION:
 PLACE A SMALL AMOUNT ON A
 SPONGE. BLEND EVENLY OVER FACE.

Drug Facts

Active Ingredients	Purpose
Octinoxate 6%	Sunscreen
Avobenzone 2%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

US S875550334

Please recycle



US_K Pro Found SPF 15 1oz CI

Pro Found SPF 15 1oz CI 414_



PROTECTIVE FOUNDATION SUNSCREEN SPF 15 414 FAIR BEIGE

sunscreen, avobenzone, octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.02 g in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.06 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
ALMOND OIL (UNII: 66YXD4DKO9)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	

CETYL ALCOHOL (UNII: 936JST6JCN)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
DIMETHICONE (UNII: 92RU3N3Y1O)
EDETATE TRISODIUM (UNII: 420IP921MB)
GLYCERETH-26 (UNII: NNE56F2N14)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)
KAOLIN (UNII: 24H4NWX5CO)
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)
OLETH-20 (UNII: YTH167I2AG)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SORBITAN MONOPALMITATE (UNII: 77K6Z421KU)
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)
SQUALENE (UNII: 7QWM220FJH)
STEARIC ACID (UNII: 4ELV7Z65AP)
TOCOPHEROL (UNII: R0ZB2556P8)
TRICAPRIN (UNII: O1PB8EU98M)
TRICAPRYLIN (UNII: 6P92858988)
TROLAMINE (UNII: 9O3K93S3TK)
AHNFELTIOPSIS CONCINNA (UNII: SMF2K46G8D)
CAPRYLIC/CAPRIC/PALMITIC/STEARIC TRIGLYCERIDE (UNII: ZF29F7IK5I)
JOJOBA OIL (UNII: 724GKU717M)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
CORN STARCH 3-E-DODECENYL SUCCINIC ANHYDRIDE MODIFIED (UNII: QG4MW19XYX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
May contain	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
May contain	BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-414-04	1 in 1 PACKAGE	09/01/2016	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/01/2016	

Labeler - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2021

Sunrider Manufacturing L.P.