

**CHILDRENS LORATADINE- loratadine solution**  
**Strategic Sourcing Services LLC**

-----  
**Children's Loratadine**

***Drug Facts***

**Active ingredient (in each 5 mL teaspoonful)**

Loratadine 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

**Inactive ingredients**

artificial peach flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

**Questions?**

Call **1-866-923-4914**

Distributed by McKesson  
One Post Street  
San Francisco, CA 94104

**PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton**

NDC 62011-0305-1

Health Mart®

Compare to  
Children's Claritin®  
active ingredient\*

FRUIT FLAVOR

Children's  
Loratadine  
Oral Solution  
USP, 5 mg/5 mL  
(Antihistamine) ALLERGY

non-drowsy†

24 hour relief of:

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

indoor & outdoor allergies

Ages 2 yrs & older  
dosing cup included  
alcohol free

WARNING: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

†when taken as directed.  
see drug facts panel.

4 FL OZ  
(120 mL)



# CHILDRENS LORATADINE

loratadine solution

## Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:62011-0305

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
citric acid monohydrate (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium metabisulfite (UNII: 4VON5FNS3C)	
sucrose (UNII: C151H8M554)	

### Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	FRUIT	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0305-1	1 in 1 CARTON	11/15/2016	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

**Labeler** - Strategic Sourcing Services LLC (116956644)