

LIL DRUG STORE MULTI-SYMPTOM SINUS RELIEF- acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet
Lil' Drug Store Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Lil' Drug Store ® Multi-Symptom Sinus Relief

Drug Facts

Active ingredients (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- For the temporary relief of:
 - sinus congestion and pressure
 - nasal congestion
 - headache
 - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, and hay fever and other upper respiratory allergies

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- **do not exceed recommended dosage.**

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or is accompanied by a fever, rash or persistent headache
- nervousness, dizziness or sleeplessness occur.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

adults and children 12 years and over	<ul style="list-style-type: none">• take 1-2 tablets every 4 hours as needed• do not take more than 12 tablets in 24 hours, or as directed by a doctor
children under 12 years	<ul style="list-style-type: none">• consult a doctor

Other information

- **do not use if carton or inner pouch is open or torn**
- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity
- see bottom panel of carton or pouch for expiration date and lot number

Inactive ingredients

corn starch ¹, croscarmellose sodium ¹, FD&C red #40 ¹, hypromellose ¹, maltodextrin ¹, microcrystalline cellulose, polyethylene glycol ¹, povidone ¹, sodium starch glycolate ¹, starch ¹, stearic acid

¹ may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

PRINCIPAL DISPLAY PANEL - 6 Tablet Pouch Carton - 9744

**Compare to the active ingredients in
Tylenol® *Sinus Congestion & Pain Severe****

***Multi-Symptom
Sinus Relief
NON-DROWSY***

Pain Reliever, Nasal Decongestant, Expectorant

SEVERE CONGESTION

Contains 3 Active Medicines:

Acetaminophen...relieves Headache

Guaifenesin...relieves Chest Congestion

Phenylephrine HCl...relieves Nasal Congestion & Sinus Pressure

6 TABLETS

***Lil'
DrugStore*®**

Compare to the active ingredients in
Tylenol® Sinus Congestion & Pain Severe*

Multi-Symptom **Sinus Relief**

Pain Reliever, Nasal Decongestant, Expectorant

SEVERE CONGESTION

Contains 3 Active Medicines:

Acetaminophen...relieves Headache

Guaifenesin...relieves Chest Congestion

Phenylephrine HCl...relieves Nasal Congestion & Sinus Pressure



6 TABLETS



6 TABLETS

Multi-Symptom
Sinus Relief



DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active Ingredients (In each tablet)	Purpose
Acetaminophen 325 mg.....	Pain reliever
Guaifenesin 200 mg.....	Expectorant
Phenylephrine HCl 5 mg.....	Nasal decongestant

Uses

- For the temporary relief of:
 - sinus congestion and pressure
 - nasal congestion
 - headache
 - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, and hay fever and other upper respiratory allergies

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your

LIFT PANEL FOR CONTINUED DRUG FACTS

6 TABLETS

Multi-Symptom
Sinus Relief

Drug Facts (continued)

Directions

- | | |
|---------------------------------------|--|
| adults and children 12 years and over | ■ take 1-2 tablets every 4 hours as needed
■ do not take more than 12 tablets in 24 hours, or as directed by a doctor |
| children under 12 years | ■ consult a doctor |

Other Information

- do not use if carton or inner pouch is open or torn
- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity
- see bottom panel of carton or pouch for expiration date and lot number

Inactive Ingredients corn starch*, croscarmellose sodium*, FD&C red #40*, hypromellose*, maltodextrin*, microcrystalline cellulose, polyethylene glycol*, povidone*, sodium starch glycolate*, starch*, stearic acid* may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

Product manufactured for: Lil' Drug Store Products, Inc., 1201 Continental Place NE, Cedar Rapids, IA 52402 www.lildrugstore.com 97443C-US-07-12

*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals Division of McNeil-PPC, Inc. Lil' Drug Store Products, Inc. does not own the Tylenol® Sinus Congestion & Pain Severe trademark.



Multi-Symptom
Sinus Relief

6 TABLETS

Drug Facts (continued)

prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- | | | |
|--|-----------------------|------------|
| ■ liver disease | ■ heart disease | ■ diabetes |
| ■ thyroid disease | ■ high blood pressure | |
| ■ trouble urinating due to an enlarged prostate gland | | |
| ■ cough that occurs with too much phlegm (mucus) | | |
| ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema | | |

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - new symptoms occur
 - cough comes back or is accompanied by a fever, rash or persistent headache
 - nervousness, dizziness or sleeplessness occur.
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.



PRINCIPAL DISPLAY PANEL - 6 Tablet Pouch Carton - 9844

**Compare to the active ingredients in
*Tylenol[®] Sinus Congestion & Pain Severe****

Multi-Symptom

Sinus Relief

NON-DROWSY

Pain Reliever, Nasal Decongestant, Expectorant

SEVERE CONGESTION

Contains 3 Active Medicines:

Acetaminophen...relieves Headache

Guaifenesin...relieves Chest Congestion

Phenylephrine HCl...relieves Nasal Congestion & Sinus Pressure

6 TABLETS

Lil'

DrugStore[®]

Compare to the active ingredients in
Tylenol® Sinus Congestion & Pain Severe*

Multi-Symptom **Sinus Relief**

Pain Reliever, Nasal Decongestant, Expectorant

SEVERE CONGESTION

Contains 3 Active Medicines:

Acetaminophen...relieves Headache

Guaifenesin...relieves Chest Congestion

Phenylephrine HCl...relieves Nasal Congestion & Sinus Pressure



6 TABLETS



6 TABLETS

Multi-Symptom
Sinus Relief



DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts

Active Ingredients (In each tablet)	Purpose
Acetaminophen 325 mg.....	Pain reliever
Guaifenesin 200 mg.....	Expectorant
Phenylephrine HCl 5 mg.....	Nasal decongestant

Uses

- For the temporary relief of:
 - sinus congestion and pressure
 - nasal congestion
 - headache
 - minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion due to the common cold, and hay fever and other upper respiratory allergies

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your

LIFT PANEL FOR CONTINUED DRUG FACTS

6 TABLETS

Multi-Symptom
Sinus Relief

Drug Facts (continued)

Directions

- | | |
|---------------------------------------|--|
| adults and children 12 years and over | ■ take 1-2 tablets every 4 hours as needed
■ do not take more than 12 tablets in 24 hours, or as directed by a doctor |
| children under 12 years | ■ consult a doctor |

Other Information

- do not use if carton or inner pouch is open or torn
- store at room temperature 59-86°F (15-30°C)
- avoid excessive heat and humidity
- see bottom panel of carton or pouch for expiration date and lot number

Inactive Ingredients corn starch*, croscarmellose sodium*, FD&C red #40*, hypromellose*, maltodextrin*, microcrystalline cellulose, polyethylene glycol*, povidone*, sodium starch glycolate*, starch*, stearic acid* may contain

Questions or comments?

call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)

Product manufactured for: Lil' Drug Store Products, Inc., 1201 Continental Place NE, Cedar Rapids, IA 52402 www.lildrugstore.com 97443C-US-07-12

*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals Division of McNeil-PPC, Inc. Lil' Drug Store Products, Inc. does not own the Tylenol® Sinus Congestion & Pain Severe trademark.



Multi-Symptom
Sinus Relief

6 TABLETS

Drug Facts (continued)

prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- | | | |
|--|-----------------------|------------|
| ■ liver disease | ■ heart disease | ■ diabetes |
| ■ thyroid disease | ■ high blood pressure | |
| ■ trouble urinating due to an enlarged prostate gland | | |
| ■ cough that occurs with too much phlegm (mucus) | | |
| ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema | | |

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, nasal congestion or cough gets worse or lasts more than 7 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - new symptoms occur
 - cough comes back or is accompanied by a fever, rash or persistent headache
 - nervousness, dizziness or sleeplessness occur.
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.



LIL DRUG STORE MULTI-SYMPTOM SINUS RELIEF

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9744
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1VS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR14
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9744-3	3 in 1 CARTON	06/01/2011	05/19/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9744-8	10 in 1 CARTON	06/01/2011	01/09/2018

2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9744-1	30 in 1 CARTON	06/01/2011	01/09/2018
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/01/2011	05/19/2024

LIL DRUG STORE MULTI-SYMPTOM SINUS RELIEF

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9844
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;286

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9844-3	3 in 1 CARTON	06/01/2011	07/13/2021
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9844-8	10 in 1 CARTON	06/01/2011	01/09/2018
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9844-1	30 in 1 CARTON	06/01/2011	01/09/2018
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/01/2011	07/13/2021

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2021

Lil' Drug Store Products, Inc.