

RESICLEAN ADJUVANT- glycerol formate solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Warning

Causes eye irritation.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

DIRECTIONS:

Resiclean™ Adjuvant **MUST BE DILUTED BEFORE USE**

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter:

Resiclean Concentrate By Part	Resiclean Adjuvant By Part	Water By Part	Resiclean RTU Product
10.0	1.5	88.5	100

Let the product sit for 10 minutes before use. This mixed solution Resiclean Concentrate & Adjuvant RTU (ready-to-use) will remain stable for 8 hours. After 8 hours discard any remaining solution and mix a new solution. Suggest using freshly mixed product for each milking.

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Application of Diluted Resiclean Adjuvant

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with Resiclean RTU (ready-to-use). Before each cow is milked, dip each teat full-length into the teat dip cup containing Resiclean RTU. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Resiclean RTU product, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until

the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with Resiclean RTU. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Resiclean RTU product, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Resiclean Adjuvant is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Representative Label and Principal Display Panel

ECOLAB

Resiclean™ Adjuvant

Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Glycerol Formate.....98.5%

INERT INGREDIENT:..... 1.5%

TOTAL:.....100.0%

Warning

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Read other label for directions for use, first aid and precautionary statements

56.8 L (15 US GAL)

6302327

777943/5300/1122

This product may be patented: www.ecolab.com/patents

Ecolab · 1 Ecolab Place · St. Paul, MN 55102 USA · tel: 1 800 392 3392

© 2022 Ecolab USA · All rights reserved

Made in U.S.A.

www.ecolab.com · 777942/5300/1122



Resiclean™ Adjuvant

Teat Dip Concentrate Concentrado para el tratamiento de pezones

· An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis

ACTIVE INGREDIENT:
Glycerol Formate.....98.5%
INERT INGREDIENT:..... 1.5%
TOTAL:.....100.0%

Warning | Atención

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
NOT FOR HUMAN USE | NO ES PARA USO HUMANO

Read other label for directions for use, first aid and precautionary statements
Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas




Teat Dip
Baño de tetina



Teat Spray
Roceador de tetina

56.8 L (15 US GAL)
6302327



777943/5300/1122

Resiclean™ Adjuvant

Teat Dip Concentrate

DIRECTIONS:

Resiclean™ Adjuvant MUST BE DILUTED BEFORE USE
DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER
FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB
Dilution Parameter:

Resiclean Concentrate By Part	Resiclean Adjuvant By Part	Water By Part	Resiclean RTU Product
10.0	1.5	88.5	100

Let the product sit for 10 minutes before use. This mixed solution Resiclean Concentrate & Adjuvant RTU (ready-to-use) will remain stable for 8 hours. After 8 hours discard any remaining solution and mix a new solution. Suggest using freshly mixed product for each milking.

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Application of Diluted Resiclean Adjuvant

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with Resiclean RTU (ready-to-use). Before each cow is milked, dip each teat full-length into the teat dip cup containing Resiclean RTU. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh Resiclean RTU product, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with Resiclean RTU. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh Resiclean RTU product, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Resiclean Adjuvant is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive individuals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

Warning

Causes eye irritation.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Concentrado para el tratamiento de pezones

INSTRUCCIONES:

Resiclean™ Adjuvant DILUIR ANTES DE USAR
MEZCLAR EXCLUSIVAMENTE CON AGUA POTABLE Y A TEMPERATURA FRESCA
PARA USO EXCLUSIVO EN SISTEMAS DE DISPENSADO RECOMENDADOS POR ECOLAB
Parámetro de dilución:

Resiclean Concentrate Por Parte	Resiclean Adjuvant Por Parte	Agua Por Parte	Resiclean LTU Producto
10.0	1.5	88.5	100

Deje reposar el producto durante 10 minutos antes de usarlo. Esta solución ya mezclada de Resiclean Concentrate & Adjuvant LPU (listo para usar) permanecerá estable por 8 horas. Después de 8 horas descarte el producto que haya quedado y prepare una nueva solución. Se sugiere usar producto recién mezclado para cada ordeño.

IMPORTANTE: Nunca use producto concentrado en los pezones. Una vez que el antiséptico para pezón concentrado haya sido diluido adecuadamente, no lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

Aplicación del diluido Resiclean Adjuvant

Instrucciones para el sellado del pezón

Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Resiclean LPU (listo para usar) fresco. Limpie los pezones con toallas de uso único después del baño para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga producto Resiclean LPU fresco. No utilice paños. Deje secar al aire. No deje a las vacas expuestas a un clima helado hasta que el producto se haya secado por completo.

Instrucciones para el rociado de pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con producto Resiclean LPU (listo para usar). Limpie los pezones con toallas de uso único después del baño para evitar la contaminación de la leche.

Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con producto Resiclean LPU fresco. No utilice paños. Deje secar al aire. No deje a las vacas expuestas a un clima helado hasta que el producto se haya secado por completo.

Otros usos: Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

PRECAUCIÓN: Resiclean Adjuvant no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario. Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NÓ ES PARA USO HUMANO

Atención

Provoca irritación ocular.

Lavarse la piel cuidadosamente después de la manipulación.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

This product may be patented | Este producto puede ser patentado: www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St. Paul, MN 55102 USA - tel: 1 800 392 3392
© 2022 Ecolab USA - All rights reserved | Todos los derechos reservados
Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com-777942/530Q/1122

RESICLEAN ADJUVANT

glycerol formate solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-648
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERYL DI AND TRIFORMATE (UNII: 77RJO4YQZ3) (GLYCERYL DI AND TRIFORMATE - UNII: 77RJO4YQZ3)	GLYCERYL DI AND TRIFORMATE	985 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-648-17	56800 mL in 1 DRUM		
2	NDC:47593-648-21	208000 mL in 1 DRUM		
3	NDC:47593-648-12	18900 mL in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/09/2023	

Labeler - Ecolab Inc. (006154611)

Revised: 8/2023

Ecolab Inc.