

**PAIN RELIEVER PLUS SLEEP AID NIGHTTIME- acetaminophen,
diphenhydramine hcl solution
Kroger Company**

Kroger 44-074

Active ingredients (in each 30 mL)

Acetaminophen 1,000 mg
Diphenhydramine HCl 50 mg

Purpose

Pain reliever
Nighttime sleep-aid

Use

for the temporary relief of occasional minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: 30 mL at bedtime
- children under 12 years: do not use

Other information

- **each 30 mL contains:** sodium 12 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Questions or comments?

Call 1-800-632-6900

Principal Display Panel - Kroger

NDC 30142-093-02

Kroger® Health

COMPARE TO THE ACTIVE
INGREDIENTS INVICKS®
ZZZQUIL® NIGHT PAIN LIQUID*

MAXIMUM STRENGTH

NightTime
Pain Reliever +
Sleep Aid

Acetaminophen

Diphenhydramine HCl
PAIN RELIEVER/
NIGHTTIME
SLEEP-AID
NON-HABIT FORMING

12 YEARS
AGES
and OVER

F-074 ORG

MIDNIGHT-BERRY
FLAVOR

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

***This product is not manufactured or distributed by The Procter & Gamble Company. VICKS® and ZzzQuil® are registered trademarks of The Procter & Gamble Company. 50844 ORG052307402**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

**For More Product Information, Scan UPC Using Your
Kroger App or Call 800-632-6900**

**†OUR PHARMACIST
RECOMMENDED**

**Our Brands. Our Guarantee.
Love It or Your Money Back.**

NDC 30142-093-02



COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® ZZZQUIL® NIGHT PAIN LIQUID*

MAXIMUM STRENGTH

NightTime

Pain Reliever + Sleep Aid

Acetaminophen
Diphenhydramine HCl

AGES
12 YEARS
and OVER

F-074 ORG

**PAIN RELIEVER/
NIGHTTIME
SLEEP-AID**



NON-HABIT FORMING

**MIDNIGHT-BERRY
FLAVOR**

12 FL OZ (355 mL)

PEEL BACK FOR COMPLETE DRUG FACTS

Drug Facts

**TAMPER EVIDENT: DO NOT USE IF PRINTED
NECK WRAP IS BROKEN OR MISSING**

Active ingredients (in each 30 mL)	Purpose
Acetaminophen 1,000 mg	Pain reliever
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Use for the temporary relief of occasional minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away. ▶

*This product is not manufactured or distributed by The Procter & Gamble Company. VICKS® and ZzzQuil® are registered trademarks of The Procter & Gamble Company. 50844 ORG052307402

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

For More Product Information, Scan UPC Using Your

Kroger App or Call 800-632-6900

**OUR PHARMACIST
RECOMMENDED**

**Our Brands. Our Guarantee.
Love It or Your Money Back.**
www.kroger.com

B-074 ORG



0 4 1260 02166 4

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinner drug warfarin

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- mL = milliliter
- only use the dose cup provided
- take only one dose per day (24 hours)
- adults and children 12 years and over: 30 mL at bedtime
- children under 12 years: do not use

Other information

- each 30 mL contains: sodium 12 mg

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - new symptoms occur
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Questions or comments?

Call 1-800-632-6900

croger 44-074

PAIN RELIEVER PLUS SLEEP AID NIGHTTIME

acetaminophen, diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-093
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	purple (Dark)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-093-02	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/22/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/22/2024	

Labeler - Kroger Company (006999528)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(30142-093) , pack(30142-093)

Revised: 4/2024

Kroger Company