

**BASIC CARE DUAL ACTION COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**L. Perrigo Company**

-----  
**Amazon Dual Action Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens

- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrans, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Heartburn Relief

Compare to Pepcid Complete® active ingredients

dual action complete

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

actual size

Berry Flavor

Just One Tablet! Relieves Heartburn Due to Acid Indigestion

# 50 CHEWABLE TABLETS

**Drug Facts** DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain ■ frequent wheezing, particularly with heartburn
- unexplained weight loss ■ nausea or vomiting ■ stomach pain

**Ask a doctor or pharmacist before use if you are presently taking a prescription drug.** Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** ■ your heartburn continues or worsens

- you need to take this product for more than 14 days

**basic+care**


**Heartburn Relief**

**dual action complete**

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

Compare to Pepcid Complete® active ingredients\*

Actual size  Berry Flavor

Just One Tablet! Relieves Heartburn Due to Acid Indigestion

**50 CHEWABLE TABLETS**

32173\_AN\_F2

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts (continued)**

**Warnings**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 12 years and over:
  - do not swallow tablet whole; chew completely
  - to relieve symptoms, chew 1 tablet before swallowing
  - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: calcium 330 mg; magnesium 80 mg
- Phenylethanolamine: Contains Phenylethanolamine 2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Drug Facts (continued)**

**Inactive ingredients** anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polyorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?** 1-800-719-9260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete®.

**Gluten Free**

Distributed by:  
Perrigo  
Allergan, MI 49010

## BASIC CARE DUAL ACTION COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0 113-7321
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ50PE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263MI44RU)	

<b>FD&amp;C BLUE NO. 1</b> (UNII: HBR47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	PINK (mottled)	<b>Score</b>	no score
<b>Shape</b>	ROUND (bi-layered)	<b>Size</b>	17mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	L321
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-7321-71	50 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	12/27/2018	

**Labeler** - L. Perrigo Company (006013346)

Revised: 11/2020

L. Perrigo Company