

**FLEET- glycerin suppository**  
**C.B. Fleet Company, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Fleet Glycerin Suppositories**

**Drug Facts**

**Active Ingredient**

Glycerin 2 g

**Purpose**

Hyperosmotic Laxative

**Uses**

- for relief of occasional constipation
- this product usually produces bowel movement in 1/4 to 1 hour

**Warnings**

**For rectal use only**

May cause rectal discomfort or a burning sensation.

**Ask a doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children to prevent accidental ingestion.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

*Single Daily Dosage (per 24 hours)*

---

adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Fleet® Pedia-Lax Suppositories®
children under 2 years	ask a doctor

---

Insert suppository well up into rectum. To produce laxative action suppository is designed to dissolve

only partially, which may not be noticeable.

**Other information**

- Store container tightly closed.
- Keep away from excessive heat.
- Mouth of jar sealed for safety. If foil imprinted with green Fleet® emblem is missing or torn, do not use.

**Inactive ingredients**

aloe vera gel (decolorized), edetate disodium, purified water, sodium hydroxide, stearic acid

**Questions?**

☎1-866-255-6960

**PRINCIPAL DISPLAY PANEL**

Fleet Glycerin Suppositories

24 suppositories



**FLEET**

glycerin suppository

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0132-0079
<b>Route of Administration</b>	RECTAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)		GLYCERIN	2 g	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
ALOE (UNII: V5VD430YW9)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
WATER (UNII: 059QF0K00R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0132-0079-24	24 in 1 JAR; Type 0: Not a Combination Product	11/01/1984	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part334	11/01/1984	04/30/2023	

**Labeler** - C.B. Fleet Company, Inc. (003119054)

Revised: 7/2020

C.B. Fleet Company, Inc.