

**HERO FORCE SHIELD SUPERLIGHT SUNSCREEN SPF 30- zinc oxide lotion**  
**Church & Dwight Co., Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Hero Force Shield Superlight Sunscreen SPF 30**

**Drug Facts**

**Active Ingredient**

Zinc Oxide 17.53%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

## **Other Information**

- **Sun alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.
- Protect this product from excessive heat or direct sun.

## **Inactive Ingredients**

Water, Caprylic/Capric Triglyceride, C13-15 Alkane, Propanediol, C15-19 Alkane, Bis-Diglyceryl Polyacyladipate-2, Butyloctyl Salicylate, Ectoin, Alteromonas (Abyssine) Ferment Extract, Harungana Madagascariensis (Madagascar) Extract, Ipomoea Batatas (Purple Sweet Potato) Root Extract, Rubus Idaeus (Raspberry) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Corallina Officinalis (Red Algae) Extract, Curcuma Longa (Turmeric) Leaf Extract, Melia Azadirachta (Neem) Flower Extract, Melia Azadirachta (Neem) Leaf Extract, Moringa Oleifera Seed Oil, Ocimum Sanctum (Holy Basil) Leaf Extract, Oryza Sativa (Rice) Hull Extract, Solanum Melongena (Eggplant) Fruit Extract, Coccinia Indica (Ivy Gourd) Fruit Extract, Tocopherol (Vitamin E), Bisabolol, Amber Powder, Coco-Glucoside, Glucose, Glycerin, Xanthan Gum, 1,2-Hexanediol, Caprylhydroxamic Acid, Arachidyl Alcohol, Arachidyl Glucoside, Hydroxyacetophenone, Polyacrylate Crosspolymer-6, Behenyl Alcohol, Cetearyl Alcohol, Isostearic Acid, Lecithin, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Silica, t-Butyl Alcohol, Sodium Benzoate, Sodium Citrate, Sodium Dilauramidoglutamide Lysine, Sodium Phytate, Citric Acid, Inositol, Lactobacillus Ferment Lysate, Saccharomyces Lysate, Butylene Glycol, Caprylyl Glycol.

## **Questions or Comments?**

347-669-0686

Distributed by Hero Cosmetics, Inc. New York, NY 10013

## **PRINCIPAL DISPLAY PANEL - 10 mL Tube Label**

Hero.

FORCE SHIELD

Superlight Sunscreen  
Broad Spectrum SPF 30

Daily  
UV Defense

0.34 fl. oz. / 10mL e

# Hero.

## FORCE SHIELD

Superlight Sunscreen  
Broad Spectrum SPF 30

Daily UV Defense

0.34 fl. oz. / 10mL e



Meet your dream  
sunscreen for  
acne-prone skin.

Scan to learn more!

### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 17.53%	Sunscreen



Open here

### Drug Facts (continued)

#### Uses

• Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

• **For external use only.** • **Do not use** on damaged or broken skin. • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs. • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

• Apply liberally 15 minutes before sun exposure.  
• Reapply at least every 2 hours.

### Drug Facts (continued)

• Use a water-resistant sunscreen if swimming or sweating. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months: Ask a doctor.

#### Other Information

• **Sun alert:** Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun. • Protect this product from excessive heat or direct sun.

### Drug Facts (continued)

#### Inactive Ingredients

Water, Caprylic/Capric Triglyceride, C13-15 Alkane, Propanediol, C15-19 Alkane, Bis-Diglyceryl Polyacyladipate-2, Butyloctyl Salicylate, Ectoin, Alteromonas (Abyssine) Ferment Extract, Harungana Madagascariensis (Madagascar) Extract, Ipomoea Batatas (Purple Sweet Potato) Root Extract, Rubus Idaeus (Raspberry) Seed Oil, Camellia Sinensis (Green Tea) Leaf Extract, Corallina Officinalis (Red Algae) Extract, Curcuma Longa (Turmeric) Leaf Extract, Melia Azadirachta (Neem) Flower Extract, Melia Azadirachta (Neem) Leaf Extract, Moringa Oleifera Seed Oil, Ocimum Sanctum (Holy Basil) Leaf Extract, Oryza Sativa (Rice) Hull Extract, Solanum Melongena (Eggplant) Fruit Extract, Coccinia Indica (Ivy Gourd) Fruit Extract, Tocopherol (Vitamin E), Bisabolol, Amber Powder,

### Drug Facts (continued)

Coco-Glucoside, Glucose, Glycerin, Xanthan Gum, 1,2-Hexanediol, Caprylhydroxamic Acid, Arachidyl Alcohol, Arachidyl Glucoside, Hydroxyacetophenone, Polyacrylate Crosspolymer-6, Behenyl Alcohol, Cetearyl Alcohol, Isostearic Acid, Lecithin, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Polyglyceryl-3 Polynicotinate, Polyhydroxystearic Acid, Silica, t-Butyl Alcohol, Sodium Benzoate, Sodium Citrate, Sodium Dilauramidoglutamate Lysine, Sodium Phytate, Citric Acid, Inositol, Lactobacillus Ferment Lysate, Saccharomyces Lysate, Butylene Glycol, Caprylyl Glycol.

Questions or Comments? 347-669-0686

HEROCOSMETICS.COM

Distributed by Hero Cosmetics, Inc. New York, NY 10013  
FS005 | Made in USA | R407002

HERO FORCE SHIELD SUPERLIGHT SUNSCREEN SPF 30

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-506
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	175.3 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>C15-19 ALKANE</b> (UNII: CI87N1IM01)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ECTOINE</b> (UNII: 7GXZ3858RY)	
<b>RASPBERRY SEED OIL</b> (UNII: 9S8867952A)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>CURCUMA LONGA LEAF</b> (UNII: H2HC4RY52C)	
<b>AZADIRACHTA INDICA FLOWER</b> (UNII: 3TE8A92UPM)	
<b>AZADIRACHTA INDICA LEAF</b> (UNII: HKY915780T)	
<b>MORINGA OLEIFERA SEED OIL</b> (UNII: REM6A5QMC0)	
<b>HOLY BASIL LEAF</b> (UNII: SCJ765569P)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>EGGPLANT</b> (UNII: W5K7RAS4VK)	
<b>COCCINIA GRANDIS FRUIT</b> (UNII: VLJ6WOT3K5)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>AMBER</b> (UNII: 70J9Z0J26P)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>ANHYDROUS DEXTROSE</b> (UNII: 5SLOG7R0OK)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVVW35JOJ)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	

<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SODIUM DILAURAMIDOGLUTAMIDE LYSINE</b> (UNII: MNJ7VPT2R5)	
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>INOSITOL</b> (UNII: 4L6452S749)	
<b>SACCHAROMYCES LYSATE</b> (UNII: R85W246Z1C)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

<b>Product Characteristics</b>			
<b>Color</b>	GREEN	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-506-10	1 in 1 BOX	07/01/2023	
1		10 mL in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/01/2023	

**Labeler** - Church & Dwight Co., Inc. (001211952)