

INSTA-CHAR AQUEOUS- poison treatment adsorbent suspension
VistaPharm, LLC

INSTA-CHAR AQUEOUS

Active Ingredient (per 240 mL)

Activated Charcoal, USP 50g

Purpose

Poison Adsorbent

Uses

- For emergency use to adsorb swallowed poisons

Warnings

Do not use

- until after the patient has vomited, unless directed by a health professional
- in persons that are not fully conscious
- unless directed by a health professional, if turpentine, corrosives, such as alkalis (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested

If Pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- **Shake vigorously to suspend charcoal before use.**
- Remove foil seal underneath cap and replace cap.
- Cut off delivery tip of bottle 3/4 inch from end for drinking.
- Administer entire 240 mL if possible.
- Repeat dose immediately with Insta-Char Aqueous base product if possible.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.
- Keep patient active and moving.
- Save the container of poison.

Age	Dose
Adult and Children 12	50-100g (1-2 adult bottles) or 1-2g per kg of body weight. If a

years and over and weighing at least 32 kg (71 lbs.) second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Inactive Ingredients

citric acid, glycerin, propylene glycol, purified water, sucrose

Questions?

888-655-1505

Insta-Char Aqueous 240 mL

Insta-Char Aqueous Poison Adsorbent 240 mL

Distributed by:

Vistapharm Inc.

Largo, FL 33771

Do not use if imprinted Protective Seal under the cap is broken or missing.

DRUG FACTS

Active Ingredient (per 240 mL)	Purpose
Activated Charcoal, USP 50g....Poison Adsorbent	

Uses

- For emergency use to adsorb swallowed poisons

Warnings

Do not use ■ until after the patient has vomited, unless directed by a health professional ■ in persons that are not fully conscious ■ unless directed by a health professional, if turpentine, corrosives, such as alkalis (lye) and strong acids, or petroleum distillates, such as kerosene, gasoline, paint thinner, cleaning fluid or furniture polish, have been ingested.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

NDC 66689-201-08

KERR INSTA-CHAR®

IN AN AQUEOUS BASE

A unit dose ready to use activated charcoal suspension poison adsorbent.

50 Grams Activated Charcoal in 240 ml (8 fl oz)

SHAKE VIGOROUSLY BEFORE USE

If possible call a Poison Control Center, emergency medical facility, or health professional for help before using this product. If help cannot be reached quickly, follow directions on this label. Read the warnings and directions as soon as you buy this product. Insert emergency phone number(s) in space provided below on the label.

Emergency Phone No.:

No Varnish Area

DRUG FACTS (Continued)

Directions

- **SHAKE VIGOROUSLY TO SUSPEND CHARCOAL BEFORE USE.** ■ Remove foil seal underneath cap and replace cap. ■ Cut off delivery tip of bottle 3/4 inch from end for drinking. ■ Administer entire 240 mL if possible. ■ Repeat dose immediately with Insta-Char Aqueous base product if possible.
- If previous attempts to contact a poison control center, emergency medical facility, or health professional were unsuccessful, continue trying.
- Keep patient active and moving. ■ Save the container of poison.

Age	Dose
Adults and children 12 years and over and weighing at least 32 kg (71 lbs.)	50 - 100 g (1-2 adult bottles) or 1-2 g per kg of body weight. If a second bottle is recommended, the additional bottle should be Insta-Char in an Aqueous Base unless otherwise directed by a physician.

Inactive Ingredients citric acid, glycerin, propylene glycol, purified water, sucrose

Questions? 888-655-1505

0 66689 20108 4

No Varnish Area

Insta-Char Aqueous 240 mL

Distributed by:
VistaPharm, Inc.
Largo, FL 33771

INSTA-CHAR AQUEOUS

poison treatment adsorbent suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66689-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	50 g in 240 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KOOR)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66689-201-08	240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/03/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/03/2006	

Labeler - VistaPharm, LLC (116743084)