

**SLEEP AID MAXIMUM STRENGTH- diphenhydramine hcl capsule
QUALITY CHOICE (Chain Drug Marketing Association)**

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

Questions or comments?

Call **800-935-2362** Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the Active Ingredient in Unisom® SleepGels®

Sleep-Aid Maximum Strength

Nighttime Sleep-Aid

Diphenhydramine HCl, 50 mg

Help to Reduce Difficulty Falling Asleep

Softgels

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by C.D.M.A., Inc. ©

43157 W 9 Mile Rd

Novi, MI 48375

www.qualitychoice.com

Product Label

NDC 63868-415-32



†Compare to the Active Ingredient in Unisom® SleepGels®

Sleep-Aid Maximum Strength

Nighttime Sleep-Aid

Diphenhydramine HCl 50 mg
Helps To Reduce Difficulty Falling Asleep



32 Softgels

actual size

NDC 63868-415-32



Sleep-Aid Maximum Strength

Nighttime Sleep-Aid

Diphenhydramine HCl 50 mg
Helps To Reduce Difficulty Falling Asleep



32 Softgels

actual size



Lot No.:
Exp. Date:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

PLD-6632A
FC006486

100% SATISFACTION GUARANTEED
Distributed by C.D.M.A., Inc.®
4317 W 9 Mile Rd
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

†This product is not manufactured or distributed by Chatham, Inc., distributor of Unisom® SleepGels®.

Questions or comments? Call 800-935-2362 Monday-Friday 9AM-5PM EST

Inactive ingredients FD&C blue #1, gelatin, glycerin, lecitin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Other information ■ store between 15-30°C (59-86°F)

Directions ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

■ If pregnant or breast-feeding, ask a health professional before use.
■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

■ Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

■ When using this product, avoid alcoholic drinks.

■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

Drug Facts
Active ingredient (in each softgel) Diphenhydramine HCl 50 mg.
Purpose Nighttime sleep-aid
Use For relief of occasional sleeplessness.
Warnings
 Do not use ■ for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ dizziness ■ trouble urinating due to an enlarged prostate gland ■

QUALITY CHOICE Maximum Strength Sleep-Aid

SLEEP AID MAXIMUM STRENGTH

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-415
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	PC5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-415-32	1 in 1 BOX	12/27/2019	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M010	12/27/2019		

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 4/2024

QUALITY CHOICE (Chain Drug Marketing Association)