HIBICLENS- chlorhexidine gluconate solution Molnlycke Health Care

Hibiclens IFP

Chlorhexidine gluconate solution 4.0% w/v

Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cuase a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.

Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.

- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.

Wet hands with water. Dispense about 5 mL (4 pumps) of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions?

1-800-843-8497



HIBICLENS

chlorhexidine gluconate solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0234-0575

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	CHLORHEXIDINE GLUCONATE	4 g in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
GLUCONOLACTONE (UNII: WQ29KQ9POT)				
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
WATER (UNII: 059QF0KO0R)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				

ISOPROPYL ALCOHOL (UNII: ND2M416302)	
POLOXAMER 237 (UNII: JT3U72U71K)	

Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0234- 0575-40	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/15/2016	
2	NDC:0234- 0575-41	118 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/01/2019	

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
NDA	NDA017768	02/15/2016		

Labeler - Molnlycke Health Care (165301032)

Establishment				
Name	Address	ID/FEI	Business Operations	
Xttrium Laboratories, Inc.		007470579	manufacture(0234-0575)	

Revised: 2/2024 Molnlycke Health Care