

ZZZQUIL NIGHTTIME SLEEP-AID- diphenhydramine hydrochloride solution
The Procter & Gamble Manufacturing Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ZzzQuil™
Nighttime Sleep-Aid

Drug Facts

Active ingredient (in each 30 mL dose cup)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL contains:** sodium 24 mg
- store at controlled room temperature

Inactive ingredients

alcohol, citric acid anhydrous, FD&C Blue No. 1, FD&C Red No. 40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-877-881-5813

DIST. BY

PROCTER & GAMBLE, CINCINNATI, OH 45202

PRINCIPAL DISPLAY PANEL

Vicks

ZzzQuil™

NIGHTTIME SLEEP-AID

Diphenhydramine HCl

Fall Asleep Fast

Non-Habit Forming

Calming Vanilla Cherry

Not for colds or for pain

Alcohol 10%

12 FL OZ (354 mL)



Drug Facts (continued)	
When using this product	
• avoid alcoholic beverages	
Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions	
• take only one dose (30 mL) per day (24 hours)	
• only use dose cup provided	
adults & children 12 yrs & over	30 mL, at bedtime if needed or as directed by a doctor
children under 12 yrs	do not use
Other information	
• each 30 mL dose cup contains: sodium 22 mg	
• store at no greater than 25°C	
Inactive ingredients alcohol, citric acid, FD&C Blue No. 1, FD&C Red No. 40, flavor, glycerin, polysorbate 20, saccharin sodium, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum	
Questions? 1-877-881-5813	

Tamper Evident:
Do not use if printed shrinkband seal around the neck is broken or missing

← PEEL BACK FOR DRUG FACTS

Drug Facts	Purpose
Active ingredient (in each 30 mL dose cup) Diphenhydramine HCl 50 mg	Nighttime sleep-aid
Uses	
• for the relief of occasional sleeplessness	
• reduces time to fall asleep if you have difficulty falling asleep	
Warnings	
Do not use	
• for children under 12 years of age	
• with any other product containing diphenhydramine, even one used on skin	
Ask a doctor before use if you have	
• a breathing problem such as emphysema or chronic bronchitis	
• glaucoma	
• difficulty in urination due to enlargement of the prostate gland	
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers	



DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202

Patents:
www.pg.com/patents
ZzzQuil.com





www.pg.com
91664045

PLASTIC BOTTLE

ZZZQUIL NIGHTTIME SLEEP-AID

diphenhydramine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-430
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	VANILLA, CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37000-430-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/03/2015	
2	NDC:37000-430-24	2 in 1 CELLO PACK	02/03/2015	
2		354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	02/03/2015	

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 3/2022

The Procter & Gamble Manufacturing Company