

**BAREMINERALS SKINLONGEVITY VITAL POWER MOISTURIZER BROAD SPECTRUM SPF 30- titanium dioxide and zinc oxide cream**  
**Orveon Global US LLC**

-----  
**bareMinerals® Skinlongevity™ Vital Power Moisturizer Broad Spectrum SPF 30**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Titanium Dioxide 3.28%	Sunscreen
Zinc Oxide 12.506%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Inactive Ingredients**

water, c9-12 alkane, dimethicone, propanediol, glycerin, peg-32, peg-6, polyglyceryl-4 laurate/succinate, polysorbate 60, peucedanum japonicum leaf/stem extract, paeonia

lactiflora root extract, coffea arabica (coffee) seed oil, decyl isostearate, coco-caprylate/caprinate, isohexadecane, isostearyl isostearate, aminopropyl dimethicone, cetyl stearate, succinoglycan, caprylyl glycol, tocopherol, dimethylacrylamide/sodium acryloyldimethyltaurate crosspolymer, polyacrylate crosspolymer-6, sodium acrylate/sodium acryloyldimethyl taurate copolymer, sodium methyl stearoyl taurate, potassium cetyl phosphate, sorbitan sesquiisostearate, polysorbate 80, stearic acid, sorbitan oleate, decyl glucoside, isostearic acid, hexylene glycol, t-butyl alcohol, butylene glycol, polysilicone-11, hydrogen dimethicone, silica, sodium citrate, triethoxycaprylylsilane, aluminum hydroxide, alcohol, disodium edta, trehalose, potassium sorbate, citric acid, vp/eicosene copolymer, cetyl alcohol, cellulose gum, fragrance, geraniol, linalool, limonene, citral, sodium benzoate, phenoxyethanol. may contain: mica, titanium dioxide.

### **Other information**

Protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-795-4747

Dist.by bareMinerals, New York, NY 10022, USA

### **PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton**

bareMinerals®

SKINLONGEVITY™

VITAL  
POWER  
MOISTURIZER

POWERED BY  
LONG LIFE HERB,  
GREEN COFFEE BEAN,  
AND PEONY EXTRACT

FOR ALL SKIN TYPES

BROAD SPECTRUM  
SPF30

50 ml / 1.7 fl. oz.

bareMinerals®  
SKINSORIALS®

CLEAN WITHOUT COMPROMISE  
FULL OF CLEAN PROTECTION  
FREE OF CHEMICAL SUNSCREEN

A LIGHTWEIGHT DAILY  
MOISTURIZER, POWERED  
BY THE AGE-DEFYING BENEFITS  
OF LONG LIFE HERB, THAT  
REPLENISHES, SMOOTHS AND  
PROTECTS FOR SKIN THAT  
LOOKS HEALTHIER AND  
YOUNGER, LONGER.

- INSTANTLY REPLENISHES  
ESSENTIAL MOISTURE.
- HELPS REDUCE VISIBLE  
SIGNS OF AGING.
- PROTECTS AGAINST  
DAMAGING EFFECTS OF  
ENVIRONMENTAL  
STRESSORS.
- NON-CHEMICAL,  
MINERAL SUNSCREEN.

APPLY 1-2 PUMPS  
EVENLY TO FACE AND NECK  
IN THE MORNING.

NETTOYEZ SANS COMPROMIS  
UNE PROTECTION PROPRE  
PROTECTION SOLAIRE SANS  
PRODUITS CHIMIQUES

UN HYDRATANT QUOTIDIEN  
LÉGER, BÉNÉFICIAINT DES  
BIENFAITS ANTI-ÂGE DE

bareMinerals®

SKINLONGEVITY™

VITAL  
POWER  
MOISTURIZER

L'HERBE DE LONGUE VIE,  
QUI REPULPE, LISSE ET  
PROTÈGE LA PEAU ET LUI  
DONNE UN ASPECT PLUS SAIN,  
PLUS JEUNE, PENDANT PLUS  
LONGTEMPS.

- RECHARGE AUSSITÔT  
L'HYDRATATION  
ESSENTIELLE.
- AIDE À RÉDUIRE  
VISIBLEMENT LES SIGNES  
DU VIEILLISSEMENT.
- PROTÈGE DES EFFETS  
NÉFASTES DES  
AGRESSIONS EXTÉRIEURES.
- PROTECTION SOLAIRE  
MINÉRALE SANS  
PRODUITS CHIMIQUES.

APPUYEZ 1-2 FOIS SUR LA  
POMPE ET APPLIQUEZ LE MATIN  
UNIFORMÉMENT SUR LE VISAGE  
ET LE COU.



POWERED BY  
LONG LIFE HERB,  
GREEN COFFEE BEAN,  
AND PEONY EXTRACT

**FOR ALL SKIN TYPES**

BROAD SPECTRUM  
SPF 30

50 ml / 1.7 fl. oz.

Minerals®

**Drug Facts**

Active ingredient(s)	Purpose
Titanium dioxide 3.28%	Sunscreen
Zinc oxide 12.506%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed  
with other sun protection measures (see *Directions*),  
decreases the risk of skin cancer and early skin aging caused  
by the sun.

**Warnings**

For external use only

Do not use on damaged or broken skin

bare!

SKINLONGEVITY™

CRÈME  
HYDRATANTE  
REVITALISANTE



À BASE D'HERBE  
DE LONGUE VIE, DE  
GRAINS DE CAFÉ VERT ET  
D'EXTRAIT DE PIVOINE

POUR TOUS LES TYPES DE PEAU

FPS 30  
À LARGE SPECTRE

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply liberally 15 minutes before sun exposure  
• use a water resistant sunscreen if swimming or sweating  
• reapply at least every 2 hours • children under 6 months of age: ask a doctor • **Sun protection measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients:** water, c9-12 alkane, dimethicone, propanediol, glycerin, peg-32, peg-6, polyglyceryl-4 laurate/succinate, polysorbate 80, peucedanum japonicum leaf/steem extract, paeonia lactiflora root extract, coffea arabica (coffee) seed oil, decyl isostearate, coco-caprylate/caprate, isohexadecane, isostearyl isostearate, aminopropyl dimethicone, cetyl stearate, succinoglycan, caprylyl glycol, toco pherol, dimethylacrylamide/sodium acryloyl dimethylaurate crosspolymer, polyacrylate crosspolymer-6, sodium acrylate/sodium acryloyl dimethyl taurate copolymer, sodium methyl stearoyl taurate, potassium cetyl phosphate, sorbitan sesquiosostearate, polysorbate 80, stearic acid, sorbitan oleate, decyl glucoside, isostearic acid, hexylene glycol, t-butyl alcohol, butylene glycol, polysilicone-11, hydrogen dimethicone, silica, sodium citrate, triethoxycarboxysilane, aluminum hydroxide, alcohol, disodium edta, trehalose, potassium sorbate, citric acid, wpleicosene copolymer, cetyl alcohol, celubrogum, fragrance, geraniol, linalool, limonene, citral, sodium benzoate, phenoxethanol. may contain: mica, titanium dioxide.

**Other information**

Protect the product in this container from excessive heat and direct sun

**Questions or comments?**  
Call toll free 1-888-795-4747

MADE IN USA

Dist. by bareMinerals, New York, NY 10022, USA • London W1F 8ZU

Glue Seam



88500501

BARE ESSENTUALS



## BAREMINERALS SKINLONGEVITY VITAL POWER MOISTURIZER BROAD SPECTRUM SPF 30

titanium dioxide and zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:98132-252
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1870 mg in 50 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7128 mg in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>LIMONENE, (+/-)-</b> (UNII: 9MC3I34447)	
<b>CITRAL</b> (UNII: T7EU009VPP)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 1500</b> (UNII: 1212Z7S33A)	
<b>POLYETHYLENE GLYCOL 300</b> (UNII: 5655G9Y8AQ)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>ARABICA COFFEE OIL</b> (UNII: IK55HKE887)	
<b>DECYL ISOSTEARATE</b> (UNII: NRB038QC02)	

<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>ISOSTEARYL ISOSTEARATE</b> (UNII: IV0Z586Z4Y)
<b>CETYL STEARATE</b> (UNII: 06RI5UQA7L)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9)
<b>SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW)</b> (UNII: 1DXE3F3OZX)
<b>SODIUM METHYL STEAROYL TAURATE</b> (UNII: JFM219LJ55)
<b>SORBITAN SESQUIISOSTEARATE</b> (UNII: VU97D01BF9)
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-252-50	1 in 1 CARTON	01/01/2019	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2019	

**Labeler** - Orveon Global US LLC (118344494)

