

**SUPER CC COLOR CORRECTION CARE PRIMER STICK SPF 30- octinoxate, octocrylene, oxybenzone, titanium dioxide, zinc oxide stick
Physicians Formula Inc**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octinoxate 5.6%, Titanium Dioxide 5.2%

Octocrylene 4.2% Zinc Oxide 4.0%

Oxybenzone 5.1%

Purpose

Sunscreen

Use

▪ Helps prevent Sunburn. ▪ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

▪ Keep out of eyes ▪ Rinse with water to remove

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating ▪ Reapply:
 - Immediately after towel drying • At least every 2 hours • **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in sun, especially from 10 a.m.- 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses ▪ Children under

6 months: Ask a doctor

Inactive Ingredients

Ethylhexyl Palmitate, Silica, Caprylic/Capric, Triglyceride, Triisotridecyl Trimellitate, C12-15 Alkyl Benzoate, Hydrogenated Microcrystalline Wax, HDI/Trimethylol Hexyllactone Crosspolymer, Aluminum Starch Octenylsuccinate, Polyethylene, Ozokerite, Synthetic Wax, Hydroxycapric Acid, Hydroxycaprylic Acid, Hydroxycinnamic Acid, Teprenone, Butylene Glycol, Dimethicone, Hydrogen Dimethicone, Kaolin, Mica, PEG-4, Synthetic Fluorphlogopite, Tin Oxide, Phenxoyethanol. May Contain: Blue 1 Lake, Iron Oxides, Red 40 Lake, Titanium Dioxide, Yellow 5 Lake

Other information

- Protect this product from excessive heat and direct sun

Questions or Comments?

- Call 1-800-227-0333 (USA only) or www.PhysiciansFormula.com

Package Label

NEW!

PHYSICIANS FORMULA®

Light

Super **CC** Color-Correction + Care all-over blur Primer Stick

Drug Facts

Active ingredients	Purpose
Octinoxate 5.6% Octocrylene 4.2% Oxybenzone 5.1%	Sunscreen
Titanium Dioxide 5.2% Zinc Oxide 4.0%	

Use • Helps prevent Sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Do not use on damaged or broken skin

When using this product • Keep out of eyes.
• Rinse with water to remove.

Stop use and ask doctor • If rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure
• Use a water resistant sunscreen if swimming or sweating • Reapply:
• Immediately after towel drying • At least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• Limit time in sun, especially from 10 a.m. - 2 p.m.
• Wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Inactive Ingredients: Ethylhexyl Palmitate, Silica, Caprylic/Capric Triglyceride, Tris(iso)decyl Trimellitate, C12-15 Alkyl Benzoate, Hydrogenated Microcrystalline Wax, HDI/Trimethylol Hexyllactone Crosspolymer, Aluminum Starch Octenylsuccinate, Polyethylene, Ozokerite, Synthetic Wax, Hydroxyacetic Acid, Hydroxyacrylic Acid, Hydroxycinnamic Acid, Terephthalone, Butylene Glycol, Dimethicone, Hydrogen Dimethicone, Kaolin, Mica, PEG-4, Synthetic Fluorphlogopite, Tin Oxide, Phenoxypentanol. May Contain: Blue 1 Lake, Iron Oxides, Red 40 Lake, Titanium Dioxide, Yellow 5 Lake.

Other information • Protect this product from excessive heat and direct sun

Questions or comments? • Call 1-800-227-0333 (USA only) or www.PhysiciansFormula.com

DIRECTIONS: Apply All-Over Blur Primer Stick all over face in circular motions and gently blend with fingertip. Can be worn alone or under your favorite Super CC makeup for enhanced coverage.

For information in the USA 1-800-227-0333
www.PhysiciansFormula.com
Physicians Formula, Inc. City of Industry, CA 91789
©2015 PHYSICIANS FORMULA, INC. DIST.SINCE 1987.
Physicians Formula is a registered trademark.
All rights reserved. #5310-66630000

Made in Taiwan.

Why is Super CC Super?

Super CC is the next generation of multi-functional complexion correctors. These 1st ever multi-tasking makeup + skin care hybrids Color-Correct + Care in one simple step. Invisible micro color-correcting pigments and high-tech anti-aging ingredients deliver a flawless youthful-looking complexion without imperfections effortlessly.

New!

Light 6663

Super **CC** Color-Correction + Care all-over blur Primer Stick

Concealer + Primer + Foundation + Touch-Up Tool

Instantly Blurs:

Wrinkles
Fine Lines
Dark Circles
Crow's Feet
Discoloration
Imperfections
Dullness
Pores
Uneven Texture
Signs of Fatigue

Color-Correcting Pigments + Anti-Aging

SPF 30 Broad Spectrum Sunscreen

Net Wt. 0.47 Oz / 13.5 g

Blur + Prime + Correct

- 1st ever 2-in-1 Primer + CC Stick features a high-tech formula which instantly blurs imperfections, fine lines, wrinkles, dark circles, discoloration & signs of fatigue while evening out skin tone.
- Revolutionary multi-tasking miracle blends effortlessly delivering an ultra-smooth flawless finish and can be used as a Concealer, Primer, Foundation & Touch-Up Tool.
- Versatile All-Over-Blur stick can be used under makeup creating a perfect canvas for smooth and even application or alone for quick and easy touch ups on-the-go.

- Yellow corrects blue imperfections and warms skin tone.
- Green tones down redness.
- Pink brightens and illuminates.



Color-Correcting Primer blends together to blur imperfections

- Anti-aging brighteners restore a look of radiance and smoothness.
- Broad Spectrum SPF 30 protects from UVA/UVB rays, helping to prevent future damage.



Recommended as an effective broad spectrum sunscreen

HYPOALLERGENIC
PARABEN FREE
GLUTEN FREE
CRUELTY FREE
FRAGRANCE FREE
OIL FREE
NON-COMEDOGENIC
DERMATOLOGIST APPROVED



SUPER CC COLOR CORRECTION CARE PRIMER STICK SPF 30

octinoxate, octocrylene, oxybenzone, titanium dioxide, zinc oxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:31645-189
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	5.1 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.2 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5.6 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRISODECYL TRIMELLITATE (UNII: 6IFP38QKFS)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
LOW DENSITY POLYETHYLENE (UNII: J245LN42A1)	
SYNTHETIC WAX (1200 MW) (UNII: Q3Z4BCH099)	
HYDROXYCAPRIC ACID (UNII: B41993WR8W)	
HYDROXYCAPRYLIC ACID (UNII: 0R6X0G0S8A)	
P-COUMARIC ACID (UNII: IBS9D1EU3J)	
TEPRENONE (UNII: S8S8451A4O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE 20 (UNII: H8YMB5QY0D)	
KAOLIN (UNII: 24H4NWX5CO)	
MICA (UNII: V8A1AW0880)	
POLYETHYLENE GLYCOL 200 (UNII: R95B8J264J)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:31645-189-01	1 in 1 BOX	01/15/2016	
1	NDC:31645-189-47	13.5 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/15/2016	

Labeler - Physicians Formula Inc (021261805)

Revised: 1/2016

Physicians Formula Inc