TRIPLE FLU DEFENSE- aconite, ailanthus, anas barbariae, belladonna, bryonia, gelsemium, influenzinum, lycopodium, mercurius vivus, phosphorus, phytolacca, spongia liquid Nenningers Naturals, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Dr. Nenninger Triple Flu Defense

Drug Facts

Directions: At first sign of the flu take 3 times per day for symptom relief and once per week for maintenance. **Adult Dose**: is 20 drops. **Children under 12** take 2 drops for every 10 pounds of body weight up to a maximum of 20 drops. Place drops on tongue or mix with 1 oz. of water.

Homeopathic Flu Symptom Relief

Uses: To reduce the duration and severity of flu-like symptoms such as fatigue, body aches, headache, sore throat, cough, fever, chills, nausea, vomitting and diarrhea.

Active Ingredients: OHPUS

Aconite, Ailanthus, Anas barbariae, Belladonna, Bryonia, Gelsemium, Influenzinum, Lycopodium, Mercurius vivus, Phosphorus, Phytolacca, Spongia

Equal volumes of each ingredient in a 30C potency.

HPUS indicates ingredients are monographed in th official Homeopathic Pharmacopeia of the United States

Inactive Ingredients: Organic grape alcohol 20% (v/v), purified water

Warnings

□If symptoms worsen or persist for more than 3 days seek advice of physician.

If pregnant or breastfeeding Iconsult a healthcare professional before use.

Example 2 IKeep out of reach of children.

Other Information: Do not use lif safety seal at neck of bottle is broken or missing.

Store at room temperature.

Dr. Nenninger

Triple Flu Defense

Flu Season 2016 - 2017

Nenningers Naturals

Homeopathic Flu Symptom Relief

1 Fluid Ounce/30 ml

GREAT VALUE

60 Doses Flu season typically extends from October through May

Drug Facts
Directions: At the first sign of the
flu take 3 times per day for symptom
relief and once per week for
maintenance. Adult Dose is 20 drops.
Children under 12 take 2 drops for
every 10 pounds of body weight up to
a maximum of 20 drops. Place drops
on tongue or mix with 10 z.c if water.
Uses: To reduce the duration and
severity of flu-like symptoms such
as fatigue, body aches, headache,
sore throat, cough, fever, chills,
nausea, vomilting and diarrhea.
Active Ingredients: HPUS

nausea, vomiting and diarrhea.

Active Ingredients: HPUS

Aconite, Allanthus, Anas barbarlae,
Belladonna, Bryonia, Geisemium,
Influenzinum, Lycopodium,
Mercurius vivus, Phosphorus,
Phytolacca, Spongia
Equal volumes of each Ingredient
In a 30C potency
HPUS Indicates Ingredients are

HPUS indicates ingredients are monographed in the official Hon Pharmacopoela of the United Sta

inactive ingredients: Organic grape alcohol 20% (v/v), purified water

water
Warnings: If symptoms worsen
or persist for more than 3 days
seek advice of physician.
If pregnant or breastfeeding
consult a healthcare professional
before use.
Reep out of reach of children
Chhar information: De not use
if safety seal at neck of bottle is
broken or missing.
Store at room temperature.

Drug Facts

aconite, ailanthus, anas barbariae, belladonna, bryonia, gelsemium, influenzinum, lycopodium, mercurius vivus, phosphorus, phytolacca, spongia liquid

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:42731-022 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|--|--|-----------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| ACONITUM NAPELLUS ROOT (UNII: KPD2N7348 X) (ACONITUM NAPELLUS ROOT - UNII:KPD2N7348 X) | ACONITUM NAPELLUS ROOT | 30 [hp_C] in 30 mL | |
| AILANTHUS ALTISSIMA FLOWERING TWIG (UNII: 8 P29 O5 P7 XU) (AILANTHUS ALTISSIMA FLOWERING TWIG - UNII: 8 P29 O5 P7 XU) | AILANTHUS ALTISSIMA FLOWERING TWIG | 30 [hp_C] in 30 mL | |
| CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE (UNII: RN2HC612GY) (CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE - UNII:RN2HC612GY) | CAIRINA MOSCHATA HEART/LIVER AUTOLYSATE | 30 [hp_C] in 30 mL | |
| ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H) | ATROPA BELLADONNA | 30 [hp_C] in 30 mL | |
| BRYONIA ALBA ROOT (UNII: T7J046 YI2B) (BRYONIA ALBA ROOT - UNII:T7J046 YI2B) | BRYONIA ALBA ROOT | 30 [hp_C] in 30 mL | |
| GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q) | GELSEMIUM SEMPERVIRENS ROOT | 30 [hp_C] in 30 mL | |
| INFLUENZA A VIRUS A/CALIFORNIA/7/2009 (H1N1)-LIKE HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) (UNII: K9P8PVA2UG) (INFLUENZA A VIRUS A/CALIFORNIA/7/2009 (H1N1)-LIKE HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) - UNII:K9P8PVA2UG) | INFLUENZA A VIRUS A/CALIFORNIA/7/2009 (H1N1)-LIKE HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) | 30 [hp_C] in 30 mL | |
| INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) (UNII: 8UK4958MZX) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) - UNII:8UK4958MZX) | INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) | 30 [hp_C] in 30 mL | |
| INFLUENZA A VIRUS A/SWITZERLAND/9715293/2013 NIB-88 (H3N2) HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) (UNII: H1SQ9X1EF0) (INFLUENZA A VIRUS A/SWITZERLAND/9715293/2013 NIB-88 (H3N2) HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) - UNII:H1SQ9X1EF0) | INFLUENZA A VIRUS A/SWITZERLAND/9715293/2013 NIB-88 (H3N2) HEMAGGLUTININ ANTIGEN (PROPIOLACTONE INACTIVATED) | 30 [hp_C] in 30 mL | |
| LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479) | LYCOPODIUM CLAVATUM SPORE | 30 [hp_C] in 30 mL | |
| MERCURY (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL) | MERCURY | 30 [hp_C] in 30 mL | |
| PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W) | PHOSPHORUS | 30 [hp_C] in 30 mL | |
| PHYTOLACCA AMERICANA ROOT (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG) | PHYTOLACCA AMERICANA ROOT | 30 [hp_C] in 30 mL | |
| SPONGIA OFFICINALIS SKELETON, ROASTED (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID) | SPONGIA OFFICINALIS SKELETON, ROASTED | 30 [hp_C] in 30 mL | |

| Inactive Ingredients | | | |
|----------------------------|----------|--|--|
| Ingredient Name | Strength | | |
| ALCOHOL (UNII: 3K9958V90M) | | | |
| WATER (UNII: 059QF0KO0R) | | | |

| | Packaging | | |
|----|-----------|---------------|-------------------|
| -1 | | Maybeting Sta | wt Mayleating End |

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|----------------------|-----------------------|
| | NDC:42731-022- 01 | 1 in 1 CARTON | 09/01/2016 | |
| 1 | | 30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 09/01/2016 | |
| | | | |

Labeler - Nenningers Naturals, LLC (967048666)

Revised: 2/2017 Nenningers Naturals, LLC