

**SHOPKO TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**

**Shopko Stores Operating Co., LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Shopko®  
Triple Antibiotic**

***Drug Facts***

<b><i>Active ingredients (each gram contains)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call 1-866-923-4914

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

SHOPKO®

**NDC 37012-016-02**

Original Strength

**Triple Antibiotic Ointment**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

**First Aid Antibiotic Ointment**

NET WT 1 OZ (28.4 g)

SHOPKO®



Compare to the Active Ingredients in Neosporin<sup>®</sup>\*

Original Strength

# Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

First Aid Antibiotic Ointment

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

LPK-7500-0  
0314-0  
M373

SHOPKO®

NDC 3701 2-016-02

Original Strength

# Triple Antibiotic Ointment

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate

First Aid Antibiotic Ointment

NET WT 1 OZ (28.4 g)

SHOPKO®  
Original Strength  
**Triple Antibiotic Ointment**  
Bacitracin Zinc • Neomycin sulfate  
Polymyxin B Sulfate  
First Aid Antibiotic Ointment

T51



NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

Manufactured for Shopko  
by Iam Pharmaceuticals Inc.  
Hamilton, Ontario, Canada L8T 1C1  
1-866-923-4914  
©2014 Shopko Sales  
Operating Co., LLC  
Made in Canada

By Refund Or Exchange



This product is not  
manufactured or  
distributed by  
Johnson & Johnson  
Corporation,  
owner of the  
registered trademark  
Neosporin<sup>®</sup>

**Drug Facts**

**Purpose**  
Bacitracin zinc 400 units.....First aid antibiotic  
Neomycin sulfate 35 mg.....First aid antibiotic  
Polymyxin B sulfate 5,000 units.....First aid antibiotic

**Uses** first aid to help prevent infection in minor • cuts • scrapes • burns

**Warnings** For external use only.  
• in the eyes  
• over large areas of the body

**Do not use** if you are allergic to any of the ingredients

**Ask a doctor before use if you have**  
• deep or puncture wounds • animal bites • serious burns

**Stop use and ask a doctor if** • condition persists or gets worse  
• you need to use longer than 1 week  
• a rash or other allergic reaction develops

**Keep out of reach of children.** If allowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage

**Other information**  
• To open, unscrew cap, pull tab to remove foil seal  
• Use at 20° to 25° C (68° to 77° F)  
• see carton or tub for time for lot number and expiration date

**Inactive ingredient** white petrolatum

**Questions?** Call 1-866-923-4914

SHOPKO®

## SHOPKO TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:370 12-0 16
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin zinc</b> (UNII: 89 Y4M234ES) (Bacitracin - UNII:58 H6RWO52I)	Bacitracin	400 [iU] in 1 g
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16 QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>petrolatum</b> (UNII: 4T6 H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:370 12-0 16-0 1	1 in 1 CARTON		
1		14.2 g in 1 TUBE		
2	NDC:370 12-0 16-0 2	1 in 1 CARTON		
2		28.4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	12/14/1995	

**Labeler** - Shopko Stores Operating Co., LLC (023252638)

**Registrant** - Taro Pharmaceuticals U.S. A., Inc. (145186370)

### Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(370 12-0 16)