ALPHACIDE 30K- sodium chlorite solution solution Alpha Technology USA Corp

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Alphacide 30K

Alphacide 30K

For Use in the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED.

AVOID CONTACT WITH SKIN OR EYES.

USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS

Active Ingredients:

Sodium Chlorite......5.32%

Manufactured for:

Alpha Technology USA Corporation 1335 Bennett Dr., Ste 173

Longwood, FL 32750

UN1908, Chlorite Solution, 8, PG II

_ 5 Gal _15 Gal _55 Gal _ 265 Gal

FIRST AID INSTRUCTIONS

If inhaled - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing - Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed - Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow . Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Directions for Use: : **Alphacide 30K** is mixed with Alphacide Activator to produce an effective teat

cleaning and preparation solution. Neither product is intended for use alone. When using Alpha Technology's automated activation equipment, no manual mixing is required as the equipment automatically measures the teat dip and activator to provide activated concentrate.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- 1. Always prepare the activated solution in a well-ventilated area.
- 2. To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of **Alphacide 30K** Teat Dip Concentrate.
- 3. To this amount add 5 fl. oz. of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water .

Application: Apply activated **Alphacide 30K** Solution using the Alpha Teat Scrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh **Alphacide 20K** solutions weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100° F. In case of spill, flood with large amounts of water prior to discarding to drain

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- Always prepare the activated solution in a well-ventilated area.
- To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of Alphacide 30K Teat Dip Concentrate.
- To this amount add 5 fl. Oz of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water.

Application: Apply activated Alphacide 30K solution using the Alpha Teatscrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh Alphacide 30K solution weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100°F. In case of spill, flood with large amounts of water prior to discarding to drain.

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration. UN1908, Chlorite Solution, 8, PG II

Alphacide 30K (!)

For Use In the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN OR EYES.
USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS ⇒

Active Ingredients:

Sodium Chlorite	5.32%
Lot No.	_
Ex. Date	NAMANO*
Manufactured for:	
Alpha Technology USA Corpo	ration

Alpha Technology USA Corporation 1335 Bennett Dr., Ste 173 Longwood, FL 32750

5 GAL	15 GAL	55 GAL

FIRST AID INSTRUCTIONS

If inhaled Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice. If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If Call a poison control center or swallowed doctor immediately treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- Always prepare the activated solution in a well-ventilated area.
- To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of Alphacide 30K Teat Dip Concentrate.
- To this amount add 5 fl. Oz of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water.

Application: Apply activated Alphacide 30K solution using the Alpha Teatscrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh Alphacide 30K solution weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100°F. In case of spill, flood with large amounts of water prior to discarding to drain.

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration. UN1908, Chlorite Solution, 8, PG II

Alphacide 30K (!)

For Use In the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN OR EYES.
USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS ⇒

Active Ingredients:

Sodium Chlorite	5.32%
Lot No.	_
Ex. Date	NAMANO*
Manufactured for:	
Alpha Technology USA Corpo	ration

Alpha Technology USA Corporation 1335 Bennett Dr., Ste 173 Longwood, FL 32750

5 GAL	15 GAL	55 GAL

FIRST AID INSTRUCTIONS

If inhaled Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice. If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If Call a poison control center or swallowed doctor immediately treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- Always prepare the activated solution in a well-ventilated area.
- To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of Alphacide 30K Teat Dip Concentrate.
- To this amount add 5 fl. Oz of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water.

Application: Apply activated Alphacide 30K solution using the Alpha Teatscrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh Alphacide 30K solution weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100°F. In case of spill, flood with large amounts of water prior to discarding to drain.

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration. UN1908, Chlorite Solution, 8, PG II

Alphacide 30K (!)

For Use In the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN OR EYES.
USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS ⇒

Active Ingredients:

Sodium Chlorite	5.32%
Lot No.	_
Ex. Date	NAMANO*
Manufactured for:	
Alpha Technology USA Corpo	ration

Alpha Technology USA Corporation 1335 Bennett Dr., Ste 173 Longwood, FL 32750

5 GAL	15 GAL	55 GAL

FIRST AID INSTRUCTIONS

If inhaled Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice. If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If Call a poison control center or swallowed doctor immediately treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- Always prepare the activated solution in a well-ventilated area.
- To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of Alphacide 30K Teat Dip Concentrate.
- To this amount add 5 fl. Oz of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water.

Application: Apply activated Alphacide 30K solution using the Alpha Teatscrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh Alphacide 30K solution weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100°F. In case of spill, flood with large amounts of water prior to discarding to drain.

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration. UN1908, Chlorite Solution, 8, PG II

Alphacide 30K (!)

For Use In the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN OR EYES.
USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS ⇒

Active Ingredients:

Sodium Chlorite	5.32%
Lot No.	_
Ex. Date	NAMANO*
Manufactured for:	
Alpha Technology USA Corpo	ration

Alpha Technology USA Corporation 1335 Bennett Dr., Ste 173 Longwood, FL 32750

5 GAL	15 GAL	55 GAL

FIRST AID INSTRUCTIONS

If inhaled Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. If on skin Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice. If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If Call a poison control center or swallowed doctor immediately treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Preparation: If you are not using the automated activation equipment, follow these steps to prepare a ready to use solution:

- Always prepare the activated solution in a well-ventilated area.
- To prepare 5 gallons of ready to use solution, measure out 20 fl. Oz. of Alphacide 30K Teat Dip Concentrate.
- To this amount add 5 fl. Oz of Alphacide Activator. Mix gently.
- 4. Let the solution stand for 5 minutes.
- 5. Dilute with 5 gallons of potable water.

Application: Apply activated Alphacide 30K solution using the Alpha Teatscrubbing System prior to milking. Allow the solution to contact the teat skin surface for as long as possible prior to the drying and stimulating phase of the preparation procedure and attachment of the milking equipment.

Storage: Make up fresh Alphacide 30K solution weekly. Once mixed, the solution should be stored in a cool dark area. Avoid storage in direct sunlight. Unmixed product should be stored in the original container and used or discarded within 1 year. The recommended storage temperature is 30-100°F. In case of spill, flood with large amounts of water prior to discarding to drain.

Container Disposal: Triple rinse, then offer for recycling; or puncture and dispose of in a sanitary landfill or by incineration. UN1908, Chlorite Solution, 8, PG II

Alphacide 30K (!)

For Use In the FutureCow Teatscrubber System with Alphacide Activator

CAUTION

KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
AVOID CONTACT WITH SKIN OR EYES.
USE IN A WELL-VENTILATED AREA.

SEE SIDE PANEL FOR FIRST AID INSTRUCTIONS ⇒

Sodium Chlorite......5.32%

Active Ingredients:

Lot No	***************************************	
Ex. Date		
М	anufactured for:	
•	mology USA Cor	
	Bennett Dr., Ste 1 gwood, FL 32750	
5 GAL	15 GAL	55 GAL

FIRST AID INSTRUCTIONS

INSTRUCTIONS			
If inhaled	Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.		
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ALPHACIDE 30K

sodium chlorite solution solution

Product Information

Product TypeOTC ANIMAL DRUGItem Code (Source)NDC:33642-9410Route of AdministrationTOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
SODIUM CHLORITE (UNII: G538 EBV4VF) (CHLORITE ION - UNII: Z63H374SB6)
SODIUM CHLORITE
0.1743 kg in 1 kg

Inactive Ingredients

Ingredient Name

Strength

WATER (UNII: 059QF0KO0R)

0.8257 kg in 1 kg

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33642-9410-1	19 kg in 1 CONTAINER		
2	NDC:33642-9410-2	57 kg in 1 DRUM		
3	NDC:33642-9410-3	208 kg in 1 DRUM		
4	NDC:33642-9410-4	1040 kg in 1 CONTAINER		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/29/2019	

Labeler - Alpha Technology USA Corp (012557756)

Revised: 8/2019 Alpha Technology USA Corp