

ALOE SUN BB SPF50 PLUS PA PLUS PLUS PLUS- zinc oxide, octinoxate, titanium dioxide, octisalate cream
SKINFOOD CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active ingredient: ZINC OXIDE 5.41%, ETHYLHEXYL METHOXYCINNAMATE 5.00%, TITANIUM DIOXIDE 4.73%, ETHYLHEXYL SALICYLATE 3.50%

INACTIVE INGREDIENT

Inactive ingredient:

WATER, CYCLOPENTASILOXANE, BUTYLENE GLYCOL, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, PHENYL TRIMETHICONE, NIACINAMIDE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYSILICATE, SODIUM CHLORIDE, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, SORBITAN ISOSTEARATE, PROPYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, STEARIC ACID, BEESWAX, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, DIMETHICONE, ALUMINA, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, ETHYLHEXYLGLYCERIN, OZOKERITE, TALC, PROPYLENE CARBONATE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, SILICA Silylate, TRIETHOXYCAPRYLYLSILANE, DIMETHICONE/METHICONE COPOLYMER, HYALURONIC ACID, SILICA, ADENOSINE, PHENOXYETHANOL, FRAGRANCE, TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

PURPOSE

PURPOSE: Sunscreen

WARNINGS

Warning: Skin Cancer/Skin Aging Alert

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For external use only. Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

USE

USE:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

DIRECTIONS

DIRECTIONS:

Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Aloe Sun BB Cream
SPF50+ PA+++

WATERPROOF

Aloe Barbadensis Leaf Extract

SKINFOOD
since 1957

SKINFOOD Aloe Sun BB Cream SPF50+ PA+++
A triple-functioning waterproof BB cream that contains aloe extract, and applies like a second skin, creating a natural-looking healthy complexion. Highly resistant to sweat, water, and oil.

BROAD SPECTRUM SPF50+
Water Resistant (40 Minutes)

Drug Facts
Active ingredient : ZINC OXIDE 5.41%, ETHYLHEXYL METHOXYCINNAMATE 5.00%, TITANIUM DIOXIDE 4.73%, ETHYLHEXYL SALICYLATE 3.50%
PURPOSE : Sunscreen
Warning : Skin Cancer/Skin Aging Alert
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.
For external use only. Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
Other information : Protect the product in this container from excessive heat and direct sun.
Dist. SKINFOOD CO., LTD.
104, Je2gongdan 1-gil, Miyang-myeon, Anseong-si, Gyeonggi-do, KOREA
50g / Net wt. 1.76 fl. Oz
www.theskinfood.com
Made in Korea

02 Natural Skin

8 809327 1949205

DIRECTIONS : Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

Inactive ingredient : WATER, CYCLOPENTASILOXANE, BUTYLENE GLYCOL, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, PHENYL TRIMETHICONE, NIACINAMIDE, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, TRIMETHYLSILOXYMETHYL METHACRYLATE, ALUMINUM HYDROXIDE, SORBITAN ISOSTEARATE, PROPYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, STEARIC ACID, BEESWAX, HDI/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER, DIMETHICONE, ALUMINA, VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER, ETHYLHEXYLGLYCERIN, OZOKERITE, TALC, PROPYLENE CARBONATE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, SILICA SİLYLATE, TRIETHOXYCAPRYLYLSILANE, DIMETHICONE/METHICONE COPOLYMER, HYALURONIC ACID, SILICA, ADENOSINE PHENOXYETHANOL, FRAGRANCE, TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

OPEN HERE

ALOE SUN BB SPF50 PLUS PA PLUS PLUS PLUS

zinc oxide, octinoxate, titanium dioxide, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76214-046
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2.70 g in 50 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.50 g in 50 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.36 g in 50 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.75 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76214-046-01	50 g in 1 CARTON		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/01/2014	

Labeler - SKINFOOD CO., LTD. (690324173)**Registrant** - SKINFOOD CO., LTD. (690324173)**Establishment**

Name	Address	ID/FEI	Business Operations
SKINFOOD CO., LTD.		690324173	manufacture(76214-046)

Revised: 7/2014

SKINFOOD CO., LTD.