

**CVS MOTION SICKNESS FAST MELTING- meclizine hydrochloride tablet, orally disintegrating**  
**CVS Pharmacy, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CVS Motion Sickness Fast Melting**

**Active ingredient (in each tablet)**

Meclizine hydrochloride 25mg

**Purpose**

Meclizine hydrochloride    Antiemetic

**Uses**

■ For the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness.

**Warnings**

**Do not use** in children under 12 years of age unless directed by a physician

**Ask a doctor before use if you have**

- glaucoma    ■ a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

**Ask a physician or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- you may get drowsy    ■ avoid alcoholic beverages
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

To prevent motion sickness take it at least one hour before traveling

Adults and children 12 years of age and over: take 1 to 2 (25 to 50 mg) tablets once daily, or as directed by a physician.

**Other information**

- Store at 20-30°C (68-86°F)

**Inactive ingredients**

acesulfame potassium, erythritol, hydroxypropyl cellulose, colloidal silicon dioxide, mannitol, menthol, sodium stearyl fumarate, yellow ferric oxide.





FOR THE PREVENTION AND TREATMENT OF TRAVEL SICKNESS

# FOR THE PREVENTION AND TREATMENT OF TRAVEL SICKNESS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN, OR SHOWS ANY SIGNS OF TAMPERING

### Drug Facts

**Active ingredient (in each tablet)** Purpose  
Meclizine hydrochloride 25mg Antiemetic

#### Uses

■ for the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness

#### Warnings

Do not use in children under 12 years of age unless directed by a physician

#### Ask a doctor before use if you have

■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis  
■ difficulty in urination due to enlargement of the prostate gland

#### Ask a physician or pharmacist before use if you are

■ taking sedatives or tranquilizers

#### When using this product

■ you may get drowsy ■ avoid alcoholic beverages  
■ be careful when driving a motor vehicle or operating machinery  
■ alcohol, sedatives, and tranquilizers may increase the drowsiness effect

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)

#### Directions

■ to prevent motion sickness, take it at least one hour before traveling  
■ adults and children 12 years of age and over: take 1 to 2 (15 to 50 mg) tablets once daily, or as directed by a physician

#### Other information

■ store at 20-30°C (68-86°F)

#### Inactive ingredients

acesulfame potassium, erythritol, hydroxypropyl cellulose, colloidal silicon dioxide, mannitol, menthol, sodium stearyl fumarate, yellow ferric oxide

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in Japan



US-A



#998892

Actual Size



## 12 Fast-Melting Tablets (25 mg EACH)

- Prevents nausea, dizziness & vomiting
- Lasts up to 24 hours
- Less drowsy formula

MECLIZINE HYDROCHLORIDE / ANTIEMETIC

# MOTION SICKNESS FAST MELTING



NEW!

MECLIZINE HYDROCHLORIDE / ANTIEMETIC

## MOTION SICKNESS FAST MELTING



MOTION SICKNESS FAST MELTING

MOTION SICKNESS FAST MELTING



# CVS MOTION SICKNESS FAST MELTING

meclizine hydrochloride tablet, orally disintegrating

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-534
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 9XZ8H6N6OH)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ERYTHRITOL</b> (UNII: RA96B954X6)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>SODIUM STEARYL FUMARATE</b> (UNII: 7CV7WJK4UI)	
<b>LEVOMENTHOL</b> (UNII: BZ1R15MTK7)	

## Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	SJ
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-534-01	2 in 1 CARTON	08/27/2015	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**Labeler** - CVS Pharmacy, Inc. (062312574)

Revised: 3/2021

CVS Pharmacy, Inc.