

RAPID COMFORT NON ASPIRIN- acetaminophen tablet, film coated

Lab Safety Supply, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rapid Comfort™

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- muscular aches
- minor arthritis pain
- common cold
- toothache
- menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- new symptoms occur

- pain or fever persists or gets worse
- redness or swelling is present

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

If pregnant or breast-feeding, ask a health professional before use.

Directions

- **do not use more than directed**

Adults and children: (12 years and older) Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.

Children under 12 years: Do not give to children under 12 years of age.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide*

* *may contain*

Questions or comments? 1-800-356-0783

145R LSS Non-Aspirin 325 mg Label

Rapid Comfort™

Non-Aspirin

Acetaminophen 325 mg

Easy to Swallow

Film-Coated Tablets

Pull to Open

Compare Active ingredients to:

Tylenol®

Registered Trademark of McNeil Consumer

100 Tablets (50 x 2s)

Tamper Evident Unit Dose Packets

RAPID Comfort™

NON-ASPIRIN

Acetaminophen 325mg

Easy to Swallow
Film-Coated Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 325 mg.....	Pain reliever/fever reducer

Uses
For the temporary relief of minor aches and pains associated with

- headache ■ muscular aches ■ minor arthritis pain ■ common cold ■ toothache ■ menstrual cramps

For the reduction of fever.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

RAPID Comfort™

NON-ASPIRIN

Acetaminophen 325mg

Easy to Swallow
Film-Coated Tablets

Pull to Open

Compare active ingredient to:

Tylenol®

Registered Trademark of McNeil Consumer Products

100 Tablets (50x2s)

Retain carton for complete product information

Tamper-Evident Unit Dose Packets

Rev. 5/23/11, Mfg. 1,14

Drug Facts (continued)

Stop using and ask a doctor if

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse
- redness or swelling is present

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. If pregnant or breast-feeding, ask a health professional before use.

Directions

- do not use more than directed

Adults and children: (12 years and older) Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.

RAPID Comfort™

NON-ASPIRIN

Acetaminophen 325mg

Easy to Swallow

Children under 12 years:	Do not give to children under 12 years of age.
Other information	
<ul style="list-style-type: none"> ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets 	
Inactive ingredients	
corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone, pregelatinized starch*, sodium starch glycolate, stearic acid, titanium dioxide*	
* may contain	
Questions or comments? 1-800-356-0783	

Film-Coated Tablets

Compare active ingredient to:

Tylenol®

Registered Trademark of McNeil Consumer Products

100 Tablets (50x2s)

© 2011 GHC Specialty Brands, LLC
1-800-356-0783 • Product #148798/3XKX7

Tamper-Evident Unit Dose Packets

RAPID COMFORT NON ASPIRIN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60683-121
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (white)	Score	no score
Shape	ROUND (ROUND)	Size	11mm
Flavor		Imprint Code	FR;2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60683-121-33	50 in 1 BOX, UNIT-DOSE		
1		2 in 1 PACKET		

2	NDC:60683-121-13	250 in 1 BOX, UNIT-DOSE		
2		2 in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/14/2011	

Labeler - Lab Safety Supply, Inc. (042851410)

Revised: 10/2011

Lab Safety Supply, Inc.