# ZODRYL DEC 50 - codeine phosphate, guaifenesin and pseudoephedrine hydrochloride suspension CodaDose, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **ZODRYL DEC 50 - codeine phosphate, guaifenesin and pseudoephedrine hydrochloride** suspension

#### **OTC - ACTIVE INGREDIENT**

Codeine phosphate 1 mg/1mL: cough suppressant; Guaifenesin 20 mg/1mL: expectorant; Pseudoephedrine hydrochloride 6 mg/1mL: decongestant

#### PURPOSE

Temporarily relieves: cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants; the intensity of coughing; the impulse to cough to help you go to sleep; temporarily relieves nasal congestion due to a cold; temporarily restores freer breathing through the nose; helps loosen phlegm (mucus) and thin bronchial passageways of bothersome mucus and makes coughs more productive

Warnings

#### **OTC - DO NOT USE**

in children who have chronic pulmonary disease, shortness of breath, or such as occurs with asthma or if cough is accompanied by excessive phlegm (mucus) unless directed by a doctor; if taking a monoamine oxidase inhibitor (MAOI)

#### **OTC - ASK DOCTOR**

if your child has glaucoma, a breathing problem such as emphysema or chronic bronchitis, heart disease, high blood pressure, thyroid disease, diabetes.

#### **OTC - ASK DOCTOR/PHARMACIST SECTION**

if you or your child are taking sedatives or tranquilizers; if you or your child are taking prescription MAOI (certain drugs for depression, psychiatric, or emotional conditions), or for 2 weeks after stopping the MAOI drug.

#### **OTC - WHEN USING THIS PRODUCT**

do not exceed recommended dosage; may cause or aggravate constipation; if nervousness, dizziness, or sleepiness occur, discontinue use and consult a doctor

#### **OTC - STOP USE AND ASK A DOCTOR IF**

cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

#### **OTC - KEEP THESE AND ALL DRUGS OUT OF REACH OF CHILDREN**

In case of overdose, seek professional assistance for contact a Poison Control Center immediately.

Directions:

- Take every 4-6 hours
- Use only with enclosed calibrated oral dispenser
- Do not take more than 4 doses in 24 hours or as directed by a doctor

Children 6 to under 12 years of age: 5mL

Other information store at controlled room temperature 20°-25°C (68°-77°F).

#### **INACTIVE INGREDIENT**

Bittermask, citric acid, FD& C blue #1, FD& C red #40, galloquinate, glycerin, grape flavor, magnesium aluminometasilicate, methylparaben, purified water, sodium citrate dihydrate, sucralose, xanthan gum

#### **OTC – QUESTIONS SECTION**

Call 1-866-574-8861 24 hours a day, 7 days a week.

#### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL




Figure 1. Primary Label- Front Page




Figure 2. Primary Label – Second Page




Figure 3. Primary Label – Last Page

<b>ZODRYL DEC 50</b> codeine phosphate, guaifenesin and pseudoephedrine hydrochloride suspension										
Product Information										
Product T ype	HUMAN OTC DRUG	Item Code (So	Item Code (Source)		NDC:43378-124					
Route of Administration	ORAL	DEA Schedule	DEA Schedule		CV					
Active Ingredient/Active Moiety										
Ingre	<b>Basis of Strength</b>		Strength							
<b>PSEUDO EPHEDRINE HYDRO CHLO RIDE</b> (UNII: 6 V9 V2RYJ8N) (PSEUDO EPHEDRINE - UNII:7CUC9 DDI9F)			PSEUDOEPHEDRINE HYDROCHLORIDE		30 mg in 5 mL					
<b>CODEINE PHO SPHATE</b> (UNII: GSL05Y1MN6) (CODEINE - UNII:Q830PW7520)			CODEINE PHOSPHATE		5 mg in 5 mL					
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIFENES IN		100 mg in 5 mL					

<b>Inactive Ingredien</b>	ts						
Ingredient Name						Strength	
ANHYDRO US CITRIC A	CID (UNII: X	F417D3PSL)					
FD&C BLUE NO.1 (UN	II: H3R47K3T	BD)					
FD&C RED NO.40 (UN	II: WZB9127X	(OA)					
TANNIC ACID (UNII: 28)	F9E0DJY6)						
GLYCERIN (UNII: PDC6	A3C0OX)						
MAGNESIUM ALUMINU	JM SILICAT	E (UNII: 6 M3P6 4 V0 NC)					
METHYLPARABEN (UN	III: A218C7HI9	)T)					
WATER (UNII: 059QF0K	(O0R)						
SODIUM CITRATE (UNII: 1Q73Q2JULR)							
SUCRALOSE (UNII: 961	K6UQ3ZD4)						
XANTHAN GUM (UNII: TTV12P4NEE)							
Product Character	ristics						
Color	purple Score						
Shape			Size				
Flavor		GRAPE	Imprint Coc	de			
Contains							
Packaging							
# Item Code	P	ackage Description	Marke	Marketing Start Date		Marketing End Date	
1 NDC:43378-124-08	236 mL ii	1 BOTTLE, PLASTIC					
Markating Info	rmation						
	Application Number or Monograph Citation			Marketing Start Date		Marketing End Date	
Marketing Info Marketing Category	Applicat	ion Number or Monogra	aph Citation	Marketing Start [	Date 1	Marketing End Dat	

### Labeler - CodaDose, Inc. (831355115)

**Registrant** - Gorbec Pharmaceutical Services Inc. (791919678)

## Establishment

Name	Address	ID/FEI	Business Operations
Gorbec Pharmaceutical Services Inc.		79 19 19 6 78	manufacture

Revised: 8/2009

CodaDose, Inc.