

MUCUS RELIEF COUGH CHILDRENS- dextromethorphan hbr, guaifensin liquid Walgreens

Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg

Guaifenesin 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep

Warnings

Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if the child has

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information

- **each 5 mL contains:** sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

Questions or comments?

Call 1-**877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to active ingredients in Children's Mucinex® Cough††

Children's

Cough

DEXTROMETHORPHAN HBr 5 mg /

COUGH SUPPRESSANT

GUAIFENESIN 100 mg / EXPECTORANT

Alcohol Free

- Breaks up the mucus that causes congestion while controlling coughs

AGES 4-11 YEARS

DOSAGE CUP PROVIDED

Cherry flavor

FL OZ (mL)

††This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex®.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Package Label

Drug Facts (continued)
Inactive ingredients: citric acid, D&C red #33, dextrose, FD&C red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, saccharin sodium, sodium hydroxide, sucralose, xanthan gum
Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active ingredients (in each 5 mL)
Dextromethorphan HBr 5 mg.....Cough suppressant
Guaifenesin 100 mg.....Expectorant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
■ temporarily relieves
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
■ the intensity of coughing
■ the impulse to cough to help your child get to sleep

Warnings
Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
Ask a doctor before use if the child has
■ cough that occurs with too much phlegm (mucus)
■ persistent or chronic cough such as occurs with asthma
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
■ do not take more than 6 doses in any 24-hour period
■ measure only with dosing cup provided. Do not use any other dosing device.
■ keep dosing cup with product
■ mL = milliliter ■ shake well before using

Age	Dose
children 6 to under 12 years	5-10 mL every 4 hours
children 4 to 5 years	2.5-5 mL every 4 hours
children under 4 years	do not use

Other information
■ each 5 mL contains: sodium 2 mg
■ store between 20-25°C (68-77°F). Do not refrigerate.

Parents:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2022 Walgreen Co.

Children's Cough
DEXTROMETHORPHAN HBr 5 mg / COUGH SUPPRESSANT
GUAIFENESIN 100 mg / EXPECTORANT

Alcohol Free

- Breaks up the mucus that causes congestion while controlling coughs

AGES 4-11 YEARS

4 FL OZ (118 mL) Cherry flavor

Children's Cough
DEXTROMETHORPHAN HBr 5 mg / COUGH SUPPRESSANT
GUAIFENESIN 100 mg / EXPECTORANT

Alcohol Free

- Breaks up the mucus that causes congestion while controlling coughs

AGES 4-11 YEARS

4 FL OZ (118 mL) Cherry flavor

ITEM 346489 W10024-0322-L

3 11917 00900 1

PLD-A243C FC008119

Let No.:
Exp. Date:

WALGREENS Children's Cough Cherry Flavor

MUCUS RELIEF COUGH CHILDRENS

dextromethorphan hbr, guaifensin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-5527
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5527-04	1 in 1 BOX	02/25/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/25/2022	

Labeler - Walgreens (008965063)

Revised: 5/2024

Walgreens