AMERICAN RED CROSS FIRST AID KIT - alcohol, benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, alcohol Tomy International

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Isopropyl Alcohol, 70% v/v..... Purpose: Antiseptic

Use

For preparation of skin before injection.

Warnings

For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use:

with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children

If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient

Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

Active Ingredient

Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses:

To help prevent infection in: minor cuts; scrapes; burns

Warnings>

For external use only.

Do not use

in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children

If ingested, contact a Poison

Control Center right away.

Directions

Cclean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other Information

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Active Ingredint

Benzalkonium Chloride 0.40%....... Purpose: First Aid Antiseptic

Use

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning

For external use only.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient

Purified water

LOT/EXP: Made in CHINA

20130301

Active Ingredient

Ethyl Alcohol 62%

Purpose

Antimicrobial

Uses

For handwashing to decrease bacteria on the skin.

Warnings

For external use only.

Flammable

Do not use

in the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and consult a doctor

if irritation and redness develop and persist for more than 72 hours

Directions

Empty contents into palm. Rub hands until gel dissipates. Recommended for repeated use.

Inactive Ingredients

Propylene glycol, carbomer, titanium dioxide, purified water

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Genuine Hand Sanitizer

Instant Gel

Antiseptic Handwash with Vitamin E and Aloe

Kills 99.9% of germs without water

Active Ingredient:

Ethyl alcohol 62%

Net Wt 0.9g (1/32oz)

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

moo.biAtariTeniuneO.www



Genuine First Aid LLC, Clearwater FL 33755

Antisepticas

Towelette Antiseptic

REORDER AST-001

DRUG FACTS - Antiseptic Towelette

Active Ingredient: Purpose: Benzalkonium Chloride 0.40%..First Aid Antiseptic Use: For Professional and Hospital use. Helps

prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the

body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water.

Made in CHINA

Reorder TAO-001

Genuine Triple Antibiotic

First Aid Ointment To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt 0.5g · (1/64 oz)



Drug Facts

Uses: To help prevent infection in • minor cuts • scrapes • burns Warnings:

For external use only
Do not use • in eyes • over large
areas of the body • if allergic to
any of the ingredients • for more
than one week unless directed
by a physician

Stop use and consult a doctor
• if the condition persists or gets
worse • a rash or other allergic
reaction develops
Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.
Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the

area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage Other information:

Store at room temperature LOT/EXP:

20130118

REORDER ACP-001

Alcohol Cleansing Pad

Toallitas Humedas con Alcohol



Genuine First Aid LLC, Clearwater FL 33755 www.GenuineFirstAid.com









DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v . . . Use: For preparation of the skin before injection. Warnings: For external use only. Flammable - keep away from fire or flame. Do not use: with electrocautery, in the eyes Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Wipe injection site vigorously and discard. Other information: Store at room temperature 15°-30° C (59°-86° F) Inactive ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

REORDER GFAP-29-06

Genuine Hand Sanitizer

Instant Gel Antiseptic Handwash with Vitamin E & Aloe

Kills 99.9% of Germs Without Water Active Ingredient: Ethyl alcohol 62% Net Wt 0.9g - (1/32 oz)







GFA Production Xiamen Co., Ltd No. 20 Hull Industrial Park, Meld Road, Tonglan, Xiamen, Fujian, China 381100

Wellkang Ltd the Wellkang Tech Concutting Suite II, 29 Hartey Street LONDON WITG BOR, England, United Kingdom Drug Facts

Uses: For hand washing to decrease bacteria on the skin

Warnings:

For external use only Flammable, keep away from

fire or flame

Do not use in the eyes. In case of contact, rinse eyes thoroughly with water

Stop use and consult a doctor

if irritation and redness develop and persist for more than 72 hours

Directions: Empty contents into palm. Rub hands until gel dissipates.

Rub hands until gel dissipates. Recommended for repeated use

Other information: Store at 15° to 25° C (59° to 77° F)

Inactive Ingredients: Propylene glycol, Carbomer, Titaniumdioxide, Purified water.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

LOT/EXP: 20140115





Be Red Cross Ready

First Aid Kit

American Red Cross

Everything you need to be prepared at home or when away



Includes:

- Adhesive Bandages
- Antiseptic Towelettes
- Alcohol Cleansing Pads
- Hand Sanitizer
- Tweezers
- Sterile Gauze pads
- Red Cross Emergency First Aid Guide

from birth Y7482



Ready, Set, Help: The First Years® will pay 2-3% of the purchase price of this product to the American Red Cross. To learn more about the American Red Cross visit: www.redcross.org.



- 25 Adhesive Bandages
- 2 Sterile Gauze Pads (2x2 and 2" roll)
- 2 Triple Antibiotic Ointment
- 4 Alcohol Cleansing Pads
- 2 Antispetic Towelettes
- 1 Tweezer
- 2 Medical Grade Gloves
- 2 Hand Sanitizers
- 1 Hard Travel Case
- 1 Red Cross Emergency First Aid Guide
- Grade Gloves First Aid G

Product usage and care instructions inside. Refer to warnings on individual products contained with this kit.



New Parent Resources

Visit **redcross.org** or contact your local American Red Cross chapter for more information about first aid, CPR courses and products to help protect your family.

The American Red Cross logo is a trademark owned by the American Red Cross. Officially licensed product of the American Red Cross.

Questions? Comments? Call us toll-free at 1-800-704-8697 or visit us at www.thefirstyears.com

©2011 Learning Curve Brands, Inc. 45 Shawmut Road Canton, MA 02021 U.S.A. All rights reserved. **Made in China.** Y7482_050511 Actual product styling and colors may vary. Please retain this packaging for future reference.



AMERICAN RED CROSS FIRST AID KIT

alcohol, benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, alcohol kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:42354-7482

Packaging

# Item Code Pac		Package Description	Marketing Start Date	Marketing End Date
1	NDC:42354-7482-4	1 in 1 KIT		

Quan	Quantity of Parts				
Part #	Package Quantity	Total Product Quantity			
Part 1	2 TUBE	1.0 g			
Part 2	2 PACKAGE	1.6 mL			
Part 3	4 PACKAGE	2.0 mL			
Part 4	2 PACKET	1.8 g			

Part 1 of 4

GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment

Product Information				
Item Code (Source)	NDC:52124-0003			
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g		
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g		
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g		

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:52124-0003-1	.5 g in 1 TUBE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	0 1/11/20 11	

Part 2 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride swab

Product Information

Item Code (Source) NDC:52124-0001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

0	<i>5</i>		
	Ingredient Name	Basis of Strength	Strength
BENZALKO NIUM CHLO RIDE UNII:7N6 JUD5X6 Y)	(UNII: F5UM2KM3W7) (BENZALKONIUM -	BENZALKONIUM CHLORIDE	0.40 mL in 100 mL

Inactive Ingredients

ı	Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

Packaging

# Item Code Package Description		Marketing Start Date Marketing End Date		
l	1 NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333E	0 1/11/20 11	

Part 3 of 4

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information

Item Code	(Source)	NDC:52124-0002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL -	ISOPROPYL	70 mL
UNII:ND2M416302)	ALCOHOL	in 100 mL

Inacti			

Ingredient Name	Strength

F	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0002-1	0.5 mL in 1 PACKAGE		

Marketing Information				
Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing End Date				
OTC monograph not final	part333A	0 1/11/20 11		

Part 4 of 4

GENUINE HAND SANITIZER

alcohol gel

Product Information	
Item Code (Source)	NDC:52124-2906
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
WATER (UNII: 059QF0KO0R)	

I	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-2906-1	0.9 g in 1 PACKET		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	03/28/2011		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	0 1/17/20 12		

Labeler - Tomy International (065183758)

Revised: 1/2012 Tomy International