

**OP AHL- benzocaine spray, metered**  
**Dharma Research, inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**Active Ingredient**

Benzocaine 20%.....Oral Anesthetic

**Uses**

For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures.

**Warnings**

- Keep out of reach of children
- If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.
- Do not use if you have a history of allergy to local anesthetic such a procaine, butacaine, benzocaine or other "caine" anesthetics.
- Flammable. Do not use near fire or flame. Avoid smoking during use.
- Avoid spraying in eyes.

**Dosage**

A single metered spray dispenses 50mg of Opahl-S Topical Anesthetic.

**Directions**

- Do not exceed recommended dosage
- Firmly insert extension tube into spray can valve and ensure it fits securely into the actuator opening
- position the extension tube 1-2 inches from the affected area.
- Spray 1/2 second (press and immediately release the actuator)
- Anesthesia is accomplished in approximately 20 seconds.

**Other Information**

- Do not store at room temperature above 49oC (120oF)
- For professional use only. Federal US Law prohibits dispensing without a prescription

**Inactive ingredients**

Denatured Alcohol, Flavor, Polyethylene Glycol, Sodium Saccharin, Hydrocarbon Propellant (Isobutane and Propane)

**Label**

NDC 53045-125-60

# Opahl-S

**FRESH SPEARMINT**

## Drug Facts

**Active Ingredient** Benzocaine 20% **Purpose** Oral Anesthetic

**Uses** For the temporary relief of occasional minor irritation and pain associated with canker sores and minor dental procedures.

### Warnings

■ Keep out of the reach of children ■ If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately. ■ Do not use if you have a history of allergy to local anesthetic such as procaine, butacaine, benzocaine or other "caine" anesthetics ■ Flammable. Do not use near fire or flame. Avoid smoking during use ■ Avoid spraying in eyes.

### Dosage

■ A single metered spray dispenses 50mg of Opahl-S Topical Anesthetic.

### Directions

■ Do not exceed recommended dosage ■ Firmly insert extension tube into spray can valve and ensure its fits securely into the actuator opening ■ Position the extension tube 1-2 inches from the affected area. ■ Spray 1/2 second (press and immediately release actuator) ■ Anesthesia is accomplished in approximately 20 seconds.

**Other information** ■ Do not store at room temperature above 49°C (120°F) ■ For Professional Use Only. Federal US Law prohibits dispensing without a prescription.

### Inactive ingredients

Denatured Alcohol, Flavor, Polyethylene Glycol, Sodium Saccharin, Hydrocarbon Propellant (Isobutane and Propane)

Manufactured by:  
 **DHARMA** RESEARCH, INC. 5220 N.W 72 Avenue Unit 15, Miami, FL 33166  
[WWW.DHARMARESEARCH.COM](http://WWW.DHARMARESEARCH.COM) **1-877-833-3725** Re-order#: **06-00060**

**TOPICAL ANESTHETIC METERED SPRAY**  
**GLUTEN FREE**



**MADE IN USA**  
 2 fl.oz. (60ml)

## OPAHL

benzocaine spray, metered

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:53045-125
<b>Route of Administration</b>	ORAL, TOPICAL, DENTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RS Y48JW5) (BENZOCAINE - UNII:U3RS Y48JW5)	BENZOCAINE	12 g in 60 g

### Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
ALCOHOL (UNII: 3K9958V90M)	
PROPANE (UNII: T75W9911L6)	
ISOBUTANE (UNII: BXR49TP611)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	SPEARMINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53045-125-60	60 g in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2013	

**Labeler** - Dharma Research, inc. (078444642)

**Registrant** - Dharma Research, inc. (078444642)

## Establishment

Name	Address	ID/FEI	Business Operations
Dharma Research, inc.		078444642	manufacture(53045-125)

Revised: 1/2013

Dharma Research, inc.