

**TRIACTING DAYTIME COLD COUGH CHILDRENS- dextromethorphan hbr,  
phenylephrine hcl syrup  
Safeway, Inc.**

-----

**Drug Facts**

**Active ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg

Phenylephrine HCl 2.5 mg

**Purposes**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves:
  - nasal and sinus congestion
  - cough due to minor throat and bronchial irritation as may occur with a cold

**Warnings**

**Do not use**

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if the child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts, or as occurs with asthma

**When using this product,**

**do not exceed recommended dosage**

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occurs

- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to 6 years of age	5 mL every 4 hours
<b>children under 4 years of age</b>	<b>do not use</b>

**Other information**

- **each 5 mL contains:** sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

acesulfame potassium, alcohol, benzoic acid, citric acid, disodium EDTA, FD&C red #40, maltitol, flavor, propylene glycol, purified water, sodium citrate

**Questions or comments?**

Call **1-888-723-3929** Monday-Friday 7AM-6PM PST

**Principal Display Panel**

Compare to Children's Triaminic® Day Time Cold & Cough active ingredients\*

**Children's Daytime**

**Cold & Cough Relief**

FOR AGES 4-11 YEARS

Dextromethorphan HBr 5 mg-Cough suppressant

Phenylephrine HCl 2.5 mg-Nasal decongestant

- Relief of: Cough, stuffy nose

- Alcohol 0.14%
- Dosing cup included

CHERRY FLAVOR

FL OZ (mL)

\*This product is not manufactured or distributed by GSK Consumer Health, distributors of Children's Triaminic® DayTime Cold & Cough.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA

94566-0009

[www.betterlivingbrandsLLC.com](http://www.betterlivingbrandsLLC.com)

**Package Label**

**Drug Facts** (continued)

**Other information**

- each 5 mL contains: sodium 2 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients:** acetaminophen, potassium, alcohol, benzoic acid, citric acid, disodium EDTA, FD&C red #40, flavor, maltitol, propylene glycol, purified water, sodium citrate

**Questions or comments?**  
Call 1-888-723-3929 Monday-Friday 7AM-6PM PST

\*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Children's Triaminic® Day Time Cold & Cough.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



DISTRIBUTED BY  
BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA  
94566-0099  
1-888-723-3929  
[www.betterlivingbrandsllc.com](http://www.betterlivingbrandsllc.com)

**OUR PROMISE**  
QUALITY GUARANTEE  
**100% GUARANTEED**  
OR YOUR MONEY BACK

Compare to  
Children's  
Triaminic®  
Day Time  
Cold & Cough  
active ingredients\*  
NDC 21130-378-04



# Children's Daytime Cold & Cough Relief

FOR AGES 4 to 11 YEARS

Dextromethorphan HBr 5 mg  
- Cough Suppressant  
Phenylephrine HCl 2.5 mg  
- Nasal Decongestant

CHERRY FLAVOR



- Relief of: Cough, stuffy nose
- Alcohol 0.14%
- Dosing cup included

4 FL OZ (118 mL)

Compare to  
Children's  
Triaminic®  
Day Time  
Cold & Cough  
active ingredients\*  
NDC 21130-378-04



# Children's Daytime Cold & Cough Relief

FOR AGES 4 to 11 YEARS

Dextromethorphan HBr 5 mg  
- Cough Suppressant  
Phenylephrine HCl 2.5 mg  
- Nasal Decongestant

CHERRY FLAVOR



- Relief of: Cough, stuffy nose
- Alcohol 0.14%
- Dosing cup included

4 FL OZ (118 mL)

**Drug Facts**

**Active ingredients (in each 5 mL)**      **Purposes**

Dextromethorphan HBr 5 mg ..... Cough suppressant  
Phenylephrine HCl 2.5 mg ..... Nasal decongestant

**Uses**

- temporarily relieves
- nasal and sinus congestion
- cough due to minor throat and bronchial irritation as may occur with a cold

**Warnings**

**Do not use**

- in a child under 4 years of age
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- heart disease      ■ high blood pressure
- thyroid disease    ■ diabetes
- cough that occurs with too much phlegm (mucus)
- chronic cough that lasts, or as occurs with asthma

**When using this product, do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occurs
- symptoms do not improve within 7 days or occur with fever
- cough persists more than 7 days, comes back or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use



PLD-G319E  
FC004144

Lot No.:  
Exp. Date:



Scan here for more information

## SIGNATURE CARE Children's Daytime Cold & Cough Relief

### TRIACTING DAYTIME COLD COUGH CHILDRENS

dextromethorphan hbr, phenylephrine hcl syrup

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-378
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MALTITOL</b> (UNII: D65DG142WK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-378-04	1 in 1 BOX	05/31/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/31/2015	

**Labeler** - Safeway, Inc. (009137209)

Revised: 5/2024

Safeway, Inc.