

REZIL - capsaicin lotion

Toqara, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENTS SECTION

DRUG FACTS

CAPSAICIN 0.025%

PURPOSE SECTION

TOPICAL ANALGESIC

KEEP OUT OF REACH OF CHILDREN SECTION

KEEP AWAY FROM CHILDREN.

INDICATIONS AND USES SECTION

USES: FOR TEMPORARY RELIEF OF MINOR ACHES, AND PAINS OF MUSCLES AND JOINTS ASSOCIATED WITH ARTHRITIS, STRAINS, SPRAINS, AND BRUISES.

WARNINGS SECTION

WARNINGS: FOR EXTERNAL USE ONLY. AVOID CONTACT WITH EYES. IF CONDITION WORSEN, OR IF SYMPTOMS PERSIST FOR MORE THAN 7 DAYS, OR CLEAR UP AND OCCUR AGAIN WITHIN A FEW DAYS, DISCONTINUE USE AND CONSULT A PHYSICIAN. DO NOT APPLY TO WOUNDS OR DAMAGED SKIN. DO NOT BANDAGE TIGHTLY.

DOSAGE AND ADMINISTRATION SECTION

DIRECTIONS: ADULTS AND CHILDREN OVER 6 YEARS OF AGE - APPLY TO AFFECTED AREA AND RUB GENTLY UNTIL ABSORBED. DO NOT USE MORE THAN 3 OR 4 TIMES DAILY.

INACTIVE INGREDIENTS SECTION

ISOHEXADECANE, MINERAL OIL AND DIMETHICONE

QUESTIONS OR COMMENTS SECTION

QUESTIONS OR COMMENTS? 1-800-000-0000 OR GO TO WWW.TOQARA.COM

OTHER INFORMATION SECTION

OTHER INFORMATION: STORE AT ROOM TEMPERATURE

PACKAGE LABEL SECTION

REZIL PAIN RELIEF LOTION ROLL-ON

PENETRATING PAIN RELIEF FOR ARTHRITIS, STRAINS, SPRAINS AND BRUISES

NET 3 FLUID OZ./88ML MANUFACTURED FOR TOQARA, INC. LAKEWOOD, CO 80214

Drug Facts	
Active Ingredients Capsaicin 0.025%	Purpose Topical Analgesic
Uses: <i>For temporary relief of minor aches and pains of muscles and joints associated with arthritis, strains, sprains and bruises.</i>	
Warnings: For external use only. Avoid contact with eyes. Keep away from children. If conditions worsen, or if symptoms persist for more than 7 days, or clear up and occur again within a few days, discontinue use and consult a physician. Do not apply to wounds or damaged skin. Do not bandage tightly.	
Directions: Adults and children over 6 years of age — apply to affected area and rub gently until absorbed. Do not use more than 3 or 4 times daily.	
Other Information: Store at room temperature.	
Inactive Ingredients: Isohexadecane, Mineral Oil and Dimethicone.	
Questions or Comments? 1-800-000-0000 or go to www.toqara.com	

Manufactured for: TOQARA, Inc.
Lakewood, CO 80214



A graphic representing the packaging for Rezil Pain Relief Lotion Roll-On. It features a vertical gradient from orange at the top to yellow at the bottom. The product name 'Rezil' is written in a large, white, outlined font at the top. Below it, 'Pain Relief Lotion Roll-On' is written in a smaller, black, sans-serif font. Further down, the text 'Penetrating Pain Relief for Arthritis, Strains, Sprains and Bruises' is centered in a black, sans-serif font. At the bottom right, 'Net 3 fluid oz./88 ml.' is written in a smaller black font.

REZIL PAIN RELIEF LOTION ROLL-ON PENETRATING PAIN RELIEF FOR ARTHRITIS, STRAINS, SPRAINS AND BRUISES

HANDY POCKET/PURSE SIZE ROLL-ON READ BACK OF CARD FOR FULL DETAILS

RETAIN INSERT FOR FULL PRODUCT USES, DIRECTIONS AND WARNINGS

NET 1/4 FLUID OX./7.4 ML.

MANUFACTURED FOR:TOQARA, INC. LAKEWOOD, CO 80214 USA, 303-205-9032

WWW.REZIL.COM

NDC 76468-121-01

REZIL

**Pain Relief Lotion
Roll-On**

*Penetrating Pain Relief
for Arthritis, Strains,
Sprains and Bruises*

Retain insert for full product uses,
directions and warnings

Manufactured For:
TOQARA, Inc. Lakewood, CO 80214
303-205-9032 www.rezil.com

Net 0.25 fluid oz./7.4ml.
LOT # 102911

REZIL

**Pain Relief Lotion
Roll-On**

**Penetrating Pain Relief
for Arthritis, Strains,
Sprains and Bruises**

handy pocket/purse size roll-on

Read back of card for full details

NDC 76468-121-01
Net 1/4 fluid oz./7.4 ml.

REZIL Pain Relief Lotion Roll-On

Drug Facts:

Active Ingredients: Capsaicin 0.025%

Purpose: Topical Analgesic

Uses: For temporary relief of minor aches and pains of muscles and joints associated with arthritis, strains, sprains and bruises.

Warnings: For external use only. Avoid contact with eyes. Keep away from children. If conditions worsen, or if symptoms persist for more than 7 days, or clear up and occur again within a few days, discontinue use and consult a physician. Do not apply to wounds or damaged skin. Do not bandage tightly.

Directions: Adults and children over 6 years of age - apply to affected area and rub gently until absorbed. Do not use more than 4 times a day.

Inactive Ingredients: Isohexadecane, Mineral Oil, Dimethicone

Manufactured For: TOQARA, Inc., Lakewood, CO 80214 USA, 303-205-9032. www.rezil.com

LOT # 112911



REZIL

capsaicin lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76468-121
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X10UF1E)	
MINERAL OIL (UNII: T5L8T28FGP)	

DIMETHICONE (UNII: 92RU3N3Y1O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76468-121-04	88 mL in 1 BOTTLE, WITH APPLICATOR		
2	NDC:76468-121-01	7.4 mL in 1 BOTTLE, WITH APPLICATOR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/01/2011	

Labeler - Toqara, Inc. (034921977)

Registrant - Toqara, Inc. (034921977)

Revised: 9/2011

Toqara, Inc.