

**EQUALINE PAIN RELIEF PM- acetaminophen, diphenhydramine hcl tablet, coated**  
**Supervalu Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SuperValu Inc. Pain Relief PM Drug Facts**

**Active ingredient (in each geltab)**

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

**Purpose**

Pain reliever

Nighttime sleep aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness lasts continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see Liver warning).

Adults and children 12 years and over:

- take 2 gels at bedtime
- do not take more than 2 gels of this product in 24 hours

Children under 12 years: do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

**Other information**

- store at 20°-25°C (68°-77°F)

**Inactive ingredients**

crospovidone, D&C red no. 33, edetate disodium, edible ink, FD&C blue no. 1, gelatin, glycerin, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

**Questions or comments?**

1-877-932-7948

**Package/Label Principal Display Panel**

compare to Extra Strength Tylenol® PM Gels active ingredients

extra strength

pain relief PM

acetaminophen, diphenhydramine HCl

pain reliever/nighttime sleep aid

non-habit forming

see new warnings information



Pain Relief PM Carton Image 1



**equa**line®



**50** geltabs

**pain relief PM**  
acetaminophen, diphenhydramine HCl

extra strength

- pain reliever/nighttime sleep aid
- non-habit forming

see new warnings information

NDC 41163-837-71

compare to Extra Strength Tylenol® PM Geltabs active ingredients\*



**Drug Facts**

<b>Active ingredients (in each geltab)</b>	<b>Purpose</b>
--	----------------

Acetaminophen 500 mg.....	Pain reliever
Diphenhydramine HCl 25 mg....	Nighttime sleep aid

**Uses** temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product


- Do not use**
- in children under 12 years of age
  - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
  - with any other product containing diphenhydramine, even one used on skin
  - if you have ever had an allergic reaction to this product or any of its ingredients


**Ask a doctor before use if you have**

- liver disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin





Pain Relief PM Carton Image 2

## EQUALINE PAIN RELIEF PM

acetaminophen, diphenhydramine hcl tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-837
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE (UNII: 68401960MK)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	

### Product Characteristics

<b>Color</b>	BLUE, WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND (Convex)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	L837

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-837-71	1 in 1 CARTON		
1		50 in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part338	10/22/2004	

**Labeler** - Supervalu Inc (006961411)

Revised: 12/2010

Supervalu Inc