

SENNA SYRUP- natural vegetable laxative liquid
Bryant Ranch Prepack

Senna Syrup

Active Ingredients

Sennosides 8.8 mg

Purpose

Laxative

Warning

Do not use laxative products for longer than 1 week unless directed by a doctor.

Uses

- Relieves occasional constipation (irregularity)
- Generally causes bowel movement in 6 to 12 hours

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- notice a change in bowel habits that last over 2 weeks
- are **pregnant or breastfeeding**.

Stop Use and ask a doctor

if you have rectal bleeding or failure to have a bowel movement after use.

Keep out of Reach of Children

In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

Shake well before using. Do not exceed maximum dose. Take at bedtime or as directed by a doctor.

Store at controlled room temperature 20-25°C(68-77°F). Excursions permitted 15-30° (59-86°F).

Tamper Evident: Do not use if foil seal over bottle opening is torn, broken or missing.

Inactive Ingredients

Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose

Dosage

| Age | Usual Dose | Maximum Dose |
|--|---------------------------------|-----------------------------|
| Adults and Children 12 years and older | 2-3 teaspoons once a day | 3 teaspoons twice a day |
| 6-12 years | 1 to 1 1/2 teaspoons once a day | 1 1/2 teaspoons twice a day |
| 2-6 years | 1/2 to 3/4 teaspoon once a day | 3/4 teaspoons twice a day |
| under 2 years | Consult a doctor | |

HOW SUPPLIED

Senna Syrup Natural Vegetable Laxative 8.8 mg/5 mL

NDC: 72162-1672-2: 237 mL in a BOTTLE

Repackaged/Relabeled by:

Bryant Ranch Prepack, Inc.

Burbank, CA 91504

Sennosides 8.8 mg Syrup #237



GTIN 00363629106424
Lot LOT123
Exp 07/31/2025
SN 1234567890

| Drug Facts | |
|--|----------------|
| Active Ingredient (per 5 mL teaspoon) | Purpose |
| Sennosides 8.8 mg | Laxatives |
| Uses | |
| •Relieves occasional constipation (irregularity) •Generally causes bowel movement in 6 to 12 hours | |
| Warnings | |
| Do not use laxative products for longer than 1 week unless directed by a doctor. Ask a doctor before use if you have stomach pain, nausea or vomiting; notice a change in bowel habits that last over 2 weeks; are pregnant or breastfeeding. Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately. | |
| Other Information | |
| Store at controlled room temperature 20-25°C (68-77°F). Excursions permitted 15-30° (59-86°F). Tamper Evident: Do not use if foil seal over bottle opening is torn, broken or missing. | |
| Directions | |
| Shake well before using. Do not exceed maximum dose. Take at bedtime or as directed by a doctor. Age (Usual Dose; Maximum Dose). Adults and Children 12 years and older (2-3 tsp once a day; 3 tsp twice a day). 6-12 years (1-1 1/2 tsp once a day; 1 1/2 tsp twice a day). 2-6 years (1/2 to 3/4 tsp once a day; 3/4 tsp twice a day). Under 2 years (Consult a doctor). | |
| Inactive Ingredients | |
| Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose. | |

NDC 72162-1672-2

**Senna Syrup
Natural Vegetable
Laxative
Alcohol Free - Dye Free
8.8 mg/5 mL**



Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504 USA

8 fl. oz (237 mL)

Manufactured by:
InvaHealth Inc.



SENN SYRUP

natural vegetable laxative liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|-------------------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72162-1672(NDC:58657-518) |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 8.8 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SUCROSE (UNII: C151H8M554) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:72162-1672-2 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/18/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 09/28/2021 | |

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|--|
| Bryant Ranch Prepack | | 171714327 | REPACK(72162-1672) , RELABEL(72162-1672) |