

AMCALCILYTE FORTE- amcalcilyte solution
Clipper Distributing Company, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

AMCALCILYTE FORTE ORAL SOLUTION

Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

INDICATIONS

For use as a supplemental nutritive source of electrolytes, dextrose and amino acids in cattle.

DOSAGE AND ADMINISTRATION

Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

**STORE AT CONTROLLED ROOM TEMPERATURE
BETWEEN 15° and 30°C (59°-86°F)**

TAKE TIME OBSERVE LABEL DIRECTIONS

COMPOSITION

Each 1000 mL of aqueous solution contains:

Dextrose • H ₂ O	275.0 g
Calcium Hypophosphite	36.5 g
Potassium Chloride	15.0 g
Sodium Chloride	2.0 g
Potassium Phosphate, monobasic	0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Metionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative) 0.01%

INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° and 30°C (59°-86°F)



A-0426-07

Rev. 07-19

LOT NO.:

EXP. DATE:

NDC 57319-525-08

Amcalcilyte Forte Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

**Net Contents:
1000 mL**




Manufactured for:
Clipper Distributing Company, LLC
St. Joseph, MO 64507

COMPOSITION: Each 1000 mL of aqueous solution contains:

Dextrose • H ₂ O	275.0 g
Calcium Hypophosphite	36.5 g
Potassium Chloride	15.0 g
Sodium Chloride	2.0 g
Potassium Phosphate, monobasic	0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative) 0.01%.

Trademarks are property of
Clipper Distributing Company, LLC



INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° and 30°C (59°-86°F)



A-0426-07

Rev. 07-19

LOT NO.:

EXP. DATE:

NDC 57319-525-08

Amcalcilyte Forte Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

**Net Contents:
1000 mL**



Manufactured for:
Clipper Distributing Company, LLC
St. Joseph, MO 64507

COMPOSITION: Each 1000 mL of aqueous solution contains:

Dextrose • H ₂ O	275.0 g
Calcium Hypophosphite	36.5 g
Potassium Chloride	15.0 g
Sodium Chloride	2.0 g
Potassium Phosphate, monobasic	0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative) 0.01%.

Trademarks are property of
Clipper Distributing Company, LLC



INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° and 30°C (59°-86°F)



A-0426-07

Rev. 07-19

LOT NO.:

EXP. DATE:

NDC 57319-525-08

Amcalcilyte Forte Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Net Contents:
1000 mL




COMPOSITION: Each 1000 mL of aqueous solution contains:

Dextrose • H₂O 275.0 g
Calcium Hypophosphite 36.5 g
Potassium Chloride 15.0 g
Sodium Chloride 2.0 g
Potassium Phosphate, monobasic 0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative) 0.01%.

Trademarks are property of Clipper Distributing Company, LLC



INDICATIONS: For use as a supplemental nutritive source of electrolytes, dextrose, and amino acids in cattle.

DOSAGE AND ADMINISTRATION: Administer orally as a drench. The usual recommended dose in adult cattle is 500 to 1000 mL, depending on size and condition.

SHAKE WELL BEFORE USING

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15° and 30°C (59°-86°F)



A-0426-07

Rev. 07-19

LOT NO.:

EXP. DATE:

NDC 57319-525-08

Amcalcilyte Forte Oral Solution

ELECTROLYTES - DEXTROSE - AMINO ACIDS

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Net Contents:
1000 mL



COMPOSITION: Each 1000 mL of aqueous solution contains:

Dextrose • H₂O 275.0 g
Calcium Hypophosphite 36.5 g
Potassium Chloride 15.0 g
Sodium Chloride 2.0 g
Potassium Phosphate, monobasic 0.5 g

Comprised of: L-Glutamic Acid, L-Arginine Hydrochloride, L-Proline, L-Lysine Hydrochloride, L-Leucine, L-Phenylalanine, L-Valine, L-Threonine, L-Isoleucine, L-Histidine Hydrochloride, L-Methionine, L-Tyrosine, with Methylparaben (preservative) 0.09%, Propylparaben (preservative) 0.01%.

Trademarks are property of Clipper Distributing Company, LLC



AMCALCILYTE FORTE

amcalcilyte solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:57319-525
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

CALCIUM HYPOPHOSPHITE (UNII: CUI83R2732) (PHOSPHATE ION - UNII:NK08V8K8HR)	PHOSPHORUS	36.5 g in 1000 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	275 g in 1000 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152, CHLORIDE ION - UNII:Q32ZN48698)	POTASSIUM CHLORIDE	275 g in 1000 mL
POTASSIUM PHOSPHATE, MONOBASIC (UNII: 4J9FJ0HL51) (PHOSPHATE ION - UNII:NK08V8K8HR, POTASSIUM CATION - UNII:295O53K152)	POTASSIUM PHOSPHATE, MONOBASIC	2 g in 1000 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	0.5 g in 1000 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57319-525-08	1000 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/15/2019	

Labeler - Clipper Distributing Company, LLC (150711039)

Revised: 6/2024

Clipper Distributing Company, LLC