RITE AID REGULAR STRNGTH PINK BISMUTH- bismuth subsalicylate suspension RITE AID CORPORATION

RITE AID Regular Strength Pink Bismuth Subsalicylate 525 mg Drug Facts

Active ingredient (in each 30 mL dose cup)

Bismuth subsalicylate 525 mg

Purposes

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea or vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

■ fever

mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- Only use dose cup provided
- adults and children 12 years and over: 1 dose (30 mL) every 1/2 hour or 60 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
- 30 mL (1 dose) every $\frac{1}{2}$ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each 30 mL contains: potassium 15 mg, sodium 11 mg
- salicylate 260 mg
- low sodium
- sugar free
- store at room temperature
- protect from freezing

■ avoid excessive heat (over 104°F 40°C)

Inactive ingredients

carboxymethylcellulose sodium, D&C Red No. 22, D&C Red No. 28, flavor, microcrystalline cellulose, potassium hydroxide, potassium sorbate, purified water, salicylic acid, simethicone emulsion, sodium benzoate, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Do not use if imprinted shrink band is missing or broken.

Principal Display Panel

meijer_®

NDC# **41250-671-16**

Compare to the active ingredient in Pepto-Bismol® Regular Strength

NDC 11822-7016-6

Regular Strength

Pink bismuth

Bismuth Subsalicylate

Upset Stomach Reliever/ Antidiarrheal

Relieves:

- Nausea
- Heartburn
- Indigestion
- Upset Stomach
- Diarrhea

Cherry Flavor

Naturally and Artificially Flavored

16 FL. OZ. (473 mL)

*This product is not manufactured or distributed by The Procter & Gamble Co., distributor of Pepto-Bismol® Regular Strength.



RITE AID REGULAR STRNGTH PINK BISMUTH

bismuth subsalicylate suspension

_			
Drod	luct	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-7016

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE, SALICYLIC ACID - UNII:0414PZ4LPZ) BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE, SUBSALICYLATE in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

SUCRALOSE (UNII: 96K6UQ3ZD4)

XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:11822- 7016-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/02/2023		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	01/02/2023	

Labeler - RITE AID CORPORATION (014578892)

Revised: 11/2023 RITE AID CORPORATION