

IOLITE- benzocaine gel
Dharma Research, Inc.

Active Ingredient

Benzocaine, 20%

Purpose

Oral anesthetic

Uses

For the temporary relief of pain associated with canker sores and minor dental procedures.

Warnings

Methemoglobinemia warning

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in the blood. This can occur even if you have used this product before.

Stop use and seek medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert. Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics.

Do not use this product for more than 7 days unless directed by a dentist or a doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash, or fever develops, see your dentist or doctor promptly.

Do not exceed recommended dosage.

Keep Out of Reach of Children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control center right away.

Directions

- Adults and children 2 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor.
- Children under 12 years of age should be supervised in the use of this product

- Children under 2 years of age: Consult a dentist or doctor.

Other Information

Store at room temperature 59-86°F (15-30°C). Protect from freezing and heat.

Inactive Ingredients

FD&C Red #40, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol

Iolite

Oral Anesthetic Gel Strawberry Shortcake

with Vitamin E and Xylitol

Gluten Free

1.12 oz (32 g)

Manufactured by Dharma Research, Inc., 5220 NW 72nd Ave, Unit 15, Miami, FL 33166

1-877-833-3725

www.dharmaresearch.com

Manufactured by:
DHARMA RESEARCH, INC.
 5220 N.W. 72 Avenue
 Unit 15, Miami, FL 33166
 1-877-833-3725
 www.dharmaresearch.com

Directions:
 • For children 12 years of age and older: Apply to the affected area. Reapply as needed daily or as directed.
 • For children under 12 years of age: Apply to the affected area. Reapply as needed daily or as directed.
 • Children under 2 years of age: Consult a dentist or doctor.

Other Information:
 Store at room temperature 59-86°F (15-30°C). Protect from freezing and heat.

Inactive Ingredients:
 FD&C Red #40, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol.

Drug Facts:
Active Ingredients: Benzocaine, 20%
Purpose: Oral Anesthetic
Uses: For the temporary relief of pain associated with caries and minor dental procedures.
Warnings: continued on inside panel.

Warnings:
 Methemoglobinemia: This product may cause methemoglobinemia, a serious condition that reduces the oxygen-carrying capacity of the blood. The symptoms of this condition include pale, bluish, or grayish skin (cyanosis), headache, rapid shortness of breath, dizziness or lightheadedness, and weakness or fatigue.
Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics, butylacrylate, benzocaine, or other "-caine anesthetics."
 Do not use this product for more than 7 days unless directed by your dentist or doctor. If soon after use you notice mouth symptoms do not improve or if you experience pain, or redness, swelling, or sores, please stop using this product and contact your dentist or doctor promptly.
 Do not exceed recommended dosage.
 Keep out of reach of children. If more than used for pain relief, or if you experience any of the symptoms listed above, stop using this product and contact a Poison Control Center right away.

iolite
ORAL ANESTHETIC GEL
 with VITAMIN E and XYLITOL
 GLUTEN FREE 1.12 OZ (32g)

STRAWBERRY SHORTCAKE

IOLITE

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53045-136
Route of Administration	ORAL, DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzocaine (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	Benzocaine	6.4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53045-136-30	32 g in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	07/23/2017	

Labeler - Dharma Research, Inc. (078444642)

Establishment

Name	Address	ID/FEI	Business Operations
Dharma Research, Inc.		078444642	manufacture(53045-136)

Revised: 10/2023

Dharma Research, Inc.