

GRAIN AND SOY ALLERGEN MIX- adenosinum triphosphoricum dinatrum, coumarinum, quercetin, rutin, ileum (suis), jejunum (suis) stomach (suis), bacillus thuringiensis (bt toxin), bamboo, barley, poppy seed, corn, flax seed, cotton seed, millet, milo, oat, rice, rye, safflower, sesame, sorghum, soy bean, sugarcane, sunflower, wheat, gluten, amaranth, avena sativa, natrum sulphuricum, sarcolacticum acidum, triticum repens, adrenocorticotrophin, glyphosate, sycotic co bacillus liquid
Deseret Biologicals, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Adenosinum Triphosphoricum Dinatrum 4X, Coumarinum 6X, 8X, 10X, 30X, 200X, Quercetin 6X, 8X, 10X, 30X, 200X, Rutin 6X, 8X, 10X, 30X, 200X, Ileum (Suis) 8X, Jejunum (Suis) 8X, Stomach (Suis) 8X, Bacillus Thuringiensis (BT Toxin) 8X, 10X, 30X, 200X, Bamboo 9X, 12X, 15X, 30X, Barley 9X, 12X, 15X, 30X, Poppy Seed 9X, 12X, 15X, 30X, Corn 9X, 12X, 15X, 30X, Flax Seed 9X, 12X, 15X, 30X, Cotton Seed 9X, 12X, 15X, 30X, Millet 9X, 12X, 15X, 30X, Milo 9X, 12X, 15X, 30X, Oat 9X, 12X, 15X, 30X, Rice 9X, 12X, 15X, 30X, Rye 9X, 12X, 15X, 30X, Safflower 9X, 12X, 15X, 30X, Sesame 9X, 12X, 15X, 30X, Sorghum 9X, 12X, 15X, 30X, Soy Bean 9X, 12X, 15X, 30X, Sugarcane 9X, 12X, 15X, 30X, Sunflower 9X, 12X, 15X, 30X, Wheat 9X, 12X, 15X, 30X, Gluten 30X, 200X, Amaranth 6C, 30C, 200C, Avena Sativa 6C, 30C, 200C, Natrum Sulphuricum 6C, 30C, 200C, Sarcolacticum Acidum 6C, 30C, 200C, Triticum Repens 6C, 30C, 200C, Adrenocorticotrophin 8C, 30C, 200C, Glyphosate 12C, 30C, 200C, 1M, Sycotic Co Bacillus 30C, 200C.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to consumption of grains, soy, and gluten, including bowel irregularity, diarrhea, constipation, and fatigue.**

**These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

WARNINGS:

Keep out of reach of children. In case of overdose, contact physician or a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, contact physician or a Poison Control Center right away.

DIRECTIONS:

3-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to consumption of grains, soy, and gluten, including bowel irregularity, diarrhea, constipation, and fatigue.**

**These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

INACTIVE INDICATIONS:

Demineralized water, 25% Ethanol

QUESTIONS:

Dist. By: Deseret Biologicals, Inc.
469 W. Parkland Drive
Sandy, UT 84070 www.desbio.com

PACKAGE LABEL DISPLAY:

DESBIO

NDC 43742-0786-1

HOMEOPATHIC

GRAIN & SOY ALLERGEN MIX

1 FL OZ (30 ml)

WARNINGS:

Keep out of reach of children. In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding**, ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

DIRECTIONS:

3-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

*For a complete list of Grain and Seed Allersodes contact Deseret Biologicals, Inc.

LOT: XXXXXX

Dist. By: Deseret Biologicals, Inc.
469 W. Parkland Drive
Sandy, UT 84070 www.desbio.com



ACTIVE INGREDIENTS:

ATP 4X, Coumarinum 6X, 8X, 10X, 30X, 200X, Quercetin 6X, 8X, 10X, 30X, 200X, Rutin 6X, 8X, 10X, 30X, 200X, Ileum 8X, Jejunum 8X, Stomach 8X, Bacillus Thuringiensis 8X, 10X, 30X, 200X, Grain and Seed Allersodes* 9X, 12X, 15X, 30X, Gluten 30X, 200X, Amaranth 6C, 30C, 200C, Avena 6C, 30C, 200C, Nat Sulphuricum 6C, 30C, 200C, Sarcosolacticum Ac 6C, 30C, 200C, Triticum 6C, 30C, 200C, Adrenocorticotrophin 8C, 30C, 200C, Glyphosate 12C, 30C, 200C, 1000C, Sycotic Co Bacillus 30C, 200C.

HOMEOPATHIC INDICATIONS:

For the temporary relief of symptoms related to consumption of grains, soy, and gluten, including bowel irregularity, diarrhea, constipation, and fatigue.**

**These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

GRAIN AND SOY ALLERGEN MIX

adenosinum triphosphoricum dinatrum, coumarinum, quercetin, rutin, ileum (suis), jejunum (suis) stomach (suis), bacillus thuringiensis (bt toxin), bamboo, barley, poppy seed, corn, flax seed, cotton seed, millet, milo, oat, rice, rye, safflower, sesame, sorghum, soy bean, sugarcane, sunflower, wheat, gluten, amaranth, avena sativa, natrum sulphuricum, sarcosolacticum acidum, triticum repens, adrenocorticotrophin, glyphosate, sycotic co bacillus liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43742-0786
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	4 [hp_X] in 1 mL
COUMARIN (UNII: A4VZ22K1WT) (COUMARIN - UNII:A4VZ22K1WT)	COUMARIN	6 [hp_X] in 1 mL
QUERCETIN (UNII: 9IKM0I5T1E) (QUERCETIN - UNII:9IKM0I5T1E)	QUERCETIN	6 [hp_X] in 1 mL
RUTIN (UNII: 5G06TVY3R7) (RUTIN - UNII:5G06TVY3R7)	RUTIN	6 [hp_X] in 1 mL
SUS SCROFA ILEUM (UNII: C998R1XSRA) (SUS SCROFA ILEUM - UNII:C998R1XSRA)	SUS SCROFA ILEUM	8 [hp_X] in 1 mL
SUS SCROFA JEJUNUM (UNII: TA501QD69R) (SUS SCROFA JEJUNUM - UNII:TA501QD69R)	SUS SCROFA JEJUNUM	8 [hp_X] in 1 mL
SUS SCROFA STOMACH (UNII: T0920P9Z9A) (SUS SCROFA STOMACH - UNII:T0920P9Z9A)	SUS SCROFA STOMACH	8 [hp_X] in 1 mL
BACILLUS THURINGIENSIS (UNII: 3TK3LQP1N7) (BACILLUS THURINGIENSIS - UNII:3TK3LQP1N7)	BACILLUS THURINGIENSIS	8 [hp_X] in 1 mL
BAMBUSA VULGARIS LEAF (UNII: EMY54R518C) (BAMBUSA VULGARIS LEAF - UNII:EMY54R518C)	BAMBUSA VULGARIS LEAF	9 [hp_X] in 1 mL
BARLEY (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	8 [hp_X] in 1 mL
POPPY SEED (UNII: 60RO23IR87) (POPPY SEED - UNII:60RO23IR87)	POPPY SEED	9 [hp_X] in 1 mL
CORN (UNII: 0N8672707O) (CORN - UNII:0N8672707O)	CORN	9 [hp_X] in 1 mL
FLAX SEED (UNII: 4110YT348C) (FLAX SEED - UNII:4110YT348C)	FLAX SEED	9 [hp_X] in 1 mL
LEVANT COTTON SEED (UNII: 550E4N439V) (LEVANT COTTON SEED - UNII:550E4N439V)	LEVANT COTTON SEED	9 [hp_X] in 1 mL
MILLET (UNII: TJR6B3R47P) (MILLET - UNII:TJR6B3R47P)	MILLET	9 [hp_X] in 1 mL
SORGHUM BICOLOR WHOLE (UNII: Y3T98X3AL6) (SORGHUM BICOLOR WHOLE - UNII:Y3T98X3AL6)	SORGHUM BICOLOR WHOLE	9 [hp_X] in 1 mL
OAT (UNII: Z6J799EAJK) (OAT - UNII:Z6J799EAJK)	OAT	9 [hp_X] in 1 mL
BROWN RICE (UNII: 659G217HPG) (BROWN RICE - UNII:659G217HPG)	BROWN RICE	9 [hp_X] in 1 mL
RYE (UNII: 0R4AQI398X) (RYE - UNII:0R4AQI398X)	RYE	9 [hp_X] in 1 mL
SAFFLOWER (UNII: 4VBL71TY4Y) (SAFFLOWER - UNII:4VBL71TY4Y)	SAFFLOWER	9 [hp_X] in 1 mL
SESAME SEED (UNII: 7Y1255HVXR) (SESAME SEED - UNII:7Y1255HVXR)	SESAME SEED	9 [hp_X] in 1 mL
SORGHUM (UNII: CUL9PN8ELJ) (SORGHUM - UNII:CUL9PN8ELJ)	SORGHUM	9 [hp_X] in 1 mL
SOYBEAN (UNII: L7HT8F1ZOD) (SOYBEAN - UNII:L7HT8F1ZOD)	SOYBEAN	9 [hp_X] in 1 mL
SUGARCANE (UNII: 81H2R5AOH3) (SUGARCANE - UNII:81H2R5AOH3)	SUGARCANE	9 [hp_X] in 1 mL
SUNFLOWER SEED (UNII: R9N3379M4Z) (SUNFLOWER SEED - UNII:R9N3379M4Z)	SUNFLOWER SEED	9 [hp_X] in 1 mL

WHEAT (UNII: 4J2I0SN84Y) (WHEAT - UNII:4J2I0SN84Y)	WHEAT	9 [hp_X] in 1 mL
WHEAT GLUTEN (UNII: 1534K8653J) (WHEAT GLUTEN - UNII:1534K8653J)	WHEAT GLUTEN	30 [hp_X] in 1 mL
AMARANTH (UNII: 37RBV3X49K) (AMARANTH ACID - UNII:02J7X17ZUQ)	AMARANTH	6 [hp_C] in 1 mL
AVENA SATIVA FLOWERING TOP (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	6 [hp_C] in 1 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	6 [hp_C] in 1 mL
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_C] in 1 mL
ELYMUS REPENS ROOT (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	6 [hp_C] in 1 mL
CORTICOTROPIN (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA)	CORTICOTROPIN	8 [hp_C] in 1 mL
GLYPHOSATE (UNII: 4632WW1X5A) (GLYPHOSATE - UNII:4632WW1X5A)	GLYPHOSATE	12 [hp_C] in 1 mL
ENTEROCOCCUS FAECALIS (UNII: 15E04LZ9CT) (ENTEROCOCCUS FAECALIS - UNII:15E04LZ9CT)	ENTEROCOCCUS FAECALIS	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-0786-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	07/07/2016	04/03/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/07/2016	04/03/2023

Labeler - Deseret Biologicals, Inc. (940741853)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-0786) , api manufacture(43742-0786) , label(43742-0786) , pack(43742-0786)