

EVEN BETTER SKIN TONE CORRECTING MOISTURIZER BROAD SPECTRUM SPF 20- avobenzone, octisalate, and octocrylene cream
CLINIQUE LABORATORIES LLC

EVEN BETTER SKIN TONE CORRECTING MOISTURIZER

BROAD SPECTRUM SPF 20

Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%
Octocrylene 2.7%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau•butyloctyl salicylate•nylon-12•octyldodecyl neopentanoate•behenyl alcohol•ascorbyl glucoside•myristyl myristate•cetyl esters•butylene glycol•polyethylene•ammonium acryloyldimethyltaurate/vp copolymer•saccharomyces cerevisiae extract•yeast extract\faex\extrait de levure•betula alba (birch) bark extract•cucumis sativus (cucumber) fruit extract•scutellaria baicalensis root extract•pyrus malus (apple) fruit extract•trametes versicolor extract•triticum vulgare (wheat) bran extract•saccharomyces lysate extract•punica granatum (pomegranate) fruit juice•olea europaea (olive) fruit extract•curcuma longa (turmeric) root extract•oryza sativa (rice) bran extract•citrus grandis (grapefruit) peel extract•peg-6•cholesterol•dimethicone•glyceryl stearate•peg-100 stearate•glycerin•di-ppg-2 myreth-10 adipate•steareth-21•caffeine sodium rna•cellulose•acetyl glucosamine•tromethamine•sucrose•myristyl laurate•di-c12-18 alkyl dimonium chloride•salicylic acid•sodium hyaluronate•tocopheryl acetate•trisiloxane•linoleic acid•caprylyl glycol•myristyl alcohol•sodium sulfite•sodium metabisulfite•magnesium ascorbyl phosphate•betaine•trehalose•hexylene glycol•dipotassium glycyrrhizate•lauryl peg-9 polydimethylsiloxylethyl dimethicone•sodium hydroxide•disodium edta•phenoxyethanol [iln46501]

Other information

protect the product in this container from excessive heat and direct sun

CLINIQUE LABORATORIES, DIST. N.Y., N.Y. 10022
NEW YORK • LONDON W1K 3BQ • PARIS

PRINCIPAL DISPLAY PANEL - 50 mL Jar Carton

uneven skin tone

CLINIQUE
even better

skin tone correcting moisturizer
broad spectrum SPF 20

VERY DRY TO DRY COMBINATION

POIDS NET WT. 1.7 OZ./50 ml e

uneven skin tone



CLINIQUE

even better

skin tone correcting moisturizer
broad spectrum SPF 20

VERY DRY TO DRY COMBINATION

POIDS NET WT. 1.7 OZ./50 ml e

Allergy Tested. 100% Fragrance Free.
For All Skin Tones. Skin Types 1, 2

Imagine virtually erasing discolourations and dark spots gently, visibly, measurably, while protecting skin from future dark spots with high-performance defense, UVA plus UVB. This daily moisturizing cream creates a more even looking skin tone. Delivers soothing hydration as specialized ingredients help reduce the look of dark spots. Skin instantly enjoys greater clarity, brightness as it visibly transforms into a more uniform tone. Oil-free. Apply AM.

Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%
Octocrylene 2.8%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Drug Facts (continued)

sodium sulfite • sodium metabisulfite • magnesium ascorbyl phosphate • betaine • trehalose • hexylene glycol • dipotassium glycyrrhizate • lauryl peg-9 polydimethylsilyloxyethyl dimethicone • sodium hydroxide • disodium edta • phenoxyethanol [In46501]

Other information

protect the product in this container from excessive heat and direct sun



© CLINIQUE LABS., DIST. NEW YORK, N.Y. 10022
WILB LTD, GUS2 300, UK • MILBS NV, CEVEL BE-2260
MADE IN U.S.A. 6WFE

clinique.com

FPO/U/PC

1,2
SKIN TYPES
VERY DRY TO DRY COMBINATION

Drug Facts (continued)

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor ▶

Drug Facts (continued)

Inactive ingredients

water/aqua/eau • butyloctyl salicylate • nylon-12 • octyldodecyl neopentanoate • behenyl alcohol • ascorbyl glucoside • myristyl myristate • cetyl esters • butylene glycol • polyethylene • ammonium acryloyldimethylsulfate/vp copolymer • saccharomyces cerevisiae extract • yeast extract/levure extract de levure • betula alba (birch) bark extract • cucumis sativus (cucumber) fruit extract • scutellaria bicalensis root extract • pyrus malus (apple) fruit extract • trameetes versicolor extract • triticum vulgare (wheat) bran extract • saccharomyces lysate extract • punica granatum (pomegranate) fruit juice • olea europaea (olive) fruit extract • curcuma longa (turmeric) root extract • oryza sativa (rice) bran extract • citrus grandis (grapefruit) peel extract • peg-6 • cholesterol • dimethicone • glyceryl stearate • peg-100 stearate • glycerin • dl-ppg-2 myreth-10 adipate • steareth-21 • caffeine • sodium rna • cellulose • acetyl glucosamine • tromethamine • sucrose • myristyl laurate • dl-c12-18 alkyl dimonium chloride • salicylic acid • sodium hyaluronate • tocopheryl acetate • trisiloxane • linoleic acid • caprylyl glycol • myristyl alcohol ▼

FSC/
FPO

11mm W x 14.2mm H

6WRE-01-111F

EVEN BETTER SKIN TONE CORRECTING MOISTURIZER BROAD SPECTRUM SPF 20

avobenzone, octisalate, and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-082
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	28 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NYLON-12 (UNII: 446U8J075B)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
CETYL ESTERS WAX (UNII: D072FFP9GU)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
BETULA PUBESCENS BARK (UNII: 3R504894L9)	
CUCUMBER (UNII: YY7C30VXJT)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
APPLE (UNII: B423VGH5S9)	
WHEAT BRAN (UNII: 6L966A1IMR)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
POMEGRANATE JUICE (UNII: 99S671U9KB)	
BLACK OLIVE (UNII: 2M6QW94OC)	
TURMERIC (UNII: 856YO1Z64F)	
RICE BRAN (UNII: R60QEP13IC)	
CITRUS MAXIMA FRUIT RIND (UNII: 5NX3G75CA6)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEARETH-21 (UNII: 53J3F32P58)	
CAFFEINE (UNII: 3G6A5W338E)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	

N-ACETYLGLUCOSAMINE (UNII: V956696549)
TROMETHAMINE (UNII: 023C2WHX2V)
SUCROSE (UNII: C151H8M554)
SALICYLIC ACID (UNII: O414PZ4LPZ)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRISILOXANE (UNII: 9G1ZW13R0G)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM SULFITE (UNII: VTK01UQK3G)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)
BETAINE (UNII: 3SCV180C9W)
TREHALOSE (UNII: B8WCK70T7I)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
EDETATE DISODIUM (UNII: 7FLD91C86K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
N-DIALKYL METHYL BENZYL AMMONIUM CHLORIDE (C12-C18) (UNII: 00MFZ4H95Z)
MYRISTYL LAURATE (UNII: 58U0NZN2BT)
SODIUM RICINOLEATE (UNII: 00O64813BX)
DI-PPG-2 MYRETH-10 ADIPATE (UNII: 4IN301M0KJ)
TRAMETES VERSICOLOR STRAIN CM-101 (UNII: 26BE3YVD39)
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H)
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)
DOCOSANOL (UNII: 9G1OE216XY)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-082-01	1 in 1 CARTON	06/01/2012	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2012	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-082) , pack(49527-082) , label(49527-082)

Revised: 10/2023

CLINIQUE LABORATORIES LLC