KY DURATION FOR HIM- benzocaine gel RB Health (US) LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

KY® Duration® Gel for Him

Drug Facts

Active ingredient

Benzocaine USP 7%

Purpose

Male Genital Desensitizer

Uses

- helps in the prevention of premature ejaculation
- helps in temporarily prolonging the time until ejaculation

Warnings

For external use only

Premature ejaculation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes

If you or your partner develop a rash or irritation, such as burning or itching, discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use Keep out of reach of children.

If swallowed, get medical help or contact a poison Control Center right away.

Directions

- apply a small amount to the head and shaft of the penis before intercourse, or use as directed by a doctor. Wash product off after intercourse.
- use only on intact, non-inflamed skin
- allow gel to dry prior to intercourse
- not suitable for oral use
- use as directed, not more than four times per day

Other information

- store between 20-25°C (68-77°F)
- compatible with latex condoms
- child resistant closure. Instructions for opening are included in the leaflet.
- read the enclosed leaflet to achieve best results

Inactive Ingredients

carbomer homopolymer type B, polyethylene glycol

Questions?

1-800-756-5488

Dist. by: RB Health (US) Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL 5.0 mL Can Label

36

pumps

 $KY^{\mathbb{R}}$

EST

1904

duration[®]

gel for him


male genital desensitizer Benzocaine USP 7%

latex condom compatible

don't

stop

36 Pumps 0.16 fl oz (5.0 mL)







K-Y® Duration Gel helps him last longer by temporarily prolonging the time until ejaculation. Don't stop the exploration with a formula designed to help the pleasure last even longer. More pleasure. Now we're talking.

Drug Facts

Active ingredient Purpose Benzocaine USP 7%......Male Genital Desensitizer

Uses ■ helps in the prevention of premature ejaculation helps in temporarily prolonging the time until elaculation

Warnings For external use only

Premature elachlation may be due to a condition requiring medical supervision. If this product, used as directed, does not provide relief, discontinue use and consult a doctor.

Avoid contact with the eyes If you or your partner develop a rash or irritation, such as burning or itching, discontinue use. If symptoms persist, consult a doctor.

If pregnant or breastfeeding, ask a health professional before use Keep out of reach of children. If swallowed, get medical help or contact

Drug Facts (continued) a poison Control Center right away.

Directions apply a small amount to the head and shaft of the penis before intercourse, or use as directed by a doctor. Wash product off after intercourse.

- use only on intact, non-inflamed skin
- allow gel to dry prior to intercourse
 not suitable for oral use
 use as directed, not more than four times per day

- Other information
 store between 20-25°C (68-77°F)
 compatible with latex condoms child resistant closure. Instructions for opening are
- included in the leaflet.

 read the englosed leaflet to achieve best results


Inactive Ingredients carbomer homppolymer type B, polyethylene glycol

Questions? 1-800-756-5488









KY DURATION FOR HIM

benzocaine gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72854-683

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzocaine (UNII: U3RSY48IW5) (Benzocaine - UNII:U3RSY48IW5)	Benzocaine	7 g in 100 mL

Inactive Ingredients Ingredient Name CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL OR ALLYL SUCROSE CROSSLINKED) (UNII: K6MOM3T5YL) POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:72854-683- 01	1 in 1 CARTON	09/01/2020			
1		5 mL in 1 CAN; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part348	09/01/2020		

Labeler - RB Health (US) LLC (081049410)

Revised: 1/2022 RB Health (US) LLC